

# ISO/IEC 15408-2:2008-08 (E)

## Information technology - Security techniques - Evaluation criteria for IT security – Part 2: Security functional components

---

### Contents

Page

- Foreword ..... xviii
- Introduction ..... xx
- 1 Scope ..... 1
- 2 Normative references ..... 1
- 3 Terms and definitions, symbols and abbreviated terms ..... 1
- 4 Overview ..... 1
- 4.1 Organisation of this part of ISO/IEC 15408 ..... 1
- 5 Functional requirements paradigm ..... 2
- 6 Security functional components ..... 5
- 6.1 Overview ..... 5
- 6.1.1 Class structure ..... 5
- 6.1.2 Family structure ..... 6
- 6.1.3 Component structure ..... 8
- 6.2 Component catalogue ..... 9
- 6.2.1 Component changes highlighting ..... 10
- 7 Class FAU: Security audit ..... 10
- 7.1 Security audit automatic response (FAU\_ARP) ..... 11
- 7.1.1 Family Behaviour ..... 11
- 7.1.2 Component levelling ..... 11
- 7.1.3 Management of FAU\_ARP.1 ..... 11
- 7.1.4 Audit of FAU\_ARP.1 ..... 11
- 7.1.5 FAU\_ARP.1 Security alarms ..... 11
- 7.2 Security audit data generation (FAU\_GEN) ..... 11
- 7.2.1 Family Behaviour ..... 11
- 7.2.2 Component levelling ..... 11
- 7.2.3 Management of FAU\_GEN.1, FAU\_GEN.2 ..... 11
- 7.2.4 Audit of FAU\_GEN.1, FAU\_GEN.2 ..... 11
- 7.2.5 FAU\_GEN.1 Audit data generation ..... 12
- 7.2.6 FAU\_GEN.2 User identity association ..... 12
- 7.3 Security audit analysis (FAU\_SAA) ..... 12
- 7.3.1 Family Behaviour ..... 12
- 7.3.2 Component levelling ..... 12
- 7.3.3 Management of FAU\_SAA.1 ..... 13
- 7.3.4 Management of FAU\_SAA.2 ..... 13
- 7.3.5 Management of FAU\_SAA.3 ..... 13
- 7.3.6 Management of FAU\_SAA.4 ..... 13
- 7.3.7 Audit of FAU\_SAA.1, FAU\_SAA.2, FAU\_SAA.3, FAU\_SAA.4 ..... 13
- 7.3.8 FAU\_SAA.1 Potential violation analysis ..... 13
- 7.3.9 FAU\_SAA.2 Profile based anomaly detection ..... 14
- 7.3.10 FAU\_SAA.3 Simple attack heuristics ..... 14
- 7.3.11 FAU\_SAA.4 Complex attack heuristics ..... 15
- 7.4 Security audit review (FAU\_SAR) ..... 15
- 7.4.1 Family Behaviour ..... 15
- 7.4.2 Component levelling ..... 15
- 7.4.3 Management of FAU\_SAR.1 ..... 15
- 7.4.4 Management of FAU\_SAR.2, FAU\_SAR.3 ..... 15
- 7.4.5 Audit of FAU\_SAR.1 ..... 15
- 7.4.6 Audit of FAU\_SAR.2 ..... 16
- 7.4.7 Audit of FAU\_SAR.3 ..... 16

7.4.8	FAU_SAR.1 Audit review .....	16
7.4.9	FAU_SAR.2 Restricted audit review .....	16
7.4.10	FAU_SAR.3 Selectable audit review .....	16
7.5	Security audit event selection (FAU_SEL) .....	16
7.5.1	Family Behaviour .....	16
7.5.2	Component levelling .....	17
7.5.3	Management of FAU_SEL.1 .....	17
7.5.4	Audit of FAU_SEL.1 .....	17
7.5.5	FAU_SEL.1 Selective audit .....	17
7.6	Security audit event storage (FAU_STG) .....	17
7.6.1	Family Behaviour .....	17
7.6.2	Component levelling .....	17
7.6.3	Management of FAU_STG.1.....	18
7.6.4	Management of FAU_STG.2.....	18
7.6.5	Management of FAU_STG.3.....	18
7.6.6	Management of FAU_STG.4.....	18
7.6.7	Audit of FAU_STG.1, FAU_STG.2.....	18
7.6.8	Audit of FAU_STG.3.....	18
7.6.9	Audit of FAU_STG.4.....	18
7.6.10	FAU_STG.1 Protected audit trail storage .....	18
7.6.11	FAU_STG.2 Guarantees of audit data availability .....	19
7.6.12	FAU_STG.3 Action in case of possible audit data loss .....	19
7.6.13	FAU_STG.4 Prevention of audit data loss.....	19
8	Class FCO: Communication .....	20
8.1	Non-repudiation of origin (FCO_NRO).....	20
8.1.1	Family Behaviour .....	20
8.1.2	Component levelling .....	20
8.1.3	Management of FCO_NRO.1, FCO_NRO.2 .....	20
8.1.4	Audit of FCO_NRO.1.....	20
8.1.5	Audit of FCO_NRO.2.....	21
8.1.6	FCO_NRO.1 Selective proof of origin .....	21
8.1.7	FCO_NRO.2 Enforced proof of origin .....	21
8.2	Non-repudiation of receipt (FCO_NRR).....	22
8.2.1	Family Behaviour .....	22
8.2.2	Component levelling .....	22
8.2.3	Management of FCO_NRR.1, FCO_NRR.2 .....	22
8.2.4	Audit of FCO_NRR.1.....	22
8.2.5	Audit of FCO_NRR.2.....	22
8.2.6	FCO_NRR.1 Selective proof of receipt .....	22
8.2.7	FCO_NRR.2 Enforced proof of receipt .....	23
9	Class FCS: Cryptographic support.....	24
9.1	Cryptographic key management (FCS_CKM).....	24
9.1.1	Family Behaviour .....	24
9.1.2	Component levelling .....	24
9.1.3	Management of FCS_CKM.1, FCS_CKM.2, FCS_CKM.3, FCS_CKM.4 .....	25
9.1.4	Audit of FCS_CKM.1, FCS_CKM.2, FCS_CKM.3, FCS_CKM.4 .....	25
9.1.5	FCS_CKM.1 Cryptographic key generation .....	25
9.1.6	FCS_CKM.2 Cryptographic key distribution.....	25
9.1.7	FCS_CKM.3 Cryptographic key access.....	25
9.1.8	FCS_CKM.4 Cryptographic key destruction .....	26
9.2	Cryptographic operation (FCS_COP) .....	26
9.2.1	Family Behaviour .....	26
9.2.2	Component levelling .....	26
9.2.3	Management of FCS_COP.1 .....	26
9.2.4	Audit of FCS_COP.1 .....	26
9.2.5	FCS_COP.1 Cryptographic operation.....	27
10	Class FDP: User data protection.....	27
10.1	Access control policy (FDP_ACC) .....	29

10.1.1	Family Behaviour.....	29
10.1.2	Component levelling .....	30
10.1.3	Management of FDP_ACC.1, FDP_ACC.2 .....	30
10.1.4	Audit of FDP_ACC.1, FDP_ACC.2.....	30
10.1.5	FDP_ACC.1 Subset access control .....	30
10.1.6	FDP_ACC.2 Complete access control.....	30
10.2	Access control functions (FDP_ACF) .....	30
10.2.1	Family Behaviour.....	30
10.2.2	Component levelling .....	30
10.2.3	Management of FDP_ACF.1 .....	31
10.2.4	Audit of FDP_ACF.1 .....	31
10.2.5	FDP_ACF.1 Security attribute based access control .....	31
10.3	Data authentication (FDP_DAU).....	32
10.3.1	Family Behaviour.....	32
10.3.2	Component levelling .....	32
10.3.3	Management of FDP_DAU.1, FDP_DAU.2.....	32
10.3.4	Audit of FDP_DAU.1 .....	32
10.3.5	Audit of FDP_DAU.2 .....	32
10.3.6	FDP_DAU.1 Basic Data Authentication.....	32
10.3.7	FDP_DAU.2 Data Authentication with Identity of Guarantor .....	33
10.4	Export from the TOE (FDP_ETC) .....	33
10.4.1	Family Behaviour.....	33
10.4.2	Component levelling .....	33
10.4.3	Management of FDP_ETC.1.....	33
10.4.4	Management of FDP_ETC.2.....	33
10.4.5	Audit of FDP_ETC.1, FDP_ETC.2 .....	33
10.4.6	FDP_ETC.1 Export of user data without security attributes .....	34
10.4.7	FDP_ETC.2 Export of user data with security attributes.....	34
10.5	Information flow control policy (FDP_IFC) .....	34
10.5.1	Family Behaviour.....	34
10.5.2	Component levelling .....	35
10.5.3	Management of FDP_IFC.1, FDP_IFC.2 .....	35
10.5.4	Audit of FDP_IFC.1, FDP_IFC.2.....	35
10.5.5	FDP_IFC.1 Subset information flow control .....	35
10.5.6	FDP_IFC.2 Complete information flow control.....	35
10.6	Information flow control functions (FDP_IFT).....	35
10.6.1	Family Behaviour.....	35
10.6.2	Component levelling .....	36
10.6.3	Management of FDP_IFT.1, FDP_IFT.2.....	36
10.6.4	Management of FDP_IFT.3, FDP_IFT.4, FDP_IFT.5 .....	36
10.6.5	Management of FDP_IFT.6.....	36
10.6.6	Audit of FDP_IFT.1, FDP_IFT.2, FDP_IFT.5.....	36
10.6.7	Audit of FDP_IFT.3, FDP_IFT.4, FDP_IFT.6.....	37
10.6.8	FDP_IFT.1 Simple security attributes.....	37
10.6.9	FDP_IFT.2 Hierarchical security attributes.....	37
10.6.10	FDP_IFT.3 Limited illicit information flows.....	38
10.6.11	FDP_IFT.4 Partial elimination of illicit information flows .....	39
10.6.12	FDP_IFT.5 No illicit information flows.....	39
10.6.13	FDP_IFT.6 Illicit information flow monitoring.....	39
10.7	Import from outside of the TOE (FDP_ITC).....	39
10.7.1	Family Behaviour.....	39
10.7.2	Component levelling .....	39
10.7.3	Management of FDP_ITC.1, FDP_ITC.2 .....	40
10.7.4	Audit of FDP_ITC.1, FDP_ITC.2.....	40
10.7.5	FDP_ITC.1 Import of user data without security attributes.....	40
10.7.6	FDP_ITC.2 Import of user data with security attributes .....	40
10.8	Internal TOE transfer (FDP_ITT).....	41
10.8.1	Family Behaviour.....	41
10.8.2	Component levelling .....	41
10.8.3	Management of FDP_ITT.1, FDP_ITT.2.....	41

10.8.4	Management of FDP_ITT.3, FDP_ITT.4	42
10.8.5	Audit of FDP_ITT.1, FDP_ITT.2	42
10.8.6	Audit of FDP_ITT.3, FDP_ITT.4	42
10.8.7	FDP_ITT.1 Basic internal transfer protection	42
10.8.8	FDP_ITT.2 Transmission separation by attribute	42
10.8.9	FDP_ITT.3 Integrity monitoring	43
10.8.10	FDP_ITT.4 Attribute-based integrity monitoring	43
10.9	Residual information protection (FDP_RIP)	43
10.9.1	Family Behaviour	43
10.9.2	Component levelling	44
10.9.3	Management of FDP_RIP.1, FDP_RIP.2	44
10.9.4	Audit of FDP_RIP.1, FDP_RIP.2	44
10.9.5	FDP_RIP.1 Subset residual information protection	44
10.9.6	FDP_RIP.2 Full residual information protection	44
10.10	Rollback (FDP_ROL)	44
10.10.1	Family Behaviour	44
10.10.2	Component levelling	44
10.10.3	Management of FDP_ROL.1, FDP_ROL.2	45
10.10.4	Audit of FDP_ROL.1, FDP_ROL.2	45
10.10.5	FDP_ROL.1 Basic rollback	45
10.10.6	FDP_ROL.2 Advanced rollback	45
10.11	Stored data integrity (FDP_SDI)	46
10.11.1	Family Behaviour	46
10.11.2	Component levelling	46
10.11.3	Management of FDP_SDI.1	46
10.11.4	Management of FDP_SDI.2	46
10.11.5	Audit of FDP_SDI.1	46
10.11.6	Audit of FDP_SDI.2	46
10.11.7	FDP_SDI.1 Stored data integrity monitoring	46
10.11.8	FDP_SDI.2 Stored data integrity monitoring and action	47
10.12	Inter-TSF user data confidentiality transfer protection (FDP_UCT)	47
10.12.1	Family Behaviour	47
10.12.2	Component levelling	47
10.12.3	Management of FDP_UCT.1	47
10.12.4	Audit of FDP_UCT.1	47
10.12.5	FDP_UCT.1 Basic data exchange confidentiality	47
10.13	Inter-TSF user data integrity transfer protection (FDP_UIT)	48
10.13.1	Family Behaviour	48
10.13.2	Component levelling	48
10.13.3	Management of FDP_UIT.1, FDP_UIT.2, FDP_UIT.3	48
10.13.4	Audit of FDP_UIT.1	48
10.13.5	Audit of FDP_UIT.2, FDP_UIT.3	48
10.13.6	FDP_UIT.1 Data exchange integrity	49
10.13.7	FDP_UIT.2 Source data exchange recovery	49
10.13.8	FDP_UIT.3 Destination data exchange recovery	49
11	Class FIA: Identification and authentication	50
11.1	Authentication failures (FIA_AFL)	51
11.1.1	Family Behaviour	51
11.1.2	Component levelling	51
11.1.3	Management of FIA_AFL.1	52
11.1.4	Audit of FIA_AFL.1	52
11.1.5	FIA_AFL.1 Authentication failure handling	52
11.2	User attribute definition (FIA_ATD)	52
11.2.1	Family Behaviour	52
11.2.2	Component levelling	52
11.2.3	Management of FIA_ATD.1	52
11.2.4	Audit of FIA_ATD.1	52
11.2.5	FIA_ATD.1 User attribute definition	53
11.3	Specification of secrets (FIA_SOS)	53

11.3.1	Family Behaviour.....	53
11.3.2	Component levelling .....	53
11.3.3	Management of FIA_SOS.1.....	53
11.3.4	Management of FIA_SOS.2.....	53
11.3.5	Audit of FIA_SOS.1, FIA_SOS.2 .....	53
11.3.6	FIA_SOS.1 Verification of secrets .....	53
11.3.7	FIA_SOS.2 TSF Generation of secrets .....	54
11.4	User authentication (FIA_UAU).....	54
11.4.1	Family Behaviour.....	54
11.4.2	Component levelling .....	54
11.4.3	Management of FIA_UAU.1.....	54
11.4.4	Management of FIA_UAU.2.....	55
11.4.5	Management of FIA_UAU.3, FIA_UAU.4, FIA_UAU.7 .....	55
11.4.6	Management of FIA_UAU.5.....	55
11.4.7	Management of FIA_UAU.6.....	55
11.4.8	Audit of FIA_UAU.1 .....	55
11.4.9	Audit of FIA_UAU.2 .....	55
11.4.10	Audit of FIA_UAU.3 .....	55
11.4.11	Audit of FIA_UAU.4 .....	56
11.4.12	Audit of FIA_UAU.5 .....	56
11.4.13	Audit of FIA_UAU.6 .....	56
11.4.14	Audit of FIA_UAU.7 .....	56
11.4.15	FIA_UAU.1 Timing of authentication .....	56
11.4.16	FIA_UAU.2 User authentication before any action .....	56
11.4.17	FIA_UAU.3 Unforgeable authentication .....	57
11.4.18	FIA_UAU.4 Single-use authentication mechanisms .....	57
11.4.19	FIA_UAU.5 Multiple authentication mechanisms.....	57
11.4.20	FIA_UAU.6 Re-authenticating .....	57
11.4.21	FIA_UAU.7 Protected authentication feedback.....	57
11.5	User identification (FIA_UID).....	58
11.5.1	Family Behaviour.....	58
11.5.2	Component levelling .....	58
11.5.3	Management of FIA_UID.1 .....	58
11.5.4	Management of FIA_UID.2 .....	58
11.5.5	Audit of FIA_UID.1, FIA_UID.2.....	58
11.5.6	FIA_UID.1 Timing of identification.....	58
11.5.7	FIA_UID.2 User identification before any action .....	59
11.6	User-subject binding (FIA_USB).....	59
11.6.1	Family Behaviour.....	59
11.6.2	Component levelling .....	59
11.6.3	Management of FIA_USB.1.....	59
11.6.4	Audit of FIA_USB.1.....	59
11.6.5	FIA_USB.1 User-subject binding .....	59
12	Class FMT: Security management.....	60
12.1	Management of functions in TSF (FMT_MOF).....	61
12.1.1	Family Behaviour.....	61
12.1.2	Component levelling .....	61
12.1.3	Management of FMT_MOF.1.....	61
12.1.4	Audit of FMT_MOF.1.....	62
12.1.5	FMT_MOF.1 Management of security functions behaviour .....	62
12.2	Management of security attributes (FMT_MSA).....	62
12.2.1	Family Behaviour.....	62
12.2.2	Component levelling .....	62
12.2.3	Management of FMT_MSA.1 .....	62
12.2.4	Management of FMT_MSA.2 .....	62
12.2.5	Management of FMT_MSA.3.....	63
12.2.6	Management of FMT_MSA.4.....	63
12.2.7	Audit of FMT_MSA.1.....	63
12.2.8	Audit of FMT_MSA.2.....	63

12.2.9	Audit of FMT_MSA.3	63
12.2.10	Audit of FMT_MSA.4	63
12.2.11	FMT_MSA.1 Management of security attributes	63
12.2.12	FMT_MSA.2 Secure security attributes	64
12.2.13	FMT_MSA.3 Static attribute initialisation	64
12.2.14	FMT_MSA.4 Security attribute value inheritance	64
12.3	Management of TSF data (FMT_MTD)	65
12.3.1	Family Behaviour	65
12.3.2	Component levelling	65
12.3.3	Management of FMT_MTD.1	65
12.3.4	Management of FMT_MTD.2	65
12.3.5	Management of FMT_MTD.3	65
12.3.6	Audit of FMT_MTD.1	65
12.3.7	Audit of FMT_MTD.2	65
12.3.8	Audit of FMT_MTD.3	65
12.3.9	FMT_MTD.1 Management of TSF data	65
12.3.10	FMT_MTD.2 Management of limits on TSF data	66
12.3.11	FMT_MTD.3 Secure TSF data	66
12.4	Revocation (FMT_REV)	66
12.4.1	Family Behaviour	66
12.4.2	Component levelling	66
12.4.3	Management of FMT_REV.1	66
12.4.4	Audit of FMT_REV.1	67
12.4.5	FMT_REV.1 Revocation	67
12.5	Security attribute expiration (FMT_SAE)	67
12.5.1	Family Behaviour	67
12.5.2	Component levelling	67
12.5.3	Management of FMT_SAE.1	67
12.5.4	Audit of FMT_SAE.1	67
12.5.5	FMT_SAE.1 Time-limited authorisation	67
12.6	Specification of Management Functions (FMT_SMF)	68
12.6.1	Family Behaviour	68
12.6.2	Component levelling	68
12.6.3	Management of FMT_SMF.1	68
12.6.4	Audit of FMT_SMF.1	68
12.6.5	FMT_SMF.1 Specification of Management Functions	68
12.7	Security management roles (FMT_SMR)	68
12.7.1	Family Behaviour	68
12.7.2	Component levelling	69
12.7.3	Management of FMT_SMR.1	69
12.7.4	Management of FMT_SMR.2	69
12.7.5	Management of FMT_SMR.3	69
12.7.6	Audit of FMT_SMR.1	69
12.7.7	Audit of FMT_SMR.2	69
12.7.8	Audit of FMT_SMR.3	69
12.7.9	FMT_SMR.1 Security roles	69
12.7.10	FMT_SMR.2 Restrictions on security roles	70
12.7.11	FMT_SMR.3 Assuming roles	70
13	Class FPR: Privacy	71
13.1	Anonymity (FPR_ANO)	71
13.1.1	Family Behaviour	71
13.1.2	Component levelling	71
13.1.3	Management of FPR_ANO.1, FPR_ANO.2	71
13.1.4	Audit of FPR_ANO.1, FPR_ANO.2	71
13.1.5	FPR_ANO.1 Anonymity	72
13.1.6	FPR_ANO.2 Anonymity without soliciting information	72
13.2	Pseudonymity (FPR_PSE)	72
13.2.1	Family Behaviour	72
13.2.2	Component levelling	72

13.2.3	Management of FPR_PSE.1, FPR_PSE.2, FPR_PSE.3.....	72
13.2.4	Audit of FPR_PSE.1, FPR_PSE.2, FPR_PSE.3.....	72
13.2.5	FPR_PSE.1 Pseudonymity.....	73
13.2.6	FPR_PSE.2 Reversible pseudonymity .....	73
13.2.7	FPR_PSE.3 Alias pseudonymity .....	73
13.3	Unlinkability (FPR_UNL) .....	74
13.3.1	Family Behaviour.....	74
13.3.2	Component levelling .....	74
13.3.3	Management of FPR_UNL.1 .....	74
13.3.4	Audit of FPR_UNL.1 .....	74
13.3.5	FPR_UNL.1 Unlinkability.....	74
13.4	Unobservability (FPR_UNO).....	74
13.4.1	Family Behaviour.....	74
13.4.2	Component levelling .....	75
13.4.3	Management of FPR_UNO.1, FPR_UNO.2.....	75
13.4.4	Management of FPR_UNO.3.....	75
13.4.5	Management of FPR_UNO.4.....	75
13.4.6	Audit of FPR_UNO.1, FPR_UNO.2 .....	75
13.4.7	Audit of FPR_UNO.3.....	75
13.4.8	Audit of FPR_UNO.4.....	75
13.4.9	FPR_UNO.1 Unobservability .....	75
13.4.10	FPR_UNO.2 Allocation of information impacting unobservability.....	76
13.4.11	FPR_UNO.3 Unobservability without soliciting information.....	76
13.4.12	FPR_UNO.4 Authorised user observability .....	76
14	Class FPT: Protection of the TSF .....	76
14.1	Fail secure (FPT_FLS).....	77
14.1.1	Family Behaviour.....	77
14.1.2	Component levelling .....	78
14.1.3	Management of FPT_FLS.1.....	78
14.1.4	Audit of FPT_FLS.1 .....	78
14.1.5	FPT_FLS.1 Failure with preservation of secure state.....	78
14.2	Availability of exported TSF data (FPT_ITA).....	78
14.2.1	Family Behaviour.....	78
14.2.2	Component levelling .....	78
14.2.3	Management of FPT_ITA.1.....	78
14.2.4	Audit of FPT_ITA.1 .....	78
14.2.5	FPT_ITA.1 Inter-TSF availability within a defined availability metric.....	78
14.3	Confidentiality of exported TSF data (FPT_ITC) .....	79
14.3.1	Family Behaviour.....	79
14.3.2	Component levelling .....	79
14.3.3	Management of FPT_ITC.1.....	79
14.3.4	Audit of FPT_ITC.1 .....	79
14.3.5	FPT_ITC.1 Inter-TSF confidentiality during transmission.....	79
14.4	Integrity of exported TSF data (FPT_ITI).....	79
14.4.1	Family Behaviour.....	79
14.4.2	Component levelling .....	79
14.4.3	Management of FPT_ITI.1 .....	80
14.4.4	Management of FPT_ITI.2 .....	80
14.4.5	Audit of FPT_ITI.1 .....	80
14.4.6	Audit of FPT_ITI.2.....	80
14.4.7	FPT_ITI.1 Inter-TSF detection of modification.....	80
14.4.8	FPT_ITI.2 Inter-TSF detection and correction of modification.....	80
14.5	Internal TOE TSF data transfer (FPT_ITT).....	81
14.5.1	Family Behaviour.....	81
14.5.2	Component levelling .....	81
14.5.3	Management of FPT_ITT.1 .....	81
14.5.4	Management of FPT_ITT.2.....	81
14.5.5	Management of FPT_ITT.3.....	81
14.5.6	Audit of FPT_ITT.1, FPT_ITT.2.....	82

14.5.7	Audit of FPT_ITT.3 .....	82
14.5.8	FPT_ITT.1 Basic internal TSF data transfer protection.....	82
14.5.9	FPT_ITT.2 TSF data transfer separation.....	82
14.5.10	FPT_ITT.3 TSF data integrity monitoring .....	82
14.6	TSF physical protection (FPT_PHP) .....	83
14.6.1	Family Behaviour .....	83
14.6.2	Component levelling .....	83
14.6.3	Management of FPT_PHP.1 .....	83
14.6.4	Management of FPT_PHP.2 .....	83
14.6.5	Management of FPT_PHP.3 .....	83
14.6.6	Audit of FPT_PHP.1 .....	83
14.6.7	Audit of FPT_PHP.2 .....	84
14.6.8	Audit of FPT_PHP.3 .....	84
14.6.9	FPT_PHP.1 Passive detection of physical attack.....	84
14.6.10	FPT_PHP.2 Notification of physical attack .....	84
14.6.11	FPT_PHP.3 Resistance to physical attack .....	84
14.7	Trusted recovery (FPT_RCV).....	85
14.7.1	Family Behaviour .....	85
14.7.2	Component levelling .....	85
14.7.3	Management of FPT_RCV.1 .....	85
14.7.4	Management of FPT_RCV.2, FPT_RCV.3 .....	85
14.7.5	Management of FPT_RCV.4.....	85
14.7.6	Audit of FPT_RCV.1, FPT_RCV.2, FPT_RCV.3.....	85
14.7.7	Audit of FPT_RCV.4.....	85
14.7.8	FPT_RCV.1 Manual recovery .....	86
14.7.9	FPT_RCV.2 Automated recovery.....	86
14.7.10	FPT_RCV.3 Automated recovery without undue loss.....	86
14.7.11	FPT_RCV.4 Function recovery .....	87
14.8	Replay detection (FPT_RPL).....	87
14.8.1	Family Behaviour .....	87
14.8.2	Component levelling .....	87
14.8.3	Management of FPT_RPL.1 .....	87
14.8.4	Audit of FPT_RPL.1 .....	87
14.8.5	FPT_RPL.1 Replay detection.....	87
14.9	State synchrony protocol (FPT_SSP).....	88
14.9.1	Family Behaviour .....	88
14.9.2	Component levelling .....	88
14.9.3	Management of FPT_SSP.1, FPT_SSP.2 .....	88
14.9.4	Audit of FPT_SSP.1, FPT_SSP.2 .....	88
14.9.5	FPT_SSP.1 Simple trusted acknowledgement .....	88
14.9.6	FPT_SSP.2 Mutual trusted acknowledgement.....	88
14.10	Time stamps (FPT_STM) .....	89
14.10.1	Family Behaviour .....	89
14.10.2	Component levelling .....	89
14.10.3	Management of FPT_STM.1 .....	89
14.10.4	Audit of FPT_STM.1.....	89
14.10.5	FPT_STM.1 Reliable time stamps.....	89
14.11	Inter-TSF TSF data consistency (FPT_TDC) .....	89
14.11.1	Family Behaviour .....	89
14.11.2	Component levelling .....	89
14.11.3	Management of FPT_TDC.1 .....	89
14.11.4	Audit of FPT_TDC.1 .....	89
14.11.5	FPT_TDC.1 Inter-TSF basic TSF data consistency .....	90
14.12	Testing of external entities (FPT_TEE).....	90
14.12.1	Family Behaviour .....	90
14.12.2	Component levelling .....	90
14.12.3	Management of FPT_TEE.1.....	90
14.12.4	Audit of FPT_TEE.1.....	90
14.12.5	FPT_TEE.1 Testing of external entities .....	90
14.13	Internal TOE TSF data replication consistency (FPT_TRC) .....	91

14.13.1	Family Behaviour.....	91
14.13.2	Component levelling .....	91
14.13.3	Management of FPT_TRC.1 .....	91
14.13.4	Audit of FPT_TRC.1 .....	91
14.13.5	FPT_TRC.1 Internal TSF consistency.....	91
14.14	TSF self test (FPT_TST) .....	92
14.14.1	Family Behaviour.....	92
14.14.2	Component levelling .....	92
14.14.3	Management of FPT_TST.1.....	92
14.14.4	Audit of FPT_TST.1 .....	92
14.14.5	FPT_TST.1 TSF testing .....	92
15	Class FRU: Resource utilisation.....	93
15.1	Fault tolerance (FRU_FLT).....	93
15.1.1	Family Behaviour.....	93
15.1.2	Component levelling .....	93
15.1.3	Management of FRU_FLT.1, FRU_FLT.2 .....	93
15.1.4	Audit of FRU_FLT.1 .....	93
15.1.5	Audit of FRU_FLT.2 .....	93
15.1.6	FRU_FLT.1 Degraded fault tolerance .....	94
15.1.7	FRU_FLT.2 Limited fault tolerance .....	94
15.2	Priority of service (FRU_PRS).....	94
15.2.1	Family Behaviour.....	94
15.2.2	Component levelling .....	94
15.2.3	Management of FRU_PRS.1, FRU_PRS.2 .....	94
15.2.4	Audit of FRU_PRS.1, FRU_PRS.2 .....	94
15.2.5	FRU_PRS.1 Limited priority of service.....	94
15.2.6	FRU_PRS.2 Full priority of service .....	95
15.3	Resource allocation (FRU_RSA).....	95
15.3.1	Family Behaviour.....	95
15.3.2	Component levelling .....	95
15.3.3	Management of FRU_RSA.1 .....	95
15.3.4	Management of FRU_RSA.2 .....	95
15.3.5	Audit of FRU_RSA.1, FRU_RSA.2.....	96
15.3.6	FRU_RSA.1 Maximum quotas .....	96
15.3.7	FRU_RSA.2 Minimum and maximum quotas.....	96
16	Class FTA: TOE access .....	97
16.1	Limitation on scope of selectable attributes (FTA_LSA) .....	97
16.1.1	Family Behaviour.....	97
16.1.2	Component levelling .....	97
16.1.3	Management of FTA_LSA.1 .....	97
16.1.4	Audit of FTA_LSA.1 .....	97
16.1.5	FTA_LSA.1 Limitation on scope of selectable attributes .....	98
16.2	Limitation on multiple concurrent sessions (FTA_MCS) .....	98
16.2.1	Family Behaviour.....	98
16.2.2	Component levelling .....	98
16.2.3	Management of FTA_MCS.1 .....	98
16.2.4	Management of FTA_MCS.2 .....	98
16.2.5	Audit of FTA_MCS.1, FTA_MCS.2.....	98
16.2.6	FTA_MCS.1 Basic limitation on multiple concurrent sessions .....	98
16.2.7	FTA_MCS.2 Per user attribute limitation on multiple concurrent sessions .....	99
16.3	Session locking and termination (FTA_SSL).....	99
16.3.1	Family Behaviour.....	99
16.3.2	Component levelling .....	99
16.3.3	Management of FTA_SSL.1 .....	99
16.3.4	Management of FTA_SSL.2 .....	99
16.3.5	Management of FTA_SSL.3 .....	99
16.3.6	Management of FTA_SSL.4 .....	100
16.3.7	Audit of FTA_SSL.1, FTA_SSL.2 .....	100
16.3.8	Audit of FTA_SSL.3 .....	100

16.3.9	Audit of FTA_SSL.4 .....	100
16.3.10	FTA_SSL.1 TSF-initiated session locking .....	100
16.3.11	FTA_SSL.2 User-initiated locking .....	100
16.3.12	FTA_SSL.3 TSF-initiated termination .....	101
16.3.13	FTA_SSL.4 User-initiated termination .....	101
16.4	TOE access banners (FTA_TAB).....	101
16.4.1	Family Behaviour .....	101
16.4.2	Component levelling .....	101
16.4.3	Management of FTA_TAB.1 .....	101
16.4.4	Audit of FTA_TAB.1 .....	101
16.4.5	FTA_TAB.1 Default TOE access banners.....	101
16.5	TOE access history (FTA_TAH).....	102
16.5.1	Family Behaviour .....	102
16.5.2	Component levelling .....	102
16.5.3	Management of FTA_TAH.1 .....	102
16.5.4	Audit of FTA_TAH.1 .....	102
16.5.5	FTA_TAH.1 TOE access history .....	102
16.6	TOE session establishment (FTA_TSE) .....	102
16.6.1	Family Behaviour .....	102
16.6.2	Component levelling .....	102
16.6.3	Management of FTA_TSE.1 .....	103
16.6.4	Audit of FTA_TSE.1 .....	103
16.6.5	FTA_TSE.1 TOE session establishment.....	103
17	Class FTP: Trusted path/channels.....	103
17.1	Inter-TSF trusted channel (FTP_ITC) .....	104
17.1.1	Family Behaviour .....	104
17.1.2	Component levelling .....	104
17.1.3	Management of FTP_ITC.1 .....	104
17.1.4	Audit of FTP_ITC.1 .....	104
17.1.5	FTP_ITC.1 Inter-TSF trusted channel.....	104
17.2	Trusted path (FTP_TRP).....	105
17.2.1	Family Behaviour .....	105
17.2.2	Component levelling .....	105
17.2.3	Management of FTP_TRP.1 .....	105
17.2.4	Audit of FTP_TRP.1 .....	105
17.2.5	FTP_TRP.1 Trusted path .....	105
Annex A	(normative) Security functional requirements application notes.....	107
A.1	Structure of the notes .....	107
A.1.1	Class structure.....	107
A.1.2	Family structure .....	108
A.1.3	Component structure .....	109
A.2	Dependency tables .....	109
Annex B	(normative) Functional classes, families, and components .....	115
Annex C	(normative) Class FAU: Security audit.....	116
C.1	Audit requirements in a distributed environment .....	116
C.2	Security audit automatic response (FAU_ARP) .....	117
C.2.1	User notes .....	117
C.2.2	FAU_ARP.1 Security alarms .....	117
C.3	Security audit data generation (FAU_GEN) .....	118
C.3.1	User notes .....	118
C.3.2	FAU_GEN.1 Audit data generation.....	119
C.3.3	FAU_GEN.2 User identity association .....	120
C.4	Security audit analysis (FAU_SAA) .....	120
C.4.1	User notes .....	120
C.4.2	FAU_SAA.1 Potential violation analysis .....	120
C.4.3	FAU_SAA.2 Profile based anomaly detection .....	121
C.4.4	FAU_SAA.3 Simple attack heuristics.....	122
C.4.5	FAU_SAA.4 Complex attack heuristics .....	122

C.5	Security audit review (FAU_SAR) .....	123
C.5.1	User notes .....	123
C.5.2	FAU_SAR.1 Audit review .....	124
C.5.3	FAU_SAR.2 Restricted audit review .....	124
C.5.4	FAU_SAR.3 Selectable audit review .....	124
C.6	Security audit event selection (FAU_SEL) .....	125
C.6.1	User notes .....	125
C.6.2	FAU_SEL.1 Selective audit .....	125
C.7	Security audit event storage (FAU_STG) .....	125
C.7.1	User notes .....	125
C.7.2	FAU_STG.1 Protected audit trail storage .....	126
C.7.3	FAU_STG.2 Guarantees of audit data availability .....	126
C.7.4	FAU_STG.3 Action in case of possible audit data loss .....	126
C.7.5	FAU_STG.4 Prevention of audit data loss .....	127
Annex D	(normative) Class FCO: Communication .....	128
D.1	Non-repudiation of origin (FCO_NRO) .....	128
D.1.1	User notes .....	128
D.1.2	FCO_NRO.1 Selective proof of origin .....	129
D.1.3	FCO_NRO.2 Enforced proof of origin .....	129
D.2	Non-repudiation of receipt (FCO_NRR) .....	130
D.2.1	User notes .....	130
D.2.2	FCO_NRR.1 Selective proof of receipt .....	130
D.2.3	FCO_NRR.2 Enforced proof of receipt .....	131
Annex E	(normative) Class FCS: Cryptographic support .....	132
E.1	Cryptographic key management (FCS_CKM) .....	133
E.1.1	User notes .....	133
E.1.2	FCS_CKM.1 Cryptographic key generation .....	134
E.1.3	FCS_CKM.2 Cryptographic key distribution .....	134
E.1.4	FCS_CKM.3 Cryptographic key access .....	134
E.1.5	FCS_CKM.4 Cryptographic key destruction .....	135
E.2	Cryptographic operation (FCS_COP) .....	135
E.2.1	User notes .....	135
E.2.2	FCS_COP.1 Cryptographic operation .....	136
Annex F	(normative) Class FDP: User data protection .....	137
F.1	Access control policy (FDP_ACC) .....	140
F.1.1	User notes .....	140
F.1.2	FDP_ACC.1 Subset access control .....	140
F.1.3	FDP_ACC.2 Complete access control .....	141
F.2	Access control functions (FDP_ACF) .....	141
F.2.1	User notes .....	141
F.2.2	FDP_ACF.1 Security attribute based access control .....	141
F.3	Data authentication (FDP_DAU) .....	143
F.3.1	User notes .....	143
F.3.2	FDP_DAU.1 Basic Data Authentication .....	143
F.3.3	FDP_DAU.2 Data Authentication with Identity of Guarantor .....	143
F.4	Export from the TOE (FDP_ETC) .....	143
F.4.1	User notes .....	143
F.4.2	FDP_ETC.1 Export of user data without security attributes .....	144
F.4.3	FDP_ETC.2 Export of user data with security attributes .....	144
F.5	Information flow control policy (FDP_IFC) .....	145
F.5.1	User notes .....	145
F.5.2	FDP_IFC.1 Subset information flow control .....	146
F.5.3	FDP_IFC.2 Complete information flow control .....	146
F.6	Information flow control functions (FDP_IFF) .....	146
F.6.1	User notes .....	146
F.6.2	FDP_IFF.1 Simple security attributes .....	147
F.6.3	FDP_IFF.2 Hierarchical security attributes .....	148
F.6.4	FDP_IFF.3 Limited illicit information flows .....	149

F.6.5	FDP_IFF.4 Partial elimination of illicit information flows .....	149
F.6.6	FDP_IFF.5 No illicit information flows .....	150
F.6.7	FDP_IFF.6 Illicit information flow monitoring .....	150
F.7	Import from outside of the TOE (FDP_ITC) .....	151
F.7.1	User notes .....	151
F.7.2	FDP_ITC.1 Import of user data without security attributes .....	152
F.7.3	FDP_ITC.2 Import of user data with security attributes.....	152
F.8	Internal TOE transfer (FDP_ITT) .....	152
F.8.1	User notes .....	152
F.8.2	FDP_ITT.1 Basic internal transfer protection .....	153
F.8.3	FDP_ITT.2 Transmission separation by attribute.....	153
F.8.4	FDP_ITT.3 Integrity monitoring .....	153
F.8.5	FDP_ITT.4 Attribute-based integrity monitoring .....	154
F.9	Residual information protection (FDP_RIP).....	155
F.9.1	User notes .....	155
F.9.2	FDP_RIP.1 Subset residual information protection .....	156
F.9.3	FDP_RIP.2 Full residual information protection.....	156
F.10	Rollback (FDP_ROL).....	156
F.10.1	User notes .....	156
F.10.2	FDP_ROL.1 Basic rollback.....	157
F.10.3	FDP_ROL.2 Advanced rollback .....	157
F.11	Stored data integrity (FDP_SDI) .....	158
F.11.1	User notes .....	158
F.11.2	FDP_SDI.1 Stored data integrity monitoring.....	158
F.11.3	FDP_SDI.2 Stored data integrity monitoring and action.....	158
F.12	Inter-TSF user data confidentiality transfer protection (FDP_UCT) .....	158
F.12.1	User notes .....	158
F.12.2	FDP_UCT.1 Basic data exchange confidentiality .....	159
F.13	Inter-TSF user data integrity transfer protection (FDP_UIT) .....	159
F.13.1	User notes .....	159
F.13.2	FDP_UIT.1 Data exchange integrity .....	159
F.13.3	FDP_UIT.2 Source data exchange recovery .....	160
F.13.4	FDP_UIT.3 Destination data exchange recovery .....	160
<b>Annex G</b>	<b>(normative) Class FIA: Identification and authentication .....</b>	<b>161</b>
G.1	Authentication failures (FIA_AFL).....	162
G.1.1	User notes .....	162
G.1.2	FIA_AFL.1 Authentication failure handling .....	163
G.2	User attribute definition (FIA_ATD).....	164
G.2.1	User notes .....	164
G.2.2	FIA_ATD.1 User attribute definition .....	164
G.3	Specification of secrets (FIA_SOS).....	164
G.3.1	User notes .....	164
G.3.2	FIA_SOS.1 Verification of secrets.....	165
G.3.3	FIA_SOS.2 TSF Generation of secrets .....	165
G.4	User authentication (FIA_UAU) .....	165
G.4.1	User notes .....	165
G.4.2	FIA_UAU.1 Timing of authentication .....	165
G.4.3	FIA_UAU.2 User authentication before any action.....	166
G.4.4	FIA_UAU.3 Unforgeable authentication .....	166
G.4.5	FIA_UAU.4 Single-use authentication mechanisms .....	166
G.4.6	FIA_UAU.5 Multiple authentication mechanisms .....	167
G.4.7	FIA_UAU.6 Re-authenticating.....	167
G.4.8	FIA_UAU.7 Protected authentication feedback .....	168
G.5	User identification (FIA_UID) .....	168
G.5.1	User notes .....	168
G.5.2	FIA_UID.1 Timing of identification .....	168
G.5.3	FIA_UID.2 User identification before any action .....	168
G.6	User-subject binding (FIA_USB) .....	169
G.6.1	User notes .....	169

G.6.2	FIA_USB.1 User-subject binding .....	169
<b>Annex H</b>	<b>(normative) Class FMT: Security management.....</b>	<b>170</b>
H.1	Management of functions in TSF (FMT_MOF).....	171
H.1.1	User notes .....	171
H.1.2	FMT_MOF.1 Management of security functions behaviour .....	172
H.2	Management of security attributes (FMT_MSA).....	172
H.2.1	User notes .....	172
H.2.2	FMT_MSA.1 Management of security attributes .....	173
H.2.3	FMT_MSA.2 Secure security attributes.....	173
H.2.4	FMT_MSA.3 Static attribute initialisation.....	174
H.2.5	FMT_MSA.4 Security attribute value inheritance .....	174
H.3	Management of TSF data (FMT_MTD) .....	174
H.3.1	User notes .....	174
H.3.2	FMT_MTD.1 Management of TSF data.....	174
H.3.3	FMT_MTD.2 Management of limits on TSF data.....	175
H.3.4	FMT_MTD.3 Secure TSF data .....	175
H.4	Revocation (FMT_REV) .....	176
H.4.1	User notes .....	176
H.4.2	FMT_REV.1 Revocation .....	176
H.5	Security attribute expiration (FMT_SAE) .....	176
H.5.1	User notes .....	176
H.5.2	FMT_SAE.1 Time-limited authorisation.....	177
H.6	Specification of Management Functions (FMT_SMF).....	177
H.6.1	User notes .....	177
H.6.2	FMT_SMF.1 Specification of Management Functions .....	177
H.7	Security management roles (FMT_SMR).....	177
H.7.1	User notes .....	177
H.7.2	FMT_SMR.1 Security roles .....	178
H.7.3	FMT_SMR.2 Restrictions on security roles .....	178
H.7.4	FMT_SMR.3 Assuming roles .....	178
<b>Annex I</b>	<b>(normative) Class FPR: Privacy .....</b>	<b>179</b>
I.1	Anonymity (FPR_ANO) .....	180
I.1.1	User notes .....	180
I.1.2	FPR_ANO.1 Anonymity.....	181
I.1.3	FPR_ANO.2 Anonymity without soliciting information .....	181
I.2	Pseudonymity (FPR_PSE) .....	182
I.2.1	User notes .....	182
I.2.2	FPR_PSE.1 Pseudonymity.....	183
I.2.3	FPR_PSE.2 Reversible pseudonymity .....	183
I.2.4	FPR_PSE.3 Alias pseudonymity .....	184
I.3	Unlinkability (FPR_UNL) .....	185
I.3.1	User notes .....	185
I.3.2	FPR_UNL.1 Unlinkability.....	186
I.4	Unobservability (FPR_UNO).....	186
I.4.1	User notes .....	186
I.4.2	FPR_UNO.1 Unobservability .....	187
I.4.3	FPR_UNO.2 Allocation of information impacting unobservability.....	187
I.4.4	FPR_UNO.3 Unobservability without soliciting information.....	188
I.4.5	FPR_UNO.4 Authorised user observability .....	189
<b>Annex J</b>	<b>(normative) Class FPT: Protection of the TSF .....</b>	<b>190</b>
J.1	Fail secure (FPT_FLS).....	192
J.1.1	User notes .....	192
J.1.2	FPT_FLS.1 Failure with preservation of secure state.....	192
J.2	Availability of exported TSF data (FPT_ITA).....	192
J.2.1	User notes .....	192
J.2.2	FPT_ITA.1 Inter-TSF availability within a defined availability metric.....	192
J.3	Confidentiality of exported TSF data (FPT_ITC) .....	193
J.3.1	User notes .....	193

J.3.2	FPT_ITC.1 Inter-TSF confidentiality during transmission .....	193
J.4	Integrity of exported TSF data (FPT_ITI) .....	193
J.4.1	User notes .....	193
J.4.2	FPT_ITI.1 Inter-TSF detection of modification .....	193
J.4.3	FPT_ITI.2 Inter-TSF detection and correction of modification .....	194
J.5	Internal TOE TSF data transfer (FPT_ITT) .....	194
J.5.1	User notes .....	194
J.5.2	Evaluator notes .....	194
J.5.3	FPT_ITT.1 Basic internal TSF data transfer protection.....	195
J.5.4	FPT_ITT.2 TSF data transfer separation.....	195
J.5.5	FPT_ITT.3 TSF data integrity monitoring .....	195
J.6	TSF physical protection (FPT_PHP) .....	195
J.6.1	User notes .....	195
J.6.2	FPT_PHP.1 Passive detection of physical attack.....	196
J.6.3	FPT_PHP.2 Notification of physical attack .....	196
J.6.4	FPT_PHP.3 Resistance to physical attack .....	196
J.7	Trusted recovery (FPT_RCV).....	197
J.7.1	User notes .....	197
J.7.2	FPT_RCV.1 Manual recovery .....	198
J.7.3	FPT_RCV.2 Automated recovery.....	199
J.7.4	FPT_RCV.3 Automated recovery without undue loss.....	199
J.7.5	FPT_RCV.4 Function recovery .....	200
J.8	Replay detection (FPT_RPL).....	200
J.8.1	User notes .....	200
J.8.2	FPT_RPL.1 Replay detection.....	200
J.9	State synchrony protocol (FPT_SSP).....	201
J.9.1	User notes .....	201
J.9.2	FPT_SSP.1 Simple trusted acknowledgement .....	201
J.9.3	FPT_SSP.2 Mutual trusted acknowledgement.....	201
J.10	Time stamps (FPT_STM) .....	201
J.10.1	User notes .....	201
J.10.2	FPT_STM.1 Reliable time stamps.....	201
J.11	Inter-TSF TSF data consistency (FPT_TDC) .....	202
J.11.1	User notes .....	202
J.11.2	FPT_TDC.1 Inter-TSF basic TSF data consistency .....	202
J.12	Testing of external entities (FPT_TEE).....	202
J.12.1	User notes .....	202
J.12.2	Evaluator notes .....	203
J.12.3	FPT_TEE.1 Testing of external entities .....	203
J.13	Internal TOE TSF data replication consistency (FPT_TRC) .....	204
J.13.1	User notes .....	204
J.13.2	FPT_TRC.1 Internal TSF consistency .....	204
J.14	TSF self test (FPT_TST) .....	204
J.14.1	User notes .....	204
J.14.2	FPT_TST.1 TSF testing.....	204
<b>Annex K</b>	<b>(normative) Class FRU: Resource utilisation .....</b>	<b>206</b>
K.1	Fault tolerance (FRU_FLT).....	206
K.1.1	User notes .....	206
K.1.2	FRU_FLT.1 Degraded fault tolerance.....	207
K.1.3	FRU_FLT.2 Limited fault tolerance .....	207
K.2	Priority of service (FRU_PRS) .....	207
K.2.1	User notes .....	207
K.2.2	FRU_PRS.1 Limited priority of service .....	208
K.2.3	FRU_PRS.2 Full priority of service .....	208
K.3	Resource allocation (FRU_RSA) .....	208
K.3.1	User notes .....	208
K.3.2	FRU_RSA.1 Maximum quotas .....	209
K.3.3	FRU_RSA.2 Minimum and maximum quotas .....	209
<b>Annex L</b>	<b>(normative) Class FTA: TOE access .....</b>	<b>211</b>

L.1	Limitation on scope of selectable attributes (FTA_LSA) .....	211
L.1.1	User notes .....	211
L.1.2	FTA_LSA.1 Limitation on scope of selectable attributes.....	212
L.2	Limitation on multiple concurrent sessions (FTA_MCS) .....	212
L.2.1	User notes .....	212
L.2.2	FTA_MCS.1 Basic limitation on multiple concurrent sessions .....	212
L.2.3	FTA_MCS.2 Per user attribute limitation on multiple concurrent sessions.....	212
L.3	Session locking and termination (FTA_SSL).....	213
L.3.1	User notes .....	213
L.3.2	FTA_SSL.1 TSF-initiated session locking.....	213
L.3.3	FTA_SSL.2 User-initiated locking.....	214
L.3.4	FTA_SSL.3 TSF-initiated termination .....	214
L.3.5	FTA_SSL.4 User-initiated termination .....	214
L.4	TOE access banners (FTA_TAB) .....	214
L.4.1	User notes .....	214
L.4.2	FTA_TAB.1 Default TOE access banners .....	215
L.5	TOE access history (FTA_TAH) .....	215
L.5.1	User notes .....	215
L.5.2	FTA_TAH.1 TOE access history.....	215
L.6	TOE session establishment (FTA_TSE).....	215
L.6.1	User notes .....	215
L.6.2	FTA_TSE.1 TOE session establishment .....	216
<b>Annex M</b>	<b>(normative) Class FTP: Trusted path/channels .....</b>	<b>217</b>
M.1	Inter-TSF trusted channel (FTP_ITC).....	217
M.1.1	User notes .....	217
M.1.2	FTP_ITC.1 Inter-TSF trusted channel .....	217
M.2	Trusted path (FTP_TRP) .....	218
M.2.1	User notes .....	218
M.2.2	FTP_TRP.1 Trusted path.....	218