

ISO/IEC 14496-10:2009-05 (E)

Information technology - Coding of audio-visual objects - Part 10: Advanced Video Coding

| Contents | | Page |
|-----------------|---|--------------|
| 0 | Introduction | xv |
| 0.1 | Prologue | xv |
| 0.2 | Purpose | xv |
| 0.3 | Applications | xv |
| 0.4 | Publication and versions of this specification | xv |
| 0.5 | Profiles and levels | xvi |
| 0.6 | Overview of the design characteristics | xvi |
| 0.6.1 | Predictive coding | xvii |
| 0.6.2 | Coding of progressive and interlaced video | xvii |
| 0.6.3 | Picture partitioning into macroblocks and smaller partitions | xvii |
| 0.6.4 | Spatial redundancy reduction | xviii |
| 0.7 | How to read this specification | xviii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Definitions | 1 |
| 4 | Abbreviations | 9 |
| 5 | Conventions | 10 |
| 5.1 | Arithmetic operators | 10 |
| 5.2 | Logical operators | 11 |
| 5.3 | Relational operators | 11 |
| 5.4 | Bit-wise operators | 11 |
| 5.5 | Assignment operators | 11 |
| 5.6 | Range notation | 12 |
| 5.7 | Mathematical functions | 12 |
| 5.8 | Order of operation precedence | 13 |
| 5.9 | Variables, syntax elements, and tables | 13 |
| 5.10 | Text description of logical operations | 14 |
| 5.11 | Processes | 15 |
| 6 | Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships | 16 |
| 6.1 | Bitstream formats | 16 |
| 6.2 | Source, decoded, and output picture formats | 16 |
| 6.3 | Spatial subdivision of pictures and slices | 21 |
| 6.4 | Inverse scanning processes and derivation processes for neighbours | 22 |
| 6.4.1 | Inverse macroblock scanning process | 22 |
| 6.4.2 | Inverse macroblock partition and sub-macroblock partition scanning process | 23 |
| 6.4.3 | Inverse 4x4 luma block scanning process | 25 |
| 6.4.4 | Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3 | 25 |
| 6.4.5 | Inverse 8x8 luma block scanning process | 25 |
| 6.4.6 | Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3 | 26 |
| 6.4.7 | Derivation process of the availability for macroblock addresses | 26 |
| 6.4.8 | Derivation process for neighbouring macroblock addresses and their availability | 26 |
| 6.4.9 | Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames | 27 |
| 6.4.10 | Derivation processes for neighbouring macroblocks, blocks, and partitions | 28 |

| | | |
|--------|---|-----|
| 6.4.11 | Derivation process for neighbouring locations | 32 |
| 6.4.12 | Derivation processes for block and partition indices | 35 |
| 7 | Syntax and semantics | 37 |
| 7.1 | Method of specifying syntax in tabular form | 37 |
| 7.2 | Specification of syntax functions, categories, and descriptors | 38 |
| 7.3 | Syntax in tabular form | 40 |
| 7.3.1 | NAL unit syntax | 40 |
| 7.3.2 | Raw byte sequence payloads and RBSP trailing bits syntax | 40 |
| 7.3.3 | Slice header syntax | 49 |
| 7.3.4 | Slice data syntax | 54 |
| 7.3.5 | Macroblock layer syntax | 55 |
| 7.4 | Semantics | 62 |
| 7.4.1 | NAL unit semantics | 62 |
| 7.4.2 | Raw byte sequence payloads and RBSP trailing bits semantics | 71 |
| 7.4.3 | Slice header semantics | 85 |
| 7.4.4 | Slice data semantics | 97 |
| 7.4.5 | Macroblock layer semantics | 97 |
| 8 | Decoding process | 110 |
| 8.1 | NAL unit decoding process | 111 |
| 8.2 | Slice decoding process | 112 |
| 8.2.1 | Decoding process for picture order count | 112 |
| 8.2.2 | Decoding process for macroblock to slice group map | 116 |
| 8.2.3 | Decoding process for slice data partitions | 120 |
| 8.2.4 | Decoding process for reference picture lists construction | 120 |
| 8.2.5 | Decoded reference picture marking process | 127 |
| 8.3 | Intra prediction process | 132 |
| 8.3.1 | Intra_4x4 prediction process for luma samples | 132 |
| 8.3.2 | Intra_8x8 prediction process for luma samples | 139 |
| 8.3.3 | Intra_16x16 prediction process for luma samples | 147 |
| 8.3.4 | Intra prediction process for chroma samples | 149 |
| 8.3.5 | Sample construction process for I_PCM macroblocks | 154 |
| 8.4 | Inter prediction process | 154 |
| 8.4.1 | Derivation process for motion vector components and reference indices | 157 |
| 8.4.2 | Decoding process for Inter prediction samples | 169 |
| 8.4.3 | Derivation process for prediction weights | 179 |
| 8.5 | Transform coefficient decoding process and picture construction process prior to deblocking filter process | 181 |
| 8.5.1 | Specification of transform decoding process for 4x4 luma residual blocks | 182 |
| 8.5.2 | Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode 182 8.5.3 Specification of transform decoding process for 8x8 luma residual blocks | 183 |
| 8.5.4 | Specification of transform decoding process for chroma samples | 184 |
| 8.5.5 | Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3 | 186 |
| 8.5.6 | Inverse scanning process for 4x4 transform coefficients and scaling lists | 186 |
| 8.5.7 | Inverse scanning process for 8x8 transform coefficients and scaling lists | 187 |
| 8.5.8 | Derivation process for chroma quantisation parameters | 189 |
| 8.5.9 | Derivation process for scaling functions | 189 |
| 8.5.10 | Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type | 191 |
| 8.5.11 | Scaling and transformation process for chroma DC transform coefficients | 191 |
| 8.5.12 | Scaling and transformation process for residual 4x4 blocks | 193 |
| 8.5.13 | Scaling and transformation process for residual 8x8 blocks | 196 |
| 8.5.14 | Picture construction process prior to deblocking filter process | 200 |
| 8.5.15 | Intra residual transform-bypass decoding process | 201 |
| 8.6 | Decoding process for P macroblocks in SP slices or SI macroblocks | 202 |
| 8.6.1 | SP decoding process for non-switching pictures | 202 |
| 8.6.2 | SP and SI slice decoding process for switching pictures | 205 |
| 8.7 | Deblocking filter process | 207 |
| 8.7.1 | Filtering process for block edges | 211 |

| | | |
|--|---|-----|
| 8.7.2 | Filtering process for a set of samples across a horizontal or vertical block edge | 213 |
| 9 | Parsing process | 219 |
| 9.1 | Parsing process for Exp-Golomb codes | 219 |
| 9.1.1 | Mapping process for signed Exp-Golomb codes | 221 |
| 9.1.2 | Mapping process for coded block pattern | 221 |
| 9.2 | CAVLC parsing process for transform coefficient levels | 224 |
| 9.2.1 | Parsing process for total number of transform coefficient levels and trailing ones | 225 |
| 9.2.2 | Parsing process for level information | 229 |
| 9.2.3 | Parsing process for run information | 230 |
| 9.2.4 | Combining level and run information | 234 |
| 9.3 | CABAC parsing process for slice data | 234 |
| 9.3.1 | Initialisation process | 236 |
| 9.3.2 | Binarization process | 260 |
| 9.3.3 | Decoding process flow | 270 |
| 9.3.4 | Arithmetic encoding process (informative) | 292 |
| Annex A Profiles and levels | | 300 |
| A.1 | Requirements on video decoder capability | 300 |
| A.2 | Profiles | 300 |
| A.2.1 | Baseline profile | 300 |
| A.2.2 | Main profile | 301 |
| A.2.3 | Extended profile | 301 |
| A.2.4 | High profile | 302 |
| A.2.5 | High 10 profile | 302 |
| A.2.6 | High 4:2:2 profile | 303 |
| A.2.7 | High 4:4:4 Predictive profile | 303 |
| A.2.8 | High 10 Intra profile | 303 |
| A.2.9 | High 4:2:2 Intra profile | 304 |
| A.2.10 | High 4:4:4 Intra profile | 305 |
| A.2.11 | CAVLC 4:4:4 Intra profile | 305 |
| A.3 | Levels | 306 |
| A.3.1 | Level limits common to the Baseline, Main, and Extended profiles | 306 |
| A.3.2 | Level limits common to the High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles | 308 |
| A.3.3 | Profile-specific level limits | 309 |
| A.3.4 | Effect of level limits on frame rate (informative) | 315 |
| A.3.5 | Effect of level limits on maximum DPB size in units of frames (informative) | 318 |
| Annex B Byte stream format | | 320 |
| B.1 | Byte stream NAL unit syntax and semantics | 320 |
| B.1.1 | Byte stream NAL unit syntax | 320 |
| B.1.2 | Byte stream NAL unit semantics | 320 |
| B.2 | Byte stream NAL unit decoding process | 321 |
| B.3 | Decoder byte-alignment recovery (informative) | 321 |
| Annex C Hypothetical reference decoder | | 323 |
| C.1 | Operation of coded picture buffer (CPB) | 327 |
| C.1.1 | Timing of bitstream arrival | 327 |
| C.1.2 | Timing of coded picture removal | 328 |
| C.2 | Operation of the decoded picture buffer (DPB) | 328 |
| C.2.1 | Decoding of gaps in frame_num and storage of "non-existing" frames | 329 |
| C.2.2 | Picture decoding and output | 329 |
| C.2.3 | Removal of pictures from the DPB before possible insertion of the current picture | 330 |
| C.2.4 | Current decoded picture marking and storage | 331 |
| C.3 | Bitstream conformance | 331 |
| C.4 | Decoder conformance | 333 |
| C.4.1 | Operation of the output order DPB | 334 |
| C.4.2 | Decoding of gaps in frame_num and storage of "non-existing" pictures | 334 |

| | | |
|--|---|-----|
| C.4.3 | Picture decoding | 334 |
| C.4.4 | Removal of pictures from the DPB before possible insertion of the current picture | 334 |
| C.4.5 | Current decoded picture marking and storage | 335 |
| Annex D Supplemental enhancement information | | 338 |
| D.1 | SEI payload syntax | 339 |
| D.1.1 | Buffering period SEI message syntax | 341 |
| D.1.2 | Picture timing SEI message syntax | 341 |
| D.1.3 | Pan-scan rectangle SEI message syntax | 342 |
| D.1.4 | Filler payload SEI message syntax | 343 |
| D.1.5 | User data registered by ITU-T Rec. T.35 SEI message syntax | 343 |
| D.1.6 | User data unregistered SEI message syntax | 343 |
| D.1.7 | Recovery point SEI message syntax | 343 |
| D.1.8 | Decoded reference picture marking repetition SEI message syntax | 344 |
| D.1.9 | Spare picture SEI message syntax | 344 |
| D.1.10 | Scene information SEI message syntax | 345 |
| D.1.11 | Sub-sequence information SEI message syntax | 345 |
| D.1.12 | Sub-sequence layer characteristics SEI message syntax | 345 |
| D.1.13 | Sub-sequence characteristics SEI message syntax | 346 |
| D.1.14 | Full-frame freeze SEI message syntax | 346 |
| D.1.15 | Full-frame freeze release SEI message syntax | 346 |
| D.1.16 | Full-frame snapshot SEI message syntax | 346 |
| D.1.17 | Progressive refinement segment start SEI message syntax | 347 |
| D.1.18 | Progressive refinement segment end SEI message syntax | 347 |
| D.1.19 | Motion-constrained slice group set SEI message syntax | 347 |
| D.1.20 | Film grain characteristics SEI message syntax | 348 |
| D.1.21 | Deblocking filter display preference SEI message syntax | 348 |
| D.1.22 | Stereo video information SEI message syntax | 349 |
| D.1.23 | Post-filter hint SEI message syntax | 349 |
| D.1.24 | Tone mapping information SEI message syntax | 350 |
| D.1.25 | Reserved SEI message syntax | 350 |
| D.2 | SEI payload semantics | 350 |
| D.2.1 | Buffering period SEI message semantics | 350 |
| D.2.2 | Picture timing SEI message semantics | 351 |
| D.2.3 | Pan-scan rectangle SEI message semantics | 356 |
| D.2.4 | Filler payload SEI message semantics | 357 |
| D.2.5 | User data registered by ITU-T Rec. T.35 SEI message semantics | 357 |
| D.2.6 | User data unregistered SEI message semantics | 358 |
| D.2.7 | Recovery point SEI message semantics | 358 |
| D.2.8 | Decoded reference picture marking repetition SEI message semantics | 360 |
| D.2.9 | Spare picture SEI message semantics | 360 |
| D.2.10 | Scene information SEI message semantics | 362 |
| D.2.11 | Sub-sequence information SEI message semantics | 364 |
| D.2.12 | Sub-sequence layer characteristics SEI message semantics | 365 |
| D.2.13 | Sub-sequence characteristics SEI message semantics | 366 |
| D.2.14 | Full-frame freeze SEI message semantics | 367 |
| D.2.15 | Full-frame freeze release SEI message semantics | 368 |
| D.2.16 | Full-frame snapshot SEI message semantics | 368 |
| D.2.17 | Progressive refinement segment start SEI message semantics | 368 |
| D.2.18 | Progressive refinement segment end SEI message semantics | 369 |
| D.2.19 | Motion-constrained slice group set SEI message semantics | 369 |
| D.2.20 | Film grain characteristics SEI message semantics | 370 |
| D.2.21 | Deblocking filter display preference SEI message semantics | 376 |
| D.2.22 | Stereo video information SEI message semantics | 377 |
| D.2.23 | Post-filter hint SEI message semantics | 378 |
| D.2.24 | Tone mapping information SEI message semantics | 379 |
| D.2.25 | Reserved SEI message semantics | 381 |
| Annex E Video usability information | | 382 |
| E.1 | VUI syntax | 383 |

| | | |
|---|--|------------|
| E.1.1 | VUI parameters syntax | 383 |
| E.1.2 | HRD parameters syntax | 384 |
| E.2 | VUI semantics | 384 |
| E.2.1 | VUI parameters semantics | 384 |
| E.2.2 | HRD parameters semantics | 397 |
| Annex F Patent Rights | | 400 |
| Annex G Scalable video coding | | 402 |
| G.1 | Scope | 402 |
| G.2 | Normative References | 402 |
| G.3 | Definitions | 402 |
| G.4 | Abbreviations | 406 |
| G.5 | Conventions | 406 |
| G.6 | Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships | 406 |
| G.6.1 | Derivation process for reference layer macroblocks | 406 |
| G.6.2 | Derivation process for reference layer partitions | 409 |
| G.6.3 | Derivation process for reference layer sample locations in resampling | 410 |
| G.6.4 | SVC derivation process for macroblock and sub-macroblock partition indices | 412 |
| G.7 | Syntax and semantics | 412 |
| G.7.1 | Method of specifying syntax in tabular form | 413 |
| G.7.2 | Specification of syntax functions, categories, and descriptors | 413 |
| G.7.3 | Syntax in tabular form | 413 |
| G.7.4 | Semantics | 424 |
| G.7.4.1 | NAL unit semantics | 425 |
| G.8 | SVC decoding process | 456 |
| G.8.1 | SVC initialisation and decoding processes | 457 |
| G.8.2 | SVC reference picture lists construction and decoded reference picture marking process | 476 |
| G.8.3 | SVC intra decoding processes | 487 |
| G.8.4 | SVC Inter prediction process | 497 |
| G.8.5 | SVC transform coefficient decoding and sample array construction processes | 508 |
| G.8.6 | Resampling processes for prediction data, intra samples, and residual samples | 525 |
| G.8.7 | SVC deblocking filter processes | 555 |
| G.8.8 | Specification of bitstream subsets | 567 |
| G.9 | Parsing process | 568 |
| G.9.1 | Alternative parsing process for coded block pattern | 569 |
| G.9.2 | Alternative CAVLC parsing process for transform coefficient levels | 570 |
| G.9.3 | Alternative CABAC parsing process for slice data in scalable extension | 574 |
| G.10 | Profiles and levels | 577 |
| G.10.1 | Profiles | 577 |
| G.10.2 | Levels | 580 |
| G.11 | Byte stream format | 585 |
| G.12 | Hypothetical reference decoder | 585 |
| G.13 | Supplemental enhancement information | 585 |
| G.13.1 | SEI payload syntax | 586 |
| G.13.2 | SEI payload semantics | 592 |
| G.14 | SVC video usability information extension | 619 |
| G.14.1 | SVC VUI parameters extension syntax | 620 |
| G.14.2 | SVC VUI parameters extension semantics | 620 |
| Annex H Multiview video coding | | 623 |
| H.1 | Scope | 623 |
| H.2 | Normative References | 623 |
| H.3 | Definitions | 623 |
| H.4 | Abbreviations | 625 |
| H.5 | Conventions | 625 |
| H.6 | Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships | 625 |

| | | |
|--------|--|-----|
| H.7 | Syntax and semantics | 625 |
| H.7.1 | Method of specifying syntax in tabular form | 626 |
| H.7.2 | Specification of syntax functions, categories, and descriptors | 626 |
| H.7.3 | Syntax in tabular form | 626 |
| H.7.4 | Semantics | 630 |
| H.8 | MVC decoding process | 642 |
| H.8.1 | MVC decoding process for picture order count | 642 |
| H.8.2 | MVC decoding process for reference picture lists construction | 642 |
| H.8.3 | MVC decoded reference picture marking process | 646 |
| H.8.4 | MVC inter prediction and inter-view prediction process | 646 |
| H.8.5 | Specification of bitstream subsets | 646 |
| H.9 | Parsing process | 650 |
| H.10 | Profiles and levels | 650 |
| H.10.1 | Multiview High profile | 651 |
| H.10.2 | Levels | 651 |
| H.11 | Byte stream format | 654 |
| H.12 | MVC hypothetical reference decoder | 654 |
| H.13 | MVC SEI messages | 654 |
| H.13.1 | SEI message syntax | 654 |
| H.13.2 | SEI message semantics | 660 |
| H.14 | MVC video usability information extension | 672 |
| H.14.1 | MVC VUI parameters extension syntax | 673 |
| H.14.2 | MVC VUI parameters extension semantics | 673 |

Figures

| | |
|---|----|
| Figure 6-1 - Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame | 20 |
| Figure 6-2 - Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields | 21 |
| Figure 6-3 - Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame | 22 |
| Figure 6-4 - Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields | 22 |
| Figure 6-5 - Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame | 22 |
| Figure 6-6 - Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields | 23 |
| Figure 6-7 - A picture with 11 by 9 macroblocks that is partitioned into two slices | 24 |
| Figure 6-8 - Partitioning of the decoded frame into macroblock pairs | 24 |
| Figure 6-9 - Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans | 25 |
| Figure 6-10 - Scan for 4x4 luma blocks | 26 |
| Figure 6-11 - Scan for 8x8 luma blocks | 27 |
| Figure 6-12 - Neighbouring macroblocks for a given macroblock | 28 |
| Figure 6-13 - Neighbouring macroblocks for a given macroblock in MBAFF frames | 29 |
| Figure 6-14 - Determination of the neighbouring macroblock, blocks, and partitions (informative) .. | 30 |

| | |
|--|-----|
| Figure 7-1 - Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive | 69 |
| Figure 8-1 - Intra_4x4 prediction mode directions (informative) | 131 |
| Figure 8-2 - Example for temporal direct-mode motion vector inference (informative) | 162 |
| Figure 8-3 - Directional segmentation prediction (informative) | 163 |
| Figure 8-4 - Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation | 169 |
| Figure 8-5 - Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D | 171 |
| Figure 8-6 - Assignment of the indices of dcY to luma4x4BlkIdx | 177 |
| Figure 8-7 - Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2 | 179 |
| Figure 8-8 - 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative) | 181 |
| Figure 8-9 - 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative) | 182 |
| Figure 8-10 - Boundaries in a macroblock to be filtered | 201 |
| Figure 8-11 - Convention for describing samples across a 4x4 block horizontal or vertical boundary | 205 |
| Figure 9-1 - Illustration of CABAC parsing process for a syntax element SE (informative) | 226 |
| Figure 9-2 - Overview of the arithmetic decoding process for a single bin (informative) | 274 |
| Figure 9-3 - Flowchart for decoding a decision | 275 |
| Figure 9-4 - Flowchart of renormalization | 277 |
| Figure 9-5 - Flowchart of bypass decoding process | 278 |
| Figure 9-6 - Flowchart of decoding a decision before termination | 279 |
| Figure 9-7 - Flowchart for encoding a decision | 281 |
| Figure 9-8 - Flowchart of renormalization in the encoder | 282 |
| Figure 9-9 - Flowchart of PutBit(B) | 283 |
| Figure 9-10 - Flowchart of encoding bypass | 284 |
| Figure 9-11 - Flowchart of encoding a decision before termination | 285 |
| Figure 9-12 - Flowchart of flushing at termination | 285 |
| Figure C-1 - Structure of byte streams and NAL unit streams for HRD conformance checks | 308 |
| Figure C-2 - HRD buffer model | 309 |
| Figure E-1 - Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field | 374 |

Tables

| | |
|--|-----|
| Table 5-1 - Operation precedence from highest (at top of table) to lowest (at bottom of table) | 13 |
| Table 6-1 - SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag | 17 |
| Table 6-2 - Specification of input and output assignments for subclauses 6.4.10.1 to 6.4.10.7 | 28 |
| Table 6-3 - Specification of mbAddrN | 33 |
| Table 6-4 - Specification of mbAddrN and yM | 35 |
| Table 7-1 - NAL unit type codes, syntax element categories, and NAL unit type classes | 63 |
| Table 7-2 - Assignment of mnemonic names to scaling list indices and specification of fall-back rule | 74 |
| Table 7-3 - Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter | 74 |
| Table 7-4 - Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter | 75 |
| Table 7-5 - Meaning of primary_pic_type | 83 |
| Table 7-6 - Name association to slice_type | 86 |
| Table 7-7 - modification_of_pic_nums_idc operations for modification of reference picture lists | 92 |
| Table 7-8 - Interpretation of adaptive_ref_pic_marking_mode_flag | 94 |
| Table 7-9 - Memory management control operation (memory_management_control_operation) values | 95 |
| Table 7-10 - Allowed collective macroblock types for slice_type | 98 |
| Table 7-11 - Macroblock types for I slices | 99 |
| Table 7-12 - Macroblock type with value 0 for SI slices | 100 |
| Table 7-13 - Macroblock type values 0 to 4 for P and SP slices | 101 |
| Table 7-14 - Macroblock type values 0 to 22 for B slices | 102 |
| Table 7-15 - Specification of CodedBlockPatternChroma values | 104 |
| Table 7-16 - Relationship between intra_chroma_pred_mode and spatial prediction modes | 105 |
| Table 7-17 - Sub-macroblock types in P macroblocks | 106 |
| Table 7-18 - Sub-macroblock types in B macroblocks | 107 |
| Table 8-1 - Refined slice group map type | 117 |
| Table 8-2 - Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names | 133 |
| Table 8-3 - Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names | 140 |
| Table 8-4 - Specification of Intra16x16PredMode and associated names | 147 |

| | |
|---|-----|
| Table 8-5 - Specification of Intra chroma prediction modes and associated names | 150 |
| Table 8-6 - Specification of the variable colPic | 159 |
| Table 8-7 - Specification of PicCodingStruct(X) | 159 |
| Table 8-8 - Specification of mbAddrCol, yM, and vertMvScale | 161 |
| Table 8-9 - Assignment of prediction utilization flags | 163 |
| Table 8-10 - Derivation of the vertical component of the chroma vector in field coding mode | 169 |
| Table 8-11 - Differential full-sample luma locations | 175 |
| Table 8-12 - Assignment of the luma prediction sample predPartLXL[xL, yL] | 176 |
| Table 8-13 - Specification of mapping of idx to cij for zig-zag and field scan | 187 |
| Table 8-14 - Specification of mapping of idx to cij for 8x8 zig-zag and 8x8 field scan | 188 |
| Table 8-15 - Specification of QPC as a function of qPl | 189 |
| Table 8-16 - Derivation of offset dependent threshold variables ' and ' from indexA and indexB | 216 |
| Table 8-17 - Value of variable t'C0 as a function of indexA and bS | 217 |
| Table 9-1 - Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative) | 220 |
| Table 9-2 - Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative) .. | 220 |
| Table 9-3 - Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v) | 221 |
| Table 9-4 - Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes | 221 |
| Table 9-5 - coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token) | 227 |
| Table 9-6 - Codeword table for level_prefix (informative) | 230 |
| Table 9-7 - total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7 | 232 |
| Table 9-8 - total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15 | 232 |
| Table 9-9 - total_zeros tables for chroma DC 2x2 and 2x4 blocks | 233 |
| | |
| Tables | |
| Table 9-10 - for run_before | 234 |
| Table 9-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process | 238 |
| Table 9-12 - Values of variables m and n for ctxIdx from 0 to 10 | 239 |
| Table 9-13 - Values of variables m and n for ctxIdx from 11 to 23 | 239 |
| Table 9-14 - Values of variables m and n for ctxIdx from 24 to 39 | 240 |

| | |
|--|-----|
| Table 9-15 - Values of variables m and n for ctxIdx from 40 to 53 | 240 |
| Table 9-16 - Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401 | 240 |
| Table 9-17 - Values of variables m and n for ctxIdx from 60 to 69 | 241 |
| Table 9-18 - Values of variables m and n for ctxIdx from 70 to 104 | 241 |
| Table 9-19 - Values of variables m and n for ctxIdx from 105 to 165 | 242 |
| Table 9-20 - Values of variables m and n for ctxIdx from 166 to 226 | 243 |
| Table 9-21 - Values of variables m and n for ctxIdx from 227 to 275 | 244 |
| Table 9-22 - Values of variables m and n for ctxIdx from 277 to 337 | 245 |
| Table 9-23 - Values of variables m and n for ctxIdx from 338 to 398 | 246 |
| Table 9-24 - Values of variables m and n for ctxIdx from 402 to 459 | 247 |
| Table 9-25 - Values of variables m and n for ctxIdx from 460 to 483 | 248 |
| Table 9-26 - Values of variables m and n for ctxIdx from 484 to 571 | 249 |
| Table 9-27 - Values of variables m and n for ctxIdx from 572 to 659 | 251 |
| Table 9-28 - Values of variables m and n for ctxIdx from 660 to 717 | 253 |
| Table 9-29 - Values of variables m and n for ctxIdx from 718 to 775 | 254 |
| Table 9-30 - Values of variables m and n for ctxIdx from 776 to 863 | 255 |
| Table 9-31 - Values of variables m and n for ctxIdx from 864 to 951 | 257 |
| Table 9-32 - Values of variables m and n for ctxIdx from 952 to 1011 | 259 |
| Table 9-33 - Values of variables m and n for ctxIdx from 1012 to 1023 | 260 |
| Table 9-34 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset | 262 |
| Table 9-35 - Bin string of the unary binarization (informative) | 266 |
| Table 9-36 - Binarization for macroblock types in I slices | 268 |
| Table 9-37 - Binarization for macroblock types in P, SP, and B slices | 269 |
| Table 9-38 - Binarization for sub-macroblock types in P, SP, and B slices | 270 |
| Table 9-39 - Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1 | 272 |
| Table 9-40 - Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1 | 273 |
| Table 9-41 - Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx | 282 |
| Table 9-42 - Specification of ctxBlockCat for the different blocks | 283 |
| Table 9-43 - Mapping of scanning position to ctxIdxInc for ctxBlockCat = 5, 9, or 13 | 284 |

| | |
|--|-----|
| Table 9-44 - Specification of rangeTabLPS depending on pStateldx and qCodIRangeldx | 288 |
| Table 9-45 - State transition table | 289 |
| Table A-1 - Level limits | 308 |
| Table A-2 - Specification of cpbBrVclFactor and cpbBrNalFactor | 311 |
| Table A-3 - Baseline profile level limits | 312 |
| Table A-4 - Main, High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits | 313 |
| Table A-5 - Extended profile level limits | 314 |
| Table A-6 - Maximum frame rates (frames per second) for some example frame sizes | 315 |
| Table A-7 - Maximum DPB size (frames) for some example frame sizes | 318 |
| Table D-1 - Interpretation of pic_struct | 353 |
| Table D-2 - Mapping of ct_type to source picture scan | 354 |
| Table D-3 - Definition of counting_type values | 355 |
| Table D-4 - scene_transition_type values | 363 |
| Table D-5 - model_id values | 370 |
| Table D-6 - blending_mode_id values | 372 |
| Table D-7 - filter_hint_type values | 379 |
| Table E-1 - Meaning of sample aspect ratio indicator | 385 |
| Table E-2 - Meaning of video_format | 386 |
| Table E-3 - Colour primaries | 387 |
| Table E-4 - Transfer characteristics | 388 |
| Table E-5 - Matrix coefficients | 391 |
| Table E-6 - Divisor for computation of tfi,dpb(n) | 394 |
| Table F-1 - Organisations providing patent rights licensing notices | 400 |
| Table G-1 - Name association to slice_type for NAL units with nal_unit_type equal to 20 | 442 |
| Table G-2 - Interpretation of adaptive_ref_base_pic_marking_mode_flag | 450 |
| Table G-3 - Memory management base control operation (memory_management_base_control_operation) values | 451 |
| Table G-4 - Allowed collective macroblock types for slice_type | 454 |
| Table G-5 - Inferred macroblock type I_BL for EI slices | 454 |
| Table G-6 - Scale values cS for transform coefficient level scaling | 516 |
| Table G-7 - Macroblock type predictors mbTypeeLPred | 535 |

| | |
|--|-----|
| Table G-8 - Sub-macroblock type predictors <code>subMbTypeLLPred[mbPartIdx]</code> | 535 |
| Table G-9 - 16-phase luma interpolation filter for resampling in <code>Intra_Base</code> prediction | 544 |
| Table G-10 - Mapping of (<code>nX</code> , <code>nY</code>) to <code>coeffTokenIdx</code> and vice versa | 571 |
| Table G-11 - Association of <code>ctxIdx</code> and syntax elements for each slice type in the initialisation process | 574 |
| Table G-12 - Values of variables <code>m</code> and <code>n</code> for <code>ctxIdx</code> from 1024 to 1026 | 575 |
| Table G-13 - Values of variables <code>m</code> and <code>n</code> for <code>ctxIdx</code> from 1027 to 1030 | 575 |
| Table G-14 - Syntax elements and associated types of binarization, <code>maxBinIdxCtx</code> , and <code>ctxIdxOffset</code> | 575 |
| Table G-15 - Assignment of <code>ctxIdxInc</code> to <code>binIdx</code> for the <code>ctxIdxOffset</code> values related to the syntax elements <code>base_mode_flag</code> and <code>residual_prediction_flag</code> | 576 |
| Table G-16 - Scalable Baseline profile level limits | 585 |
| Table G-17 - Specification of <code>cpbBrVclFactor</code> and <code>cpbBrNalFactor</code> | 585 |
| Table H-1 - <code>modification_of_pic_nums_idc</code> operations for modification of reference picture lists .. | 640 |
| Table H-2 - Association between camera parameter variables and syntax elements | 670 |