ISO/IEC 17341:2009-06 (E)

Information technology - Data interchange on 120 mm and 80 mm optical disk using +RW form at - Capacity: 4,7 Gbytes and 1,46 Gbytes per side (recording speed up to 4X)

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Conformance 1
2.1 Optical disk 1
2.2 Generating system 1
2.3 Receiving system 2
2.4 Compatibility statement 2

3 Normative references 2

4 Terms and definitions 2

5 Conventions and notations 4
5.1 Representation of numbers 4
5.2 Names 4

6 Abbreviated terms 5

7 General description of the optical disk 6

8 General Requirements 7
8.1 Environments 7
8.1.1 Test environment 7
8.1.2 Operating environment 7
8.1.3 Storage environment 7
8.1.4 Transportation 7
8.2 Safety requirements 8
8.3 Flammability 8

9 Reference Drive 8
9.1 Optical system 8
9.2 Optical beam 9
9.3 Read channel 1 9
9.4 Disk clamping 9
9.5 Rotation of the disk 10
9.6 Wobble channel (Read channel 2) 10
9.7 Tracking channel (Read channel 2) 11
9.8 Reference servo systems 11
9.8.1 Normalized servo transfer function 11
9.8.2 Reference Servo for Axial Tracking 11
9.8.3 Reference Servo for Radial Tracking 12

10 Dimensional characteristics 14
10.1 Reference Planes 14
10.2 Overall dimensions 15

10.3 First transition area 15
10.4 Second transition area 16
10.5 Clamping Zone 16
10.6 Third transition area 16
10.7 Information Zone 16
10.8 Rim area 17
10.9 Remark on tolerances 17
11 Mechanical characteristics 17
11.1 Mass 17
11.2 Moment of inertia 17
11.3 Dynamic imbalance 17
11.4 Axial runout 17
11.5 Radial runout 17
12 Optical characteristics in the Information Zone 18
12.1 Index of refraction 18
12.2 Thickness of the substrate 18
12.3 Reflectivity 19
12.4 Birefringence 19
12.5 Angular deviation 19
13 Data format 19
13.1 Data Frames 20
13.1.1 Identification Data (ID) 20
13.1.2 ID Error Detection Code (IED) 21
13.1.3 RSV 22
13.1.4 Error Detection Code (EDC) 22
13.2 Scrambled Frames 22
13.3 ECC Blocks 23
13.4 Recording Frames 24
13.5 Modulation and NRZI conversion 25
13.6 Physical Sectors 26
13.7 Layout of a Recording UNit (RUN) 27
13.7.1 Recording Unit position 28
13.8 d.c. component suppression control 28
14 Track format 29
14.1 Track shape 29
14.2 Track path 30
14.3 Track pitch 30
14.4 Track layout 30
14.4.1 ADIP information 30
14.4.2 Physical format information in ADIP 33
15 General description of the Information Zone 50
16 Layout of the Information Zone 51
16.1 Physical Sector Numbers (PSNs) 51
17 Lead-in Zone 52
17.1 Initial Zone 52
17.2 Inner Disk Test Zone 52
17.3 Inner Drive Test Zone 52
17.4 Guard Zone 1 52
17.5 Reserved Zone 1 53
17.6 Reserved Zone 2 53
17.7 Inner Disk Identification Zone 53
17.8 Reserved Zone 3 54
17.9 Reference Code Zone 54
17.10 Buffer Zone 1 54
17.11 Control Data Zone 54
17.11.1 Physical format information 54
17.11.2 Disk manufacturing information 56
17.11.3 Content provider information 56
17.12 Buffer Zone 2 56
18 Data Zone 56
19 Lead-out Zone 56
19.1 Buffer Zone 3 57

19.2 Outer Disk Identification Zone 57
19.3 Guard Zone 2 57
19.4 Reserved Zone 4 57
19.5 Outer Drive Test Zone 57
19.6 Outer Disk Test Zone 57
19.7 Guard Zone 3 58

20 Assignment of Logical Sector Numbers (LSNs) 58
21 Formatting 58
21.1 Pre-formatting 59
21.1.1 Verification 59
21.2 Background formatting 59
21.2.1 Initialization 59
21.2.2 De-icing 59
21.2.3 Finalization 60
21.2.4 Verification (optional) 60
21.3 Sequential recording without formatting 60
22 Disk Control Blocks 61
22.1 General format of Disk Control Blocks 61
22.2 Format of the Formatting DCB (FDCB) 63
22.3 Format of the Write inhibit DCB (WDCB) 67
23 General 69
24 Method of testing 69
24.1 Environment 69
24.2 Reference Drive 69
24.2.1 Optics and mechanics 69
24.2.2 Read power 69
24.2.3 Read channels 70
24.2.4 Tracking 70
24.3 Definition of signals 70
25 Characteristics of the groove signals 71
25.1 Phase depth 71
25.2 Push-pull signal 71
25.3 Track Cross signal 71
25.4 Normalized wobble signal 71
25.5 Characteristics of the wobble 72
26 Method of testing 72
26.1 Environment 72
26.2 Reference Drive 72
26.2.1 Optics and mechanics 72
26.2.2 Read power 72
26.2.3 Read channels 72
26.2.4 Tracking 73
26.2.5 Scanning velocity 73
26.3 Write conditions 73
26.3.1 Write pulse waveform 73
26.3.2 Write power 73
26.4 Measurement conditions 74
27 Characteristics of the recorded signals 74
27.1 Channel bit length 74
27.2 Definition of signals 74
27.2.1 High frequency signals (HF) 74
27.2.2 Modulated amplitude 75
27.2.3 Signal asymmetry 75
27.2.4 Normalized Slicing Level jump 75
27.2.5 Jitter 75
27.2.6 Track Cross signal 76
27.3 Read stability 76
28 Additional testing conditions 76
28.1 Test environment 76
28.1.1 Optics 76
28.2 Definition of signals 76

28.2.1 Modulated amplitude 77
28.2.2 Signal asymmetry 77
28.2.3 Jitter 77
28.2.4 Track Cross signal 77
28.2.5 Differential phase tracking error signal 77
28.2.6 Tangential push-pull signal 78
29 Quality of the recording layer 79
29.1 Defects 79
29.2 Data errors 79

30 Method of testing 80
30.1 Environment 80
30.2 Reference Drive 80
30.2.1 Optics and mechanics 80
30.2.2 Read power 80
30.2.3 Read channels 80
30.2.4 Error correction 80
30.2.5 Tracking 80
31 Minimum quality of a Recording Unit 81
31.1 Tracking 81
31.2 User-written data 81

Annex A (normative) 80 mm disk 82

Annex B (normative) Structure for Extended format information in the Data Zone 85

Annex C (normative) Measurement of light reflectivity 88

Annex D (normative) Measurement of birefringence 91

Annex E (normative) Measuring conditions for operation signals 94

Annex F (normative) Measurement of the differential phase tracking error 97

Annex G (normative) The write pulse wave form for testing 101

Annex H (normative) 8-to-16 Modulation 104

Annex I (normative) Optimum Power Control 113

Annex J (normative) Logical to Physical address translation 118

Annex K (informative) Measurement of the groove wobble amplitude 119

Annex L (informative) Transportation 121

Annex M (informative) Defect Management and Physical Formatting 122

Annex N (informative) Video Content Protection System 123

Annex O (informative) How to use the Physical format information in ADIP 124

Annex P (informative) Values to be Implemented in Existing and Future Specifications 126

Bibliography 129