

# ISO/IEC 17344:2009-06 (E)

Information technology - Data interchange on 120 mm and 80 mm optical disk using +R format - Capacity: 4,7 Gbytes and 1,46 Gbytes per side (recording speed up to 16X)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		viii
Introduction .....		ix
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
2.1	Optical disk .....	1
2.2	Generating system .....	1
2.3	Receiving system .....	2
2.4	Compatibility statement .....	2
<b>3</b>	<b>Normative references .....</b>	<b>2</b>
<b>4</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>5</b>	<b>Conventions and notations .....</b>	<b>4</b>
5.1	Representation of numbers .....	4
5.2	Names .....	5
<b>6</b>	<b>Abbreviated terms .....</b>	<b>5</b>
<b>7</b>	<b>General description of the optical disk .....</b>	<b>6</b>
<b>8</b>	<b>General Requirements .....</b>	<b>7</b>
8.1	Environments .....	7
8.1.1	Test environment .....	7
8.1.2	Operating environment .....	7
8.1.3	Storage environment .....	7
8.1.4	Transportation .....	7
8.2	Safety requirements .....	8
8.3	Flammability .....	8
8.4	Light fastness .....	8
<b>9</b>	<b>Reference Drive .....</b>	<b>8</b>
9.1	Optical system .....	8
9.2	Optical beam .....	9
9.3	Read channel 1 .....	9
9.4	Disk clamping .....	9
9.5	Rotation of the disk .....	10
9.6	Wobble channel (Read channel 2) .....	10
9.7	Tracking channel (Read channel 2) .....	11
9.8	Reference servo systems .....	11
9.8.1	Normalized servo transfer function .....	11
9.8.2	Reference Servo for Axial Tracking .....	11
9.8.3	Reference Servo for Radial Tracking .....	12
<b>10</b>	<b>Dimensional characteristics .....</b>	<b>14</b>
10.1	Reference Planes .....	14

10.2	Overall dimensions .....	15
10.3	First transition area .....	15
10.4	Second transition area .....	16
10.5	Clamping Zone .....	16
10.6	Third transition area .....	16
10.7	Information Zone .....	16
10.8	Rim Area .....	17
10.9	Remark on tolerances .....	17
11	Mechanical characteristics .....	17
11.1	Mass .....	17
11.2	Moment of inertia .....	17
11.3	Dynamic imbalance .....	17
11.4	Axial runout .....	17
11.4.1	Tracking requirements at the Reference velocity (CLV) .....	17
11.4.2	Tracking requirements at 3 000 RPM (CAV) .....	18
11.5	Radial runout .....	18
11.5.1	Tracking requirements at the Reference velocity (CLV) .....	18
11.5.2	Tracking requirements at 3 000 RPM (CAV) .....	19
12	Optical characteristics in the Information Zone .....	19
12.1	Index of refraction .....	19
12.2	Thickness of the substrate .....	19
12.3	Reflectivity .....	20
12.4	Birefringence .....	20
12.5	Angular deviation .....	20
13	Data format .....	21
13.1	Data Frames .....	21
13.1.1	Identification Data (ID) .....	22
13.1.2	ID Error Detection Code (IED) .....	22
13.1.3	RSV .....	23
13.1.4	Error Detection Code (EDC) .....	23
13.2	Scrambled Frames .....	23
13.3	ECC Blocks .....	24
13.4	Recording Frames .....	25
13.5	Modulation and NRZI conversion .....	26
13.6	Physical Sectors .....	27
13.7	Layout of a Recording UNit (RUN) .....	28
13.7.1	Recording Unit position .....	29
13.8	d.c. component suppression control .....	29
14	Track format .....	30
14.1	Track shape .....	30
14.2	Track path .....	31
14.3	Track pitch .....	31
14.4	Track layout .....	31
14.4.1	ADIP information .....	31
14.4.2	Physical format information in ADIP .....	34
15	General description of the Information Zone .....	56
16	Layout of the Information Zone of a Single-session disk .....	56
16.1	Physical Sector Numbers (PSNs) .....	56
17	Inner Drive Area .....	57
17.1	Initial Zone .....	58
17.2	Inner Disk Test Zone .....	58
17.3	Count Zone Run-in .....	58
17.4	Inner Disk Count Zone .....	58
17.5	Inner Disk Administration Zone .....	59
17.6	Table of Contents (TOC) Zone .....	59
17.6.1	Table of Contents Blocks .....	60
17.6.2	Recorded Area Indicators (optional) .....	62
18	Lead-in Zone .....	63
18.1	Guard Zone 1 .....	63
18.2	Reserved Zone 1 .....	63
18.3	Reserved Zone 2 .....	63
18.4	Inner Disk Identification Zone .....	64

18.5	Reserved Zone 3 .....	64
18.6	Reference Code Zone .....	64
18.7	Buffer Zone 1 .....	64
18.8	Control Data Zone .....	64
18.8.1	Physical format information .....	64
18.8.2	Disk manufacturing information .....	66
18.8.3	Content provider information .....	66
18.9	Buffer Zone 2 .....	66
19	Data Zone .....	67
20	Lead-out Zone .....	67
20.1	Buffer Zone 3 .....	67
20.2	Outer Disk Identification Zone .....	67
20.3	Guard Zone 2 .....	67
21	Outer Drive Area .....	68
21.1	Outer Disk Administration Zone .....	68
21.2	Outer Disk Count Zone .....	68
21.3	Outer Disk Test Zone .....	69
21.4	Guard Zone 3 .....	69
22	Multi-session Layout .....	69
22.1	Intro .....	70
22.1.1	Buffer Zone A .....	71
22.1.2	Inner Session Identification Zone .....	71
22.1.3	Session Control Data Zone .....	71
22.1.4	Buffer Zone B .....	71
22.2	Data Zone .....	71
22.3	Closure .....	71
22.3.1	Buffer Zone C .....	71
22.3.2	Outer Session Identification Zone .....	71
23	Sequential recording in Fragments .....	71
23.1	Opening a Session .....	72
23.1.1	Incomplete Fragment .....	72
23.1.2	Reserved Fragments .....	72
23.1.3	Recording User Data in Fragments .....	73
23.1.4	Closing a Fragment .....	73
23.2	Closing a Session .....	74
23.2.1	Lead-in/Intro Zone .....	74
23.2.2	Closure Zone .....	74
23.3	Finalizing the disk .....	75
24	Assignment of Logical Sector Numbers (LSNs) .....	75
25	Disk Control Blocks .....	75
25.1	General format of Disk Control Blocks .....	75
25.2	Format of the Session DCB (SDCB) .....	77
25.2.1	Session Items .....	79
26	General .....	80
27	Method of testing .....	81
27.1	Environment .....	81
27.2	Reference Drive .....	81
27.2.1	Optics and mechanics .....	81
27.2.2	Read power .....	81
27.2.3	Read channels .....	81
27.2.4	Tracking .....	81
27.3	Definition of signals .....	81
28	Characteristics of the groove signals .....	82
28.1	Phase depth .....	82
28.2	Push-pull signal .....	82
28.3	Track Cross signal .....	83
28.4	Normalized wobble signal .....	83
28.5	Characteristics of the wobble .....	83
29	Method of testing .....	83
29.1	Environment .....	83
29.2	Reference Drive .....	84

29.2.1	Optics and mechanics .....	84
29.2.2	Read power .....	84
29.2.3	Read channels .....	84
29.2.4	Tracking .....	84
29.2.5	Scanning velocity .....	84
29.3	Write conditions .....	84
29.3.1	Write pulse waveform .....	84
29.3.2	Write power .....	85
29.3.3	Write power dependency on wavelength .....	86
29.3.4	Write power window .....	86
29.4	Measurement conditions .....	87
30	Characteristics of the recorded signals .....	87
30.1	Channel bit length .....	87
30.2	Definition of signals .....	87
30.2.1	High frequency signals (HF) .....	87
30.2.2	Modulated amplitude .....	87
30.2.3	Signal asymmetry .....	88
30.2.4	Normalized Slicing Level jump .....	88
30.2.5	Jitter .....	88
30.2.6	Track Cross signal .....	89
30.3	Read stability .....	89
31	Additional testing conditions .....	89
31.1	Test environment .....	89
31.1.1	Optics .....	89
31.2	Definition of signals .....	89
31.2.1	Modulated amplitude .....	90
31.2.2	Signal asymmetry .....	90
31.2.3	Jitter .....	90
31.2.4	Track Cross signal .....	90
31.2.5	Differential phase tracking error signal .....	90
31.2.6	Tangential push-pull signal .....	91
32	Quality of the recording layer .....	92
32.1	Defects .....	92
32.2	Data errors .....	92
33	Method of testing .....	93
33.1	Environment .....	93
33.2	Reference Drive .....	93
33.2.1	Optics and mechanics .....	93
33.2.2	Read power .....	93
33.2.3	Read channels .....	93
33.2.4	Error correction .....	93
33.2.5	Tracking .....	93
34	Minimum quality of a Recording Unit .....	94
34.1	Tracking .....	94
34.2	User-written data .....	94
Annex A (normative) 80 mm +R disk .....		95
Annex B (normative) Structure for Extended format information in the Data Zone .....		98
Annex C (normative) Measurement of light reflectivity .....		101
Annex D (normative) Measurement of birefringence .....		103
Annex E (normative) Measuring conditions for operation signals .....		106
Annex F (normative) Measurement of the differential phase tracking error .....		109
Annex G (normative) The write pulse wave form for testing .....		113
Annex H (normative) 8-to-16 Modulation .....		121

<b>Annex I (normative) Optimum Power Control and Recording Conditions .....</b>	<b>130</b>
<b>Annex J (informative) Running OPC .....</b>	<b>133</b>
<b>Annex K (informative) Wavelength dependency .....</b>	<b>134</b>
<b>Annex L (informative) Explanation about the usage of the reference servos .....</b>	<b>138</b>
<b>Annex M (informative) Measurement of the groove wobble amplitude .....</b>	<b>145</b>
<b>Annex N (informative) Light fastness of the disk .....</b>	<b>147</b>
<b>Annex O (informative) Transportation .....</b>	<b>148</b>
<b>Annex P (informative) Video Content Protection System .....</b>	<b>149</b>
<b>Annex Q (informative) How to use the Physical format information in ADIP .....</b>	<b>150</b>
<b>Annex R (informative) Values to be implemented in Existing and Future Specifications .....</b>	<b>152</b>
<b>Bibliography .....</b>	<b>155</b>