

ISO/IEC 12139-1:2009-07 (E)

Information technology - Telecommunications and information exchange between systems - Powerline communication (PLC) - High speed PLC medium access control (MAC) and physical layer (PHY) - Part 1: General requirements

| Contents | | Page |
|------------------------------|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative References | 1 |
| 3 | Terms and Definitions | 2 |
| 4 | Acronyms and Abbreviations | 5 |
| 5 | Reference Models | 8 |
| 5.1 | PLC Reference Model | 8 |
| 5.2 | Interface Protocol Reference Model | 8 |
| 5.3 | PLC Network Topology | 9 |
| 6 | PHY Specification | 10 |
| 6.1 | Overview of PHY | 10 |
| 6.2 | PSDU Format | 11 |
| 6.3 | DMT Transmitter | 14 |
| 6.4 | Transmission Mode | 21 |
| 7 | MAC Specification | 24 |
| 7.1 | Structure of MAC | 24 |
| 7.2 | Carrier Sense Multiple Access/Collision Avoidance (CSMA/CA) | 27 |
| 7.3 | PSDU Format | 38 |
| 7.4 | Address Resolution | 50 |
| 7.5 | Interactive Operation with Link Layer | 51 |
| 7.6 | Priority Classification | 52 |
| 7.7 | Proxy Setting Procedure | 52 |
| 7.8 | Channel Estimation (CE) Procedure | 53 |
| 7.9 | Security | 56 |
| 7.10 | Repeater Function by Cell Bridge (CB) | 56 |
| 7.11 | Request To Send (RTS)/Clear To Send (CTS) | 57 |
| 7.12 | Link Restriction Function for Application of Access Network | 62 |
| Annex A (informative) | Solution to Hidden-Node Problem | 63 |
| A.1 | Solutions Other than RTS/CTS | 63 |
| A.2 | Data Communication Procedure Considering Hidden STAs | 64 |