

# ISO/IEC 18000-7:2009-08 (E)

## Information technology - Radio frequency identification for item management - Part 7: Parameters for active air interface communications at 433 MHz

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
2.1	RF emissions general population .....	1
2.2	RF emissions and susceptibility health care setting .....	1
2.3	Command structure and extensibility .....	1
2.4	Mandatory commands .....	2
2.5	Optional commands .....	2
2.6	Custom commands .....	2
2.7	Proprietary commands .....	2
<b>3</b>	<b>Normative references .....</b>	<b>2</b>
<b>4</b>	<b>Terms and definitions .....</b>	<b>3</b>
<b>5</b>	<b>Symbols and abbreviated terms .....</b>	<b>3</b>
<b>6</b>	<b>433,92 MHz active narrowband specification .....</b>	<b>3</b>
6.1	Physical layer .....	3
6.2	Data Link layer .....	4
6.2.1	General .....	4
6.2.2	Preamble .....	5
6.2.3	Data bytes .....	5
6.2.4	Packet end period .....	5
6.2.5	Interrogator-to-tag message format .....	6
6.2.6	Tag-to-interrogator message format .....	9
6.3	Tag commands .....	16
6.3.1	Collection with Universal Data Block (UDB) .....	16
6.3.2	Sleep .....	21
6.3.3	Sleep all but .....	21
6.3.4	Security commands .....	22
6.3.5	Transit information commands .....	25
6.3.6	Manufacturing Information Commands .....	27
6.3.7	Memory commands .....	28
6.3.8	Delete Writeable Data .....	30
6.3.9	Read Universal Data Block .....	31
6.3.10	Database table commands .....	32
6.3.11	Beep ON/OFF .....	49
6.3.12	Sensor implementation .....	50
6.4	Tag collection and collision arbitration .....	51
6.5	Multi-packet UDB Collection .....	54
6.6	Physical and Media Access Control (MAC) parameters .....	56
6.6.1	Interrogator to tag link .....	56
6.6.2	Tag to interrogator link .....	58
6.6.3	Protocol parameters .....	59
6.6.4	Anti-collision parameters .....	60

<b>Annex A (normative) Co-existence of different application standards based on ISO/IEC 18000-7 .....</b>	<b>61</b>
<b>Bibliography .....</b>	<b>63</b>