ISO/IEC 14496-22:2009-08 (E)

Information technology - Coding of audio-visual objects - Part 22: Open Font Format

Contents

Page

Foreword vi

Introduction viii

1 Scope 1

2 Normative references 2

3 Abbreviated terms 2

4 The Open font file format 3
4.1 Description 3
4.2 Filenames 3
4.3 Data types 4
4.4 Table version numbers 5
4.5 Open font structure 5
4.5.1 Table directory 6
4.5.2 Calculating checksums 7
4.6 TrueType collections 7
4.6.1 The TTC file structure 7
4.6.2 TTC header 8

5 Open font tables 9
5.1 General 9
5.2 Required common tables 9
5.2.1 cmap - Character to glyph index mapping table 10
5.2.2 head - Font header 21
5.2.3 hhea - Horizontal header 23
5.2.4 hmtx - Horizontal metrics 24
5.2.5 maxp - Maximum profile 24
5.2.6 name - Naming table 25
5.2.7 OS/2 - Global font information table 45
5.2.8 Font class parameters - see informative Annex B for details 67
5.2.9 post - PostScript 67
5.3 TrueType outline tables 69
5.3.1 cvt - Control value table 69
5.3.2 fpgm - Font program 69
5.3.3 glyf - Glyf data 70
5.3.4 loca - Index to location 73
5.3.5 prep - Control value program 74
5.4 PostScript outline tables 74
5.4.1 CFF - PostScript font program (Compact Font Format) table 74
5.4.2 VORG - Vertical origin table 74
5.5 Bitmap glyph tables 76
5.5.1 EBDT - Embedded bitmap data table 76
5.5.2 EBLC - Embedded bitmap location table 80
5.6 Optional tables 88
5.6.1 DSIG - Digital signature table 88
5.6.2 gasp - Grid-fitting and scan conversion procedure 91
5.6.3 hdmx - Horizontal device metrics 92
5.6.4 kern - Kerning 93
5.6.5 LTSH - Linear threshold 96

5.6.6 PCLT - PCL 5 table ... 97
5.6.7 VDMX - Vertical device metrics ... 106
5.6.8 vhea - Vertical header table ... 108
5.6.9 vmtx - Vertical metric table ... 112

6 Advanced Open Font layout tables ... 113
6.1 Advanced Open Font layout extensions ... 113
6.1.1 Overview of advanced typographic layout extensions ... 113
6.1.2 TrueType versus OFF layout ... 115
6.1.3 OFF layout terminology ... 115
6.1.4 Text processing with OFF layout ... 118
6.2 OFF layout common table formats ... 119
6.2.1 Overview ... 119
6.2.2 Table organization ... 120
6.2.3 Scripts and languages ... 122
6.2.4 Features and lookups ... 124
6.2.5 Common table examples ... 132
6.3 Advanced typographic tables ... 142
6.3.1 BASE Baseline table ... 142
6.3.2 GDEF - The glyph definition table ... 162
6.3.3 GPOS - The glyph positioning table ... 175
6.3.4 GSUB - The glyph substitution table ... 233
6.3.5 JSTF - The justification table ... 272
6.4 Layout tag registry ... 283
6.4.1 Scripts tags ... 283
6.4.2 Language tags ... 288
6.4.3 Feature tags ... 301
6.4.4 Baseline tags ... 360

7 Recommendations for OFF fonts ... 364

Byte ordering ... 364

'sfnt' version ... 364

Mixing outline formats ... 364

Filenames ... 364

Table alignment and length ... 365

First four glyphs in fonts ... 365

Shape of .notdef glyph ... 365

'BASE' table ... 366

'cmap' table ... 366

'cvt' table ... 366

'fpgm' table ... 366

'glyf' table ... 367

'hdmx' table ... 367

'head' table ... 367

'hhea' table ... 367

'hmtx' table ... 367

'kern' table 367

'loca' table 368

'LTSH' table 368

'maxp' table 368

'name' table 368

'OS/2' table 368

'post' table 369

'prep' table 369

'VDMX' table 369

8 General recommendations 369
8.1 Optimized table ordering 369
8.2 Non-standard (Symbol) fonts 370
8.3 Device resolutions 370
8.4 Baseline to baseline distances 370
8.5 Style bits 371
8.6 Drop-out control 372
8.7 Embedded bitmaps 372
8.8 OFF CJK font guidelines 372

Annex A (informative) Patent Statements 373

Annex B (informative) Font Class and Font Subclass parameters 374

Annex C (informative) Earlier versions of OS/2 - OS/2 and Windows metrics 385

Annex D (informative) OFF Mirroring Pairs List 460

Bibliography 467