

ISO/IEC 14496-22:2009-08 (E)

Information technology - Coding of audio-visual objects - Part 22: Open Font Format

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | vi |
| Introduction | | viii |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Abbreviated terms | 2 |
| 4 | The Open font file format | 3 |
| 4.1 | Description | 3 |
| 4.2 | Filenames | 3 |
| 4.3 | Data types | 4 |
| 4.4 | Table version numbers | 5 |
| 4.5 | Open font structure | 5 |
| 4.5.1 | Table directory | 6 |
| 4.5.2 | Calculating checksums | 7 |
| 4.6 | TrueType collections | 7 |
| 4.6.1 | The TTC file structure | 7 |
| 4.6.2 | TTC header | 8 |
| 5 | Open font tables | 9 |
| 5.1 | General | 9 |
| 5.2 | Required common tables | 9 |
| 5.2.1 | cmap - Character to glyph index mapping table | 10 |
| 5.2.2 | head - Font header | 21 |
| 5.2.3 | hhea - Horizontal header | 23 |
| 5.2.4 | hmtx - Horizontal metrics | 24 |
| 5.2.5 | maxp - Maximum profile | 24 |
| 5.2.6 | name - Naming table | 25 |
| 5.2.7 | OS/2 - Global font information table | 45 |
| 5.2.8 | Font class parameters - see informative Annex B for details | 67 |
| 5.2.9 | post - PostScript | 67 |
| 5.3 | TrueType outline tables | 69 |
| 5.3.1 | cvt - Control value table | 69 |
| 5.3.2 | fpgm - Font program | 69 |
| 5.3.3 | glyf - Glyph data | 70 |
| 5.3.4 | loca - Index to location | 73 |
| 5.3.5 | prep - Control value program | 74 |
| 5.4 | PostScript outline tables | 74 |
| 5.4.1 | CFF - PostScript font program (Compact Font Format) table | 74 |
| 5.4.2 | VORG - Vertical origin table | 74 |
| 5.5 | Bitmap glyph tables | 76 |
| 5.5.1 | EBDT - Embedded bitmap data table | 76 |
| 5.5.2 | EBLC - Embedded bitmap location table | 80 |
| 5.6 | Optional tables | 88 |
| 5.6.1 | DSIG - Digital signature table | 88 |
| 5.6.2 | gasp - Grid-fitting and scan conversion procedure | 91 |
| 5.6.3 | hdmx - Horizontal device metrics | 92 |
| 5.6.4 | kern - Kerning | 93 |
| 5.6.5 | LTSH - Linear threshold | 96 |

| | | |
|-------|--|-----|
| 5.6.6 | PCLT - PCL 5 table | 97 |
| 5.6.7 | VDMX - Vertical device metrics | 106 |
| 5.6.8 | vhea - Vertical header table | 108 |
| 5.6.9 | vmtx - Vertical metric table | 112 |
| 6 | Advanced Open Font layout tables | 113 |
| 6.1 | Advanced Open Font layout extensions | 113 |
| 6.1.1 | Overview of advanced typographic layout extensions | 113 |
| 6.1.2 | TrueType versus OFF layout | 115 |
| 6.1.3 | OFF layout terminology | 115 |
| 6.1.4 | Text processing with OFF layout | 118 |
| 6.2 | OFF layout common table formats | 119 |
| 6.2.1 | Overview | 119 |
| 6.2.2 | Table organization | 120 |
| 6.2.3 | Scripts and languages | 122 |
| 6.2.4 | Features and lookups | 124 |
| 6.2.5 | Common table examples | 132 |
| 6.3 | Advanced typographic tables | 142 |
| 6.3.1 | BASE Baseline table | 142 |
| 6.3.2 | GDEF - The glyph definition table | 162 |
| 6.3.3 | GPOS - The glyph positioning table | 175 |
| 6.3.4 | GSUB - The glyph substitution table | 233 |
| 6.3.5 | JSTF - The justification table | 272 |
| 6.4 | Layout tag registry | 283 |
| 6.4.1 | Scripts tags | 283 |
| 6.4.2 | Language tags | 288 |
| 6.4.3 | Feature tags | 301 |
| 6.4.4 | Baseline tags | 360 |
| 7 | Recommendations for OFF fonts | 364 |
| | Byte ordering | 364 |
| | 'sfnt' version | 364 |
| | Mixing outline formats | 364 |
| | Filenames | 364 |
| | Table alignment and length | 365 |
| | First four glyphs in fonts | 365 |
| | Shape of .notdef glyph | 365 |
| | 'BASE' table | 366 |
| | 'cmap' table | 366 |
| | 'cvt' table | 366 |
| | 'fpgm' table | 366 |
| | 'glyf' table | 367 |
| | 'hdmx' table | 367 |
| | 'head' table | 367 |
| | 'hhea' table | 367 |
| | 'hmtx' table | 367 |

| | |
|--|------------|
| 'kern' table | 367 |
| 'loca' table | 368 |
| 'LTSH' table | 368 |
| 'maxp' table | 368 |
| 'name' table | 368 |
| 'OS/2' table | 368 |
| 'post' table | 369 |
| 'prep' table | 369 |
| 'VDMX' table | 369 |
| 8 General recommendations | 369 |
| 8.1 Optimized table ordering | 369 |
| 8.2 Non-standard (Symbol) fonts | 370 |
| 8.3 Device resolutions | 370 |
| 8.4 Baseline to baseline distances | 370 |
| 8.5 Style bits | 371 |
| 8.6 Drop-out control | 372 |
| 8.7 Embedded bitmaps | 372 |
| 8.8 OFF CJK font guidelines | 372 |
| Annex A (informative) Patent Statements | 373 |
| Annex B (informative) Font Class and Font Subclass parameters | 374 |
| Annex C (informative) Earlier versions of OS/2 - OS/2 and Windows metrics | 385 |
| Annex D (informative) OFF Mirroring Pairs List | 460 |
| Bibliography | 467 |