# ISO/IEC/IEEE 9945:2009-09 (E)

**Information technology — Portable Operating System Interface (POSIX®) Base Specifications, Issue 7**

## Contents


| | | | |
|---|---|---|---|
| **Volume** | **1** | **Base Definitions, Issue 7** | **1** |
| **Chapter** | **1** | **Introduction** | **3** |
| | 1.1 | Scope | 3 |
| | 1.2 | Conformance | 4 |
| | 1.3 | Normative References | 4 |
| | 1.4 | Change History | 5 |
| | 1.5 | Terminology | 5 |
| | 1.6 | Definitions and Concepts | 6 |
| | 1.7 | Portability | 6 |
| | 1.7.1 | Codes | 7 |
| | 1.7.2 | Margin Code Notation | 13 |
| **Chapter** | **2** | **Conformance** | **15** |
| | 2.1 | Implementation Conformance | 15 |
| | 2.1.1 | Requirements | 15 |
| | 2.1.2 | Documentation | 16 |
| | 2.1.3 | POSIX Conformance | 16 |
| | 2.1.4 | XSI Conformance | 19 |
| | 2.1.5 | Option Groups | 20 |
| | 2.1.6 | Options | 26 |
| | 2.2 | Application Conformance | 29 |
| | 2.2.1 | Strictly Conforming POSIX Application | 29 |
| | 2.2.2 | Conforming POSIX Application | 30 |
| | 2.2.3 | Conforming POSIX Application Using Extensions | 30 |
| | 2.2.4 | Strictly Conforming XSI Application | 30 |
| | 2.2.5 | Conforming XSI Application Using Extensions | 31 |
| | 2.3 | Language-Dependent Services for the C Programming Language | 31 |
| | 2.4 | Other Language-Related Specifications | 31 |
| **Chapter** | **3** | **Definitions** | **33** |
| | 3.1 | Abortive Release | 33 |
| | 3.2 | Absolute Pathname | 33 |
| | 3.3 | Access Mode | 33 |
| | 3.4 | Additional File Access Control Mechanism | 33 |
| | 3.5 | Address Space | 33 |
| | 3.6 | Advisory Information | 34 |
| | 3.7 | Affirmative Response | 34 |
| | 3.8 | Alert | 34 |
| | 3.9 | Alert Character (<alert>) | 34 |
| | 3.10 | Alias Name | 34 |
| | 3.11 | Alignment | 35 |
| | 3.12 | Alternate File Access Control Mechanism | 35 |

| | | |
|---|---|---|
| 3.13 | Alternate Signal Stack | 35 |
| 3.14 | Ancillary Data | 35 |
| 3.15 | Angle Brackets | 35 |
| 3.16 | Apostrophe Character (<apostrophe>) | 35 |
| 3.17 | Application | 35 |
| 3.18 | Application Address | 36 |
| 3.19 | Application Program Interface (API) | 36 |
| 3.20 | Appropriate Privileges | 36 |
| 3.21 | Argument | 36 |
| 3.22 | Arm (a Timer) | 36 |
| 3.23 | Asterisk Character (<asterisk>) | 36 |
| 3.24 | Async-Cancel-Safe Function | 36 |
| 3.25 | Asynchronous Events | 37 |
| 3.26 | Asynchronous Input and Output | 37 |
| 3.27 | Async-Signal-Safe Function | 37 |
| 3.28 | Asynchronously-Generated Signal | 37 |
| 3.29 | Asynchronous I/O Completion | 37 |
| 3.30 | Asynchronous I/O Operation | 37 |
| 3.31 | Authentication | 37 |
| 3.32 | Authorization | 38 |
| 3.33 | Background Job | 38 |
| 3.34 | Background Process | 38 |
| 3.35 | Background Process Group (or Background Job) | 38 |
| 3.36 | Backquote Character | 38 |
| 3.37 | Backslash Character (<backslash>) | 38 |
| 3.38 | Backspace Character (<backspace>) | 38 |
| 3.39 | Barrier | 39 |
| 3.40 | Basename | 39 |
| 3.41 | Basic Regular Expression (BRE) | 39 |
| 3.42 | Batch Access List | 39 |
| 3.43 | Batch Administrator | 39 |
| 3.44 | Batch Client | 39 |
| 3.45 | Batch Destination | 40 |
| 3.46 | Batch Destination Identifier | 40 |
| 3.47 | Batch Directive | 40 |
| 3.48 | Batch Job | 40 |
| 3.49 | Batch Job Attribute | 40 |
| 3.50 | Batch Job Identifier | 40 |
| 3.51 | Batch Job Name | 41 |
| 3.52 | Batch Job Owner | 41 |
| 3.53 | Batch Job Priority | 41 |
| 3.54 | Batch Job State | 41 |
| 3.55 | Batch Name Service | 41 |
| 3.56 | Batch Name Space | 41 |
| 3.57 | Batch Node | 42 |
| 3.58 | Batch Operator | 42 |
| 3.59 | Batch Queue | 42 |
| 3.60 | Batch Queue Attribute | 42 |
| 3.61 | Batch Queue Position | 42 |
| 3.62 | Batch Queue Priority | 42 |
| 3.63 | Batch Rerunability | 43 |
| 3.64 | Batch Restart | 43 |

| | | |
|---|---|---|
| 3.65 | Batch Server | 43 |
| 3.66 | Batch Server Name | 43 |
| 3.67 | Batch Service | 43 |
| 3.68 | Batch Service Request | 43 |
| 3.69 | Batch Submission | 43 |
| 3.70 | Batch System | 44 |
| 3.71 | Batch Target User | 44 |
| 3.72 | Batch User | 44 |
| 3.73 | Bind | 44 |
| 3.74 | Blank Character (<blank>) | 44 |
| 3.75 | Blank Line | 44 |
| 3.76 | Blocked Process (or Thread) | 44 |
| 3.77 | Blocking | 44 |
| 3.78 | Block-Mode Terminal | 45 |
| 3.79 | Block Special File | 45 |
| 3.80 | Braces | 45 |
| 3.81 | Brackets | 45 |
| 3.82 | Broadcast | 45 |
| 3.83 | Built-In Utility (or Built-In) | 46 |
| 3.84 | Byte | 46 |
| 3.85 | Byte Input/Output Functions | 46 |
| 3.86 | Carriage-Return Character (<carriage-return>) | 46 |
| 3.87 | Character | 47 |
| 3.88 | Character Array | 47 |
| 3.89 | Character Class | 47 |
| 3.90 | Character Set | 47 |
| 3.91 | Character Special File | 47 |
| 3.92 | Character String | 47 |
| 3.93 | Child Process | 48 |
| 3.94 | Circumflex Character (<circumflex>) | 48 |
| 3.95 | Clock | 48 |
| 3.96 | Clock Jump | 48 |
| 3.97 | Clock Tick | 48 |
| 3.98 | Coded Character Set | 48 |
| 3.99 | Codeset | 49 |
| 3.100 | Collating Element | 49 |
| 3.101 | Collation | 49 |
| 3.102 | Collation Sequence | 49 |
| 3.103 | Column Position | 50 |
| 3.104 | Command | 50 |
| 3.105 | Command Language Interpreter | 50 |
| 3.106 | Composite Graphic Symbol | 50 |
| 3.107 | Condition Variable | 50 |
| 3.108 | Connected Socket | 51 |
| 3.109 | Connection | 51 |
| 3.110 | Connection Mode | 51 |
| 3.111 | Connectionless Mode | 51 |
| 3.112 | Control Character | 51 |
| 3.113 | Control Operator | 51 |
| 3.114 | Controlling Process | 51 |
| 3.115 | Controlling Terminal | 52 |
| 3.116 | Conversion Descriptor | 52 |

3.117 Core File ..... 52
3.118 CPU Time (Execution Time) ..... 52
3.119 CPU-Time Clock ..... 52
3.120 CPU-Time Timer ..... 52
3.121 Current Job ..... 52
3.122 Current Working Directory ..... 53
3.123 Cursor Position ..... 53
3.124 Datagram ..... 53
3.125 Data Segment ..... 53
3.126 Deferred Batch Service ..... 53
3.127 Device ..... 53
3.128 Device ID ..... 53
3.129 Directory ..... 53
3.130 Directory Entry (or Link) ..... 53
3.131 Directory Stream ..... 54
3.132 Disarm (a Timer) ..... 54
3.133 Display ..... 54
3.134 Display Line ..... 54
3.135 Dollar-Sign Character (<dollar-sign>) ..... 54
3.136 Dot ..... 54
3.137 Dot-Dot ..... 55
3.138 Double-Quote Character ..... 55
3.139 Downshifting ..... 55
3.140 Driver ..... 55
3.141 Effective Group ID ..... 55
3.142 Effective User ID ..... 55
3.143 Eight-Bit Transparency ..... 55
3.144 Empty Directory ..... 56
3.145 Empty Line ..... 56
3.146 Empty String (or Null String) ..... 56
3.147 Empty Wide-Character String ..... 56
3.148 Encoding Rule ..... 56
3.149 Entire Regular Expression ..... 56
3.150 Epoch ..... 57
3.151 Equivalence Class ..... 57
3.152 Era ..... 57
3.153 Event Management ..... 57
3.154 Executable File ..... 57
3.155 Execute ..... 58
3.156 Execution Time ..... 58
3.157 Execution Time Monitoring ..... 58
3.158 Expand ..... 58
3.159 Extended Regular Expression (ERE) ..... 58
3.160 Extended Security Controls ..... 58
3.161 Feature Test Macro ..... 59
3.162 Field ..... 59
3.163 FIFO Special File (or FIFO) ..... 59
3.164 File ..... 59
3.165 File Description ..... 59
3.166 File Descriptor ..... 60
3.167 File Group Class ..... 60
3.168 File Mode ..... 60

| | | |
|---|---|---|
| 3.169 | File Mode Bits | 60 |
| 3.170 | Filename | 60 |
| 3.171 | File Offset | 60 |
| 3.172 | File Other Class | 61 |
| 3.173 | File Owner Class | 61 |
| 3.174 | File Permission Bits | 61 |
| 3.175 | File Serial Number | 61 |
| 3.176 | File System | 61 |
| 3.177 | File Type | 61 |
| 3.178 | Filter | 62 |
| 3.179 | First Open (of a File) | 62 |
| 3.180 | Flow Control | 62 |
| 3.181 | Foreground Job | 62 |
| 3.182 | Foreground Process | 62 |
| 3.183 | Foreground Process Group (or Foreground Job) | 62 |
| 3.184 | Foreground Process Group ID | 62 |
| 3.185 | Form-Feed Character (<form-feed>) | 63 |
| 3.186 | Graphic Character | 63 |
| 3.187 | Group Database | 63 |
| 3.188 | Group ID | 63 |
| 3.189 | Group Name | 63 |
| 3.190 | Hard Limit | 63 |
| 3.191 | Hard Link | 64 |
| 3.192 | Home Directory | 64 |
| 3.193 | Host Byte Order | 64 |
| 3.194 | Incomplete Line | 64 |
| 3.195 | Inf | 64 |
| 3.196 | Instrumented Application | 64 |
| 3.197 | Interactive Shell | 64 |
| 3.198 | Internationalization | 65 |
| 3.199 | Interprocess Communication | 65 |
| 3.200 | Invoke | 65 |
| 3.201 | Job | 65 |
| 3.202 | Job Control | 65 |
| 3.203 | Job Control Job ID | 65 |
| 3.204 | Last Close (of a File) | 66 |
| 3.205 | Line | 66 |
| 3.206 | Linger | 66 |
| 3.207 | Link | 66 |
| 3.208 | Link Count | 66 |
| 3.209 | Local Customs | 66 |
| 3.210 | Local Interprocess Communication (Local IPC) | 66 |
| 3.211 | Locale | 67 |
| 3.212 | Localization | 67 |
| 3.213 | Login | 67 |
| 3.214 | Login Name | 67 |
| 3.215 | Map | 67 |
| 3.216 | Marked Message | 67 |
| 3.217 | Matched | 68 |
| 3.218 | Memory Mapped Files | 68 |
| 3.219 | Memory Object | 68 |
| 3.220 | Memory-Resident | 68 |

| | | |
|---|---|---|
| 3.221 | Message | 68 |
| 3.222 | Message Catalog | 68 |
| 3.223 | Message Catalog Descriptor | 69 |
| 3.224 | Message Queue | 69 |
| 3.225 | Mode | 69 |
| 3.226 | Monotonic Clock | 69 |
| 3.227 | Mount Point | 69 |
| 3.228 | Multi-Character Collating Element | 69 |
| 3.229 | Mutex | 69 |
| 3.230 | Name | 70 |
| 3.231 | Named STREAM | 70 |
| 3.232 | NaN (Not a Number) | 70 |
| 3.233 | Native Language | 70 |
| 3.234 | Negative Response | 70 |
| 3.235 | Network | 70 |
| 3.236 | Network Address | 70 |
| 3.237 | Network Byte Order | 71 |
| 3.238 | Newline Character (<newline>) | 71 |
| 3.239 | Nice Value | 71 |
| 3.240 | Non-Blocking | 71 |
| 3.241 | Non-Spacing Characters | 71 |
| 3.242 | NUL | 72 |
| 3.243 | Null Byte | 72 |
| 3.244 | Null Pointer | 72 |
| 3.245 | Null String | 72 |
| 3.246 | Null Wide-Character Code | 72 |
| 3.247 | Number-Sign Character (<number-sign>) | 72 |
| 3.248 | Object File | 72 |
| 3.249 | Octet | 72 |
| 3.250 | Offset Maximum | 73 |
| 3.251 | Opaque Address | 73 |
| 3.252 | Open File | 73 |
| 3.253 | Open File Description | 73 |
| 3.254 | Operand | 73 |
| 3.255 | Operator | 73 |
| 3.256 | Option | 74 |
| 3.257 | Option-Argument | 74 |
| 3.258 | Orientation | 74 |
| 3.259 | Orphaned Process Group | 74 |
| 3.260 | Page | 74 |
| 3.261 | Page Size | 74 |
| 3.262 | Parameter | 75 |
| 3.263 | Parent Directory | 75 |
| 3.264 | Parent Process | 75 |
| 3.265 | Parent Process ID | 75 |
| 3.266 | Pathname | 75 |
| 3.267 | Pathname Component | 76 |
| 3.268 | Path Prefix | 76 |
| 3.269 | Pattern | 76 |
| 3.270 | Period Character (<period>) | 76 |
| 3.271 | Permissions | 76 |
| 3.272 | Persistence | 76 |

| | | |
|---|---|---|
| 3.273 | Pipe | 77 |
| 3.274 | Polling | 77 |
| 3.275 | Portable Character Set | 77 |
| 3.276 | Portable Filename Character Set | 77 |
| 3.277 | Positional Parameter | 78 |
| 3.278 | Preallocation | 78 |
| 3.279 | Preempted Process (or Thread) | 78 |
| 3.280 | Previous Job | 78 |
| 3.281 | Printable Character | 78 |
| 3.282 | Printable File | 78 |
| 3.283 | Priority | 79 |
| 3.284 | Priority Band | 79 |
| 3.285 | Priority Inversion | 79 |
| 3.286 | Priority Scheduling | 79 |
| 3.287 | Priority-Based Scheduling | 79 |
| 3.288 | Privilege | 79 |
| 3.289 | Process | 80 |
| 3.290 | Process Group | 80 |
| 3.291 | Process Group ID | 80 |
| 3.292 | Process Group Leader | 80 |
| 3.293 | Process Group Lifetime | 80 |
| 3.294 | Process ID | 81 |
| 3.295 | Process Lifetime | 81 |
| 3.296 | Process Memory Locking | 81 |
| 3.297 | Process Termination | 81 |
| 3.298 | Process-To-Process Communication | 81 |
| 3.299 | Process Virtual Time | 82 |
| 3.300 | Program | 82 |
| 3.301 | Protocol | 82 |
| 3.302 | Pseudo-Terminal | 82 |
| 3.303 | Radix Character | 82 |
| 3.304 | Read-Only File System | 82 |
| 3.305 | Read-Write Lock | 82 |
| 3.306 | Real Group ID | 83 |
| 3.307 | Real Time | 83 |
| 3.308 | Realtime Signal Extension | 83 |
| 3.309 | Real User ID | 83 |
| 3.310 | Record | 83 |
| 3.311 | Redirection | 83 |
| 3.312 | Redirection Operator | 84 |
| 3.313 | Referenced Shared Memory Object | 84 |
| 3.314 | Refresh | 84 |
| 3.315 | Regular Expression | 84 |
| 3.316 | Region | 84 |
| 3.317 | Regular File | 84 |
| 3.318 | Relative Pathname | 85 |
| 3.319 | Relocatable File | 85 |
| 3.320 | Relocation | 85 |
| 3.321 | Requested Batch Service | 85 |
| 3.322 | (Time) Resolution | 85 |
| 3.323 | Robust Mutex | 85 |
| 3.324 | Root Directory | 85 |

| | | |
|---|---|---|
| 3.325 | Runnable Process (or Thread) | 85 |
| 3.326 | Running Process (or Thread) | 86 |
| 3.327 | Saved Resource Limits | 86 |
| 3.328 | Saved Set-Group-ID | 86 |
| 3.329 | Saved Set-User-ID | 86 |
| 3.330 | Scheduling | 86 |
| 3.331 | Scheduling Allocation Domain | 86 |
| 3.332 | Scheduling Contention Scope | 86 |
| 3.333 | Scheduling Policy | 87 |
| 3.334 | Screen | 87 |
| 3.335 | Scroll | 87 |
| 3.336 | Semaphore | 87 |
| 3.337 | Session | 88 |
| 3.338 | Session Leader | 88 |
| 3.339 | Session Lifetime | 88 |
| 3.340 | Shared Memory Object | 88 |
| 3.341 | Shell | 88 |
| 3.342 | Shell, the | 88 |
| 3.343 | Shell Script | 89 |
| 3.344 | Signal | 89 |
| 3.345 | Signal Stack | 89 |
| 3.346 | Single-Quote Character | 89 |
| 3.347 | Slash Character (<slash>) | 89 |
| 3.348 | Socket | 89 |
| 3.349 | Socket Address | 89 |
| 3.350 | Soft Limit | 90 |
| 3.351 | Source Code | 90 |
| 3.352 | Space Character (<space>) | 90 |
| 3.353 | Spawn | 90 |
| 3.354 | Special Built-In | 90 |
| 3.355 | Special Parameter | 91 |
| 3.356 | Spin Lock | 91 |
| 3.357 | Sporadic Server | 91 |
| 3.358 | Standard Error | 91 |
| 3.359 | Standard Input | 91 |
| 3.360 | Standard Output | 91 |
| 3.361 | Standard Utilities | 91 |
| 3.362 | Stream | 92 |
| 3.363 | STREAM | 92 |
| 3.364 | STREAM End | 92 |
| 3.365 | STREAM Head | 92 |
| 3.366 | STREAMS Multiplexor | 92 |
| 3.367 | String | 92 |
| 3.368 | Subshell | 93 |
| 3.369 | Successfully Transferred | 93 |
| 3.370 | Supplementary Group ID | 93 |
| 3.371 | Suspended Job | 93 |
| 3.372 | Symbolic Constant | 93 |
| 3.373 | Symbolic Link | 94 |
| 3.374 | Synchronized Input and Output | 94 |
| 3.375 | Synchronized I/O Completion | 94 |
| 3.376 | Synchronized I/O Data Integrity Completion | 94 |

| | | |
|---|---|---|
| 3.377 | Synchronized I/O File Integrity Completion | 94 |
| 3.378 | Synchronized I/O Operation | 94 |
| 3.379 | Synchronous I/O Operation | 95 |
| 3.380 | Synchronously-Generated Signal | 95 |
| 3.381 | System | 95 |
| 3.382 | System Boot | 95 |
| 3.383 | System Clock | 95 |
| 3.384 | System Console | 95 |
| 3.385 | System Crash | 95 |
| 3.386 | System Databases | 96 |
| 3.387 | System Documentation | 96 |
| 3.388 | System Process | 96 |
| 3.389 | System Reboot | 96 |
| 3.390 | System Trace Event | 96 |
| 3.391 | System-Wide | 96 |
| 3.392 | Tab Character (<tab>) | 97 |
| 3.393 | Terminal (or Terminal Device) | 97 |
| 3.394 | Text Column | 97 |
| 3.395 | Text File | 97 |
| 3.396 | Thread | 97 |
| 3.397 | Thread ID | 97 |
| 3.398 | Thread List | 98 |
| 3.399 | Thread-Safe | 98 |
| 3.400 | Thread-Specific Data Key | 98 |
| 3.401 | Tilde Character (<tilde>) | 98 |
| 3.402 | Timeouts | 98 |
| 3.403 | Timer | 98 |
| 3.404 | Timer Overrun | 98 |
| 3.405 | Token | 99 |
| 3.406 | Trace Analyzer Process | 99 |
| 3.407 | Trace Controller Process | 99 |
| 3.408 | Trace Event | 99 |
| 3.409 | Trace Event Type | 99 |
| 3.410 | Trace Event Type Mapping | 99 |
| 3.411 | Trace Filter | 99 |
| 3.412 | Trace Generation Version | 99 |
| 3.413 | Trace Log | 100 |
| 3.414 | Trace Point | 100 |
| 3.415 | Trace Stream | 100 |
| 3.416 | Trace Stream Identifier | 100 |
| 3.417 | Trace System | 100 |
| 3.418 | Traced Process | 100 |
| 3.419 | Tracing Status of a Trace Stream | 100 |
| 3.420 | Typed Memory Name Space | 100 |
| 3.421 | Typed Memory Object | 101 |
| 3.422 | Typed Memory Pool | 101 |
| 3.423 | Typed Memory Port | 101 |
| 3.424 | Unbind | 101 |
| 3.425 | Unit Data | 101 |
| 3.426 | Upshifting | 101 |
| 3.427 | User Database | 101 |
| 3.428 | User ID | 102 |

3.429 User Name ..... 102
3.430 User Trace Event ..... 102
3.431 Utility ..... 102
3.432 Variable ..... 103
3.433 Vertical-Tab Character (<vertical-tab>) ..... 103
3.434 White Space ..... 103
3.435 Wide-Character Code (C Language) ..... 103
3.436 Wide-Character Input/Output Functions ..... 103
3.437 Wide-Character String ..... 103
3.438 Word ..... 104
3.439 Working Directory (or Current Working Directory) ..... 104
3.440 Worldwide Portability Interface ..... 104
3.441 Write ..... 104
3.442 XSI ..... 104
3.443 XSI-Conformant ..... 105
3.444 Zombie Process ..... 105
3.445 ±0 ..... 105

**Chapter 4 General Concepts ..... 107**
4.1 Concurrent Execution ..... 107
4.2 Directory Protection ..... 107
4.3 Extended Security Controls ..... 107
4.4 File Access Permissions ..... 108
4.5 File Hierarchy ..... 108
4.6 Filenames ..... 109
4.7 Filename Portability ..... 109
4.8 File Times Update ..... 109
4.9 Host and Network Byte Orders ..... 110
4.10 Measurement of Execution Time ..... 110
4.11 Memory Synchronization ..... 110
4.12 Pathname Resolution ..... 111
4.13 Process ID Reuse ..... 112
4.14 Scheduling Policy ..... 112
4.15 Seconds Since the Epoch ..... 113
4.16 Semaphore ..... 113
4.17 Thread-Safety ..... 114
4.18 Tracing ..... 114
4.19 Treatment of Error Conditions for Mathematical Functions ..... 116
4.19.1 Domain Error ..... 116
4.19.2 Pole Error ..... 117
4.19.3 Range Error ..... 117
4.20 Treatment of NaN Arguments for the Mathematical Functions ..... 118
4.21 Utility ..... 118
4.22 Variable Assignment ..... 118

**Chapter 5 File Format Notation ..... 121**

**Chapter 6 Character Set ..... 125**
6.1 Portable Character Set ..... 125
6.2 Character Encoding ..... 128

| | | | |
|---|---|---|---|
| | 6.3 | C Language Wide-Character Codes | 129 |
| | 6.4 | Character Set Description File | 129 |
| | 6.4.1 | State-Dependent Character Encodings | 132 |
| **Chapter** | **7** | **Locale** | **135** |
| | 7.1 | General | 135 |
| | 7.2 | POSIX Locale | 136 |
| | 7.3 | Locale Definition | 136 |
| | 7.3.1 | LC_CTYPE | 139 |
| | 7.3.2 | LC_COLLATE | 146 |
| | 7.3.3 | LC_MONETARY | 154 |
| | 7.3.4 | LC_NUMERIC | 157 |
| | 7.3.5 | LC_TIME | 158 |
| | 7.3.6 | LC_MESSAGES | 164 |
| | 7.4 | Locale Definition Grammar | 165 |
| | 7.4.1 | Locale Lexical Conventions | 165 |
| | 7.4.2 | Locale Grammar | 166 |
| **Chapter** | **8** | **Environment Variables** | **173** |
| | 8.1 | Environment Variable Definition | 173 |
| | 8.2 | Internationalization Variables | 174 |
| | 8.3 | Other Environment Variables | 177 |
| **Chapter** | **9** | **Regular Expressions** | **181** |
| | 9.1 | Regular Expression Definitions | 181 |
| | 9.2 | Regular Expression General Requirements | 182 |
| | 9.3 | Basic Regular Expressions | 183 |
| | 9.3.1 | BREs Matching a Single Character or Collating Element | 183 |
| | 9.3.2 | BRE Ordinary Characters | 183 |
| | 9.3.3 | BRE Special Characters | 183 |
| | 9.3.4 | Periods in BREs | 184 |
| | 9.3.5 | RE Bracket Expression | 184 |
| | 9.3.6 | BREs Matching Multiple Characters | 186 |
| | 9.3.7 | BRE Precedence | 187 |
| | 9.3.8 | BRE Expression Anchoring | 187 |
| | 9.4 | Extended Regular Expressions | 188 |
| | 9.4.1 | EREs Matching a Single Character or Collating Element | 188 |
| | 9.4.2 | ERE Ordinary Characters | 188 |
| | 9.4.3 | ERE Special Characters | 188 |
| | 9.4.4 | Periods in EREs | 189 |
| | 9.4.5 | ERE Bracket Expression | 189 |
| | 9.4.6 | EREs Matching Multiple Characters | 189 |
| | 9.4.7 | ERE Alternation | 190 |
| | 9.4.8 | ERE Precedence | 190 |
| | 9.4.9 | ERE Expression Anchoring | 190 |
| | 9.5 | Regular Expression Grammar | 191 |
| | 9.5.1 | BRE/ERE Grammar Lexical Conventions | 191 |
| | 9.5.2 | RE and Bracket Expression Grammar | 192 |
| | 9.5.3 | ERE Grammar | 194 |

**Chapter 10 Directory Structure and Devices ..... 197**
10.1 Directory Structure and Files ..... 197
10.2 Output Devices and Terminal Types ..... 198

**Chapter 11 General Terminal Interface ..... 199**
11.1 Interface Characteristics ..... 199
11.1.1 Opening a Terminal Device File ..... 199
11.1.2 Process Groups ..... 200
11.1.3 The Controlling Terminal ..... 200
11.1.4 Terminal Access Control ..... 201
11.1.5 Input Processing and Reading Data ..... 201
11.1.6 Canonical Mode Input Processing ..... 202
11.1.7 Non-Canonical Mode Input Processing ..... 202
11.1.8 Writing Data and Output Processing ..... 203
11.1.9 Special Characters ..... 203
11.1.10 Modem Disconnect ..... 205
11.1.11 Closing a Terminal Device File ..... 205
11.2 Parameters that Can be Set ..... 205
11.2.1 The termios Structure ..... 205
11.2.2 Input Modes ..... 206
11.2.3 Output Modes ..... 207
11.2.4 Control Modes ..... 209
11.2.5 Local Modes ..... 210
11.2.6 Special Control Characters ..... 212

**Chapter 12 Utility Conventions ..... 213**
12.1 Utility Argument Syntax ..... 213
12.2 Utility Syntax Guidelines ..... 215

**Chapter 13 Headers ..... 219**

**Volume 2 System Interfaces, Issue 7 ..... 463**

**Chapter 1 Introduction ..... 465**
1.1 Relationship to Other Formal Standards ..... 465
1.2 Format of Entries ..... 465

**Chapter 2 General Information ..... 467**
2.1 Use and Implementation of Interfaces ..... 467
2.1.1 Use and Implementation of Functions ..... 467
2.1.2 Use and Implementation of Macros ..... 468
2.2 The Compilation Environment ..... 468
2.2.1 POSIX.1 Symbols ..... 468
2.2.2 The Name Space ..... 469
2.3 Error Numbers ..... 477
2.3.1 Additional Error Numbers ..... 484
2.4 Signal Concepts ..... 484
2.4.1 Signal Generation and Delivery ..... 484
2.4.2 Realtime Signal Generation and Delivery ..... 485
2.4.3 Signal Actions ..... 486
2.4.4 Signal Effects on Other Functions ..... 490

| | | |
|---|---|---|
| 2.5 | Standard I/O Streams | 490 |
| 2.5.1 | Interaction of File Descriptors and Standard I/O Streams | 491 |
| 2.5.2 | Stream Orientation and Encoding Rules | 493 |
| 2.6 | STREAMS | 494 |
| 2.6.1 | Accessing STREAMS | 495 |
| 2.7 | XSI Interprocess Communication | 496 |
| 2.7.1 | IPC General Description | 496 |
| 2.8 | Realtime | 497 |
| 2.8.1 | Realtime Signals | 497 |
| 2.8.2 | Asynchronous I/O | 497 |
| 2.8.3 | Memory Management | 499 |
| 2.8.4 | Process Scheduling | 501 |
| 2.8.5 | Clocks and Timers | 505 |
| 2.9 | Threads | 507 |
| 2.9.1 | Thread-Safety | 507 |
| 2.9.2 | Thread IDs | 508 |
| 2.9.3 | Thread Mutexes | 508 |
| 2.9.4 | Thread Scheduling | 509 |
| 2.9.5 | Thread Cancellation | 511 |
| 2.9.6 | Thread Read-Write Locks | 515 |
| 2.9.7 | Thread Interactions with Regular File Operations | 516 |
| 2.9.8 | Use of Application-Managed Thread Stacks | 516 |
| 2.10 | Sockets | 517 |
| 2.10.1 | Address Families | 517 |
| 2.10.2 | Addressing | 517 |
| 2.10.3 | Protocols | 517 |
| 2.10.4 | Routing | 518 |
| 2.10.5 | Interfaces | 518 |
| 2.10.6 | Socket Types | 518 |
| 2.10.7 | Socket I/O Mode | 519 |
| 2.10.8 | Socket Owner | 519 |
| 2.10.9 | Socket Queue Limits | 519 |
| 2.10.10 | Pending Error | 519 |
| 2.10.11 | Socket Receive Queue | 520 |
| 2.10.12 | Socket Out-of-Band Data State | 520 |
| 2.10.13 | Connection Indication Queue | 521 |
| 2.10.14 | Signals | 521 |
| 2.10.15 | Asynchronous Errors | 521 |
| 2.10.16 | Use of Options | 522 |
| 2.10.17 | Use of Sockets for Local UNIX Connections | 525 |
| 2.10.18 | Use of Sockets over Internet Protocols | 525 |
| 2.10.19 | Use of Sockets over Internet Protocols Based on IPv4 | 526 |
| 2.10.20 | Use of Sockets over Internet Protocols Based on IPv6 | 526 |
| 2.11 | Tracing | 529 |
| 2.11.1 | Tracing Data Definitions | 531 |
| 2.11.2 | Trace Event Type Definitions | 535 |
| 2.11.3 | Trace Functions | 539 |
| 2.12 | Data Types | 540 |
| 2.12.1 | Defined Types | 540 |

2.12.2 The char Type ... 541
2.12.3 Pointer Types ... 541

**Chapter 3 System Interfaces ... 543**

**Volume 3 Shell and Utilities, Issue 7 ... 2277**

**Chapter 1 Introduction ... 2279**
1.1 Relationship to Other Documents ... 2279
1.1.1 System Interfaces ... 2279
1.1.2 Concepts Derived from the ISO C Standard ... 2283
1.2 Utility Limits ... 2285
1.3 Grammar Conventions ... 2287
1.4 Utility Description Defaults ... 2288
1.5 Considerations for Utilities in Support of Files of Arbitrary Size ... 2295
1.6 Built-In Utilities ... 2296

**Chapter 2 Shell Command Language ... 2297**
2.1 Shell Introduction ... 2297
2.2 Quoting ... 2298
2.2.1 Escape Character (Backslash) ... 2298
2.2.2 Single-Quotes ... 2298
2.2.3 Double-Quotes ... 2298
2.3 Token Recognition ... 2299
2.3.1 Alias Substitution ... 2300
2.4 Reserved Words ... 2301
2.5 Parameters and Variables ... 2301
2.5.1 Positional Parameters ... 2301
2.5.2 Special Parameters ... 2302
2.5.3 Shell Variables ... 2302
2.6 Word Expansions ... 2305
2.6.1 Tilde Expansion ... 2305
2.6.2 Parameter Expansion ... 2306
2.6.3 Command Substitution ... 2309
2.6.4 Arithmetic Expansion ... 2310
2.6.5 Field Splitting ... 2311
2.6.6 Pathname Expansion ... 2311
2.6.7 Quote Removal ... 2311
2.7 Redirection ... 2312
2.7.1 Redirecting Input ... 2312
2.7.2 Redirecting Output ... 2313
2.7.3 Appending Redirected Output ... 2313
2.7.4 Here-Document ... 2313
2.7.5 Duplicating an Input File Descriptor ... 2314
2.7.6 Duplicating an Output File Descriptor ... 2314
2.7.7 Open File Descriptors for Reading and Writing ... 2315
2.8 Exit Status and Errors ... 2315
2.8.1 Consequences of Shell Errors ... 2315
2.8.2 Exit Status for Commands ... 2315
2.9 Shell Commands ... 2316

2.9.1 Simple Commands ... 2316
2.9.2 Pipelines ... 2318
2.9.3 Lists ... 2319
2.9.4 Compound Commands ... 2321
2.9.5 Function Definition Command ... 2324
2.10 Shell Grammar ... 2325
2.10.1 Shell Grammar Lexical Conventions ... 2325
2.10.2 Shell Grammar Rules ... 2325
2.11 Signals and Error Handling ... 2330
2.12 Shell Execution Environment ... 2331
2.13 Pattern Matching Notation ... 2332
2.13.1 Patterns Matching a Single Character ... 2332
2.13.2 Patterns Matching Multiple Characters ... 2332
2.13.3 Patterns Used for Filename Expansion ... 2333
2.14 Special Built-In Utilities ... 2334

**Chapter 3 Batch Environment Services ... 2375**
3.1 General Concepts ... 2375
3.1.1 Batch Client-Server Interaction ... 2375
3.1.2 Batch Queues ... 2376
3.1.3 Batch Job Creation ... 2376
3.1.4 Batch Job Tracking ... 2376
3.1.5 Batch Job Routing ... 2377
3.1.6 Batch Job Execution ... 2377
3.1.7 Batch Job Exit ... 2378
3.1.8 Batch Job Abort ... 2378
3.1.9 Batch Authorization ... 2378
3.1.10 Batch Administration ... 2378
3.1.11 Batch Notification ... 2379
3.2 Batch Services ... 2379
3.2.1 Batch Job States ... 2380
3.2.2 Deferred Batch Services ... 2381
3.2.3 Requested Batch Services ... 2390
3.3 Common Behavior for Batch Environment Utilities ... 2397
3.3.1 Batch Job Identifier ... 2397
3.3.2 Destination ... 2398
3.3.3 Multiple Keyword-Value Pairs ... 2399

**Chapter 4 Utilities ... 2401**

**Volume 4 Rationale (Informative), Issue 7 ... 3407**

**Part A Base Definitions ... 3409**

**Appendix A Rationale for Base Definitions ... 3411**
A.1 Introduction ... 3411
A.1.1 Scope ... 3411
A.1.2 Conformance ... 3414
A.1.3 Normative References ... 3414
A.1.4 Change History ... 3414
A.1.5 Terminology ... 3414

A.1.6 Definitions and Concepts ... 3416
A.1.7 Portability ... 3416
A.2 Conformance ... 3417
A.2.1 Implementation Conformance ... 3417
A.2.2 Application Conformance ... 3421
A.2.3 Language-Dependent Services for the C Programming Language ... 3421
A.2.4 Other Language-Related Specifications ... 3422
A.3 Definitions ... 3422
A.4 General Concepts ... 3443
A.4.1 Concurrent Execution ... 3443
A.4.2 Directory Protection ... 3444
A.4.3 Extended Security Controls ... 3444
A.4.4 File Access Permissions ... 3444
A.4.5 File Hierarchy ... 3444
A.4.6 Filenames ... 3445
A.4.7 Filename Portability ... 3446
A.4.8 File Times Update ... 3446
A.4.9 Host and Network Byte Order ... 3447
A.4.10 Measurement of Execution Time ... 3447
A.4.11 Memory Synchronization ... 3447
A.4.12 Pathname Resolution ... 3449
A.4.13 Process ID Reuse ... 3450
A.4.14 Scheduling Policy ... 3450
A.4.15 Seconds Since the Epoch ... 3450
A.4.16 Semaphore ... 3452
A.4.17 Thread-Safety ... 3452
A.4.18 Tracing ... 3452
A.4.19 Treatment of Error Conditions for Mathematical Functions ... 3452
A.4.20 Treatment of NaN Arguments for Mathematical Functions ... 3452
A.4.21 Utility ... 3452
A.4.22 Variable Assignment ... 3452
A.5 File Format Notation ... 3452
A.6 Character Set ... 3453
A.6.1 Portable Character Set ... 3453
A.6.2 Character Encoding ... 3454
A.6.3 C Language Wide-Character Codes ... 3454
A.6.4 Character Set Description File ... 3454
A.7 Locale ... 3456
A.7.1 General ... 3456
A.7.2 POSIX Locale ... 3457
A.7.3 Locale Definition ... 3457
A.7.4 Locale Definition Grammar ... 3464
A.7.5 Locale Definition Example ... 3464
A.8 Environment Variables ... 3467
A.8.1 Environment Variable Definition ... 3467
A.8.2 Internationalization Variables ... 3468
A.8.3 Other Environment Variables ... 3469
A.9 Regular Expressions ... 3470
A.9.1 Regular Expression Definitions ... 3471

A.9.2 Regular Expression General Requirements ... 3471
A.9.3 Basic Regular Expressions ... 3472
A.9.4 Extended Regular Expressions ... 3475
A.9.5 Regular Expression Grammar ... 3477
A.10 Directory Structure and Devices ... 3478
A.10.1 Directory Structure and Files ... 3478
A.10.2 Output Devices and Terminal Types ... 3478
A.11 General Terminal Interface ... 3478
A.11.1 Interface Characteristics ... 3479
A.11.2 Parameters that Can be Set ... 3483
A.12 Utility Conventions ... 3485
A.12.1 Utility Argument Syntax ... 3485
A.12.2 Utility Syntax Guidelines ... 3486
A.13 Headers ... 3488
A.13.1 Format of Entries ... 3488
A.13.2 Removed Headers in Issue 7 ... 3489

**Part B System Interfaces ... 3491**

**Appendix B Rationale for System Interfaces ... 3493**
B.1 Introduction ... 3493
B.1.1 Change History ... 3493
B.1.2 Relationship to Other Formal Standards ... 3496
B.1.3 Format of Entries ... 3496
B.2 General Information ... 3497
B.2.1 Use and Implementation of Interfaces ... 3497
B.2.2 The Compilation Environment ... 3498
B.2.3 Error Numbers ... 3503
B.2.4 Signal Concepts ... 3507
B.2.5 Standard I/O Streams ... 3517
B.2.6 STREAMS ... 3517
B.2.7 XSI Interprocess Communication ... 3518
B.2.8 Realtime ... 3519
B.2.9 Threads ... 3564
B.2.10 Sockets ... 3592
B.2.11 Tracing ... 3594
B.2.12 Data Types ... 3620
B.3 System Interfaces ... 3622
B.3.1 System Interfaces Removed in this Version ... 3622
B.3.2 System Interfaces Removed in the Previous Version ... 3625
B.3.3 Examples for Spawn ... 3625

**Part C Shell and Utilities ... 3635**

**Appendix C Rationale for Shell and Utilities ... 3637**
C.1 Introduction ... 3637
C.1.1 Change History ... 3637
C.1.2 Relationship to Other Documents ... 3638
C.1.3 Utility Limits ... 3639
C.1.4 Grammar Conventions ... 3642
C.1.5 Utility Description Defaults ... 3642

C.1.6 Considerations for Utilities in Support of Files of Arbitrary Size ... 3645
C.1.7 Built-In Utilities ... 3646
C.2 Shell Command Language ... 3648
C.2.1 Shell Introduction ... 3648
C.2.2 Quoting ... 3648
C.2.3 Token Recognition ... 3650
C.2.4 Reserved Words ... 3651
C.2.5 Parameters and Variables ... 3651
C.2.6 Word Expansions ... 3654
C.2.7 Redirection ... 3660
C.2.8 Exit Status and Errors ... 3662
C.2.9 Shell Commands ... 3662
C.2.10 Shell Grammar ... 3669
C.2.11 Signals and Error Handling ... 3671
C.2.12 Shell Execution Environment ... 3671
C.2.13 Pattern Matching Notation ... 3671
C.2.14 Special Built-In Utilities ... 3673
C.3 Batch Environment Services and Utilities ... 3673
C.3.1 Batch General Concepts ... 3676
C.3.2 Batch Services ... 3678
C.3.3 Common Behavior for Batch Environment Utilities ... 3679
C.4 Utilities ... 3679
C.4.1 Utilities Removed in this Version ... 3679
C.4.2 Utilities Removed in the Previous Version ... 3679
C.4.3 Exclusion of Utilities ... 3679

**Part D Portability Considerations ... 3683**

**Appendix D Portability Considerations (Informative) ... 3685**
D.1 User Requirements ... 3685
D.1.1 Configuration Interrogation ... 3686
D.1.2 Process Management ... 3686
D.1.3 Access to Data ... 3686
D.1.4 Access to the Environment ... 3686
D.1.5 Access to Determinism and Performance Enhancements ... 3686
D.1.6 Operating System-Dependent Profile ... 3687
D.1.7 I/O Interaction ... 3687
D.1.8 Internationalization Interaction ... 3687
D.1.9 C-Language Extensions ... 3687
D.1.10 Command Language ... 3687
D.1.11 Interactive Facilities ... 3687
D.1.12 Accomplish Multiple Tasks Simultaneously ... 3687
D.1.13 Complex Data Manipulation ... 3688
D.1.14 File Hierarchy Manipulation ... 3688
D.1.15 Locale Configuration ... 3688
D.1.16 Inter-User Communication ... 3688
D.1.17 System Environment ... 3688
D.1.18 Printing ... 3688
D.1.19 Software Development ... 3688

D.2 Portability Capabilities ..... 3689
D.2.1 Configuration Interrogation ..... 3689
D.2.2 Process Management ..... 3690
D.2.3 Access to Data ..... 3690
D.2.4 Access to the Environment ..... 3691
D.2.5 Bounded (Realtime) Response ..... 3692
D.2.6 Operating System-Dependent Profile ..... 3692
D.2.7 I/O Interaction ..... 3692
D.2.8 Internationalization Interaction ..... 3693
D.2.9 C-Language Extensions ..... 3693
D.2.10 Command Language ..... 3693
D.2.11 Interactive Facilities ..... 3694
D.2.12 Accomplish Multiple Tasks Simultaneously ..... 3694
D.2.13 Complex Data Manipulation ..... 3694
D.2.14 File Hierarchy Manipulation ..... 3695
D.2.15 Locale Configuration ..... 3695
D.2.16 Inter-User Communication ..... 3695
D.2.17 System Environment ..... 3696
D.2.18 Printing ..... 3696
D.2.19 Software Development ..... 3696
D.2.20 Future Growth ..... 3696
D.3 Profiling Considerations ..... 3697
D.3.1 Configuration Options ..... 3697
D.3.2 Configuration Options (Shell and Utilities) ..... 3697
D.3.3 Configurable Limits ..... 3699
D.3.4 Configuration Options (System Interfaces) ..... 3699
D.3.5 Configurable Limits ..... 3704
D.3.6 Optional Behavior ..... 3707

**Part E Subprofiling Considerations ..... 3709**

**Appendix E Subprofiling Considerations (Informative) ..... 3711**
E.1 Subprofiling Option Groups ..... 3711

**Index ..... 3717**

## List of Figures

B-1 Example of a System with Typed Memory ..... 3537
B-2 Trace System Overview: for Offline Analysis ..... 3600
B-3 Trace System Overview: for Online Analysis ..... 3601
B-4 Trace System Overview: States of a Trace Stream ..... 3603
B-5 Trace Another Process ..... 3613
B-6 Trace Name Space Overview: With Third-Party Library ..... 3614

## List of Tables

3-1 Job Control Job ID Formats ..... 66
5-1 Escape Sequences and Associated Actions ..... 121
6-1 Portable Character Set ..... 125
6-2 Control Character Set ..... 130

| | | |
|---|---|---|
| 7-1 | Valid Character Class Combinations | 142 |
| 10-1 | Control Character Names | 198 |
| 2-1 | Value of Level for Socket Options | 522 |
| 2-2 | Socket-Level Options | 523 |
| 2-3 | Trace Option: System Trace Events | 537 |
| 2-4 | Trace and Trace Event Filter Options: System Trace Events | 537 |
| 2-5 | Trace and Trace Log Options: System Trace Events | 538 |
| 2-6 | Trace, Trace Log, and Trace Event Filter Options: System Trace Events | 538 |
| 2-7 | Trace Option: User Trace Event | 539 |
| 1-1 | Actions when Creating a File that Already Exists | 2281 |
| 1-2 | Selected ISO C Standard Operators and Control Flow Keywords | 2284 |
| 1-3 | Utility Limit Minimum Values | 2285 |
| 1-4 | Symbolic Utility Limits | 2286 |
| 1-5 | Regular Built-In Utilities | 2296 |
| 3-1 | Batch Utilities | 2375 |
| 3-2 | Environment Variable Summary | 2379 |
| 3-3 | Next State Table | 2381 |
| 3-4 | Results/Output Table | 2383 |
| 3-5 | Batch Services Summary | 2390 |
| A-1 | Historical Practice for Symbolic Links | 3440 |