

# ISO/IEC 18051:2010-05 (E)

## Information technology - Telecommunications and information exchange between systems - Services for Computer Supported Telecommunications Applications (CSTA) Phase III

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Conformance .....</b>	<b>1</b>
<b>2.1</b>	<b>Switching Function .....</b>	<b>1</b>
<b>2.1.1</b>	<b>Conformant Services .....</b>	<b>2</b>
<b>2.1.2</b>	<b>Conformant Events .....</b>	<b>2</b>
<b>2.1.3</b>	<b>CSTA Profiles .....</b>	<b>2</b>
<b>2.1.4</b>	<b>Support of Service Requests And Manual Mode .....</b>	<b>5</b>
<b>2.2</b>	<b>Special Resource Function Conformance .....</b>	<b>5</b>
<b>2.2.1</b>	<b>Conformant Services .....</b>	<b>6</b>
<b>2.2.2</b>	<b>Conformant Events .....</b>	<b>6</b>
<b>2.2.3</b>	<b>Support of Service Requests And Manual Mode .....</b>	<b>6</b>
<b>2.3</b>	<b>Computing Function Conformance .....</b>	<b>6</b>
<b>3</b>	<b>Normative references .....</b>	<b>7</b>
<b>4</b>	<b>Terms, definitions and abbreviations .....</b>	<b>7</b>
<b>5</b>	<b>Functional Architecture .....</b>	<b>7</b>
<b>6</b>	<b>CSTA Operational Model .....</b>	<b>7</b>
<b>6.1</b>	<b>Switching Sub-Domain Model .....</b>	<b>9</b>
<b>6.1.1</b>	<b>Device .....</b>	<b>9</b>
<b>6.1.2</b>	<b>Call .....</b>	<b>43</b>
<b>6.1.3</b>	<b>Connection .....</b>	<b>50</b>
<b>6.1.4</b>	<b>Call State Definitions .....</b>	<b>54</b>
<b>6.1.5</b>	<b>Referencing Devices, Elements, Appearances and Device Configurations .....</b>	<b>55</b>
<b>6.1.6</b>	<b>Management of Dynamically-Assigned Identifiers .....</b>	<b>57</b>
<b>6.2</b>	<b>I/O Services .....</b>	<b>57</b>
<b>6.2.1</b>	<b>Data Path Definition .....</b>	<b>58</b>
<b>6.2.2</b>	<b>I/O Registration Services .....</b>	<b>59</b>
<b>6.2.3</b>	<b>Data Path States and Operational Model .....</b>	<b>59</b>
<b>6.2.4</b>	<b>I/O Services Example .....</b>	<b>59</b>
<b>6.3</b>	<b>Call Detail Record (CDR) Services .....</b>	<b>60</b>
<b>6.3.1</b>	<b>CDR Services Examples .....</b>	<b>60</b>
<b>6.4</b>	<b>Capabilities Exchange .....</b>	<b>62</b>
<b>6.4.1</b>	<b>Switching Function Capabilities .....</b>	<b>63</b>
<b>6.4.2</b>	<b>Device Capabilities .....</b>	<b>63</b>
<b>6.4.3</b>	<b>Dynamic Feature Availability .....</b>	<b>63</b>
<b>6.5</b>	<b>Switching Function Information Synchronization .....</b>	<b>64</b>
<b>6.5.1</b>	<b>Switching Function Level Information .....</b>	<b>64</b>
<b>6.5.2</b>	<b>Device Level Information .....</b>	<b>64</b>
<b>6.5.3</b>	<b>Call Level Information .....</b>	<b>64</b>
<b>6.6</b>	<b>Status Reporting Services .....</b>	<b>65</b>
<b>6.6.1</b>	<b>System Status .....</b>	<b>65</b>
<b>6.6.2</b>	<b>Monitoring .....</b>	<b>66</b>
<b>6.6.3</b>	<b>Snapshot Services .....</b>	<b>70</b>
<b>6.7</b>	<b>Additional Services, Features &amp; Behaviour .....</b>	<b>70</b>
<b>6.7.1</b>	<b>Forwarding .....</b>	<b>70</b>

6.7.2	Connection Failure .....	72
6.7.3	Recall .....	74
6.7.4	Call Back .....	75
6.7.5	External Calls .....	75
6.7.6	Tracking a Diverted Call .....	76
6.7.7	Media Stream Access .....	76
6.7.8	Routeing Services .....	80
6.7.9	Device Maintenance .....	85
6.7.10	Prompting .....	85
6.7.11	Telephony Tones Features .....	85
6.7.12	DTMF and Rotary Pulse Digits Features .....	86
6.7.13	Data Collection Services .....	86
6.8	Location Features .....	86
6.8.1	Location Information .....	87
6.8.2	Polling for Location Information .....	88
6.8.3	Location Information in Call Control Events .....	88
6.8.4	Location Tracking Session .....	88
6.8.5	Setting Location Information .....	91
7	Association Establishment .....	92
7.1	Implicit Association created using CSTA System Status service (initiated by Switching Function) 93	
	7.2 Implicit Association created using CSTA Request System Status service .....	93
7.3	Explicit Association created using ACSE .....	94
8	Security Service .....	96
9	Generic Service Requirements .....	97
9.1	Service Request .....	97
9.2	Service Response (Acknowledgements) .....	97
9.2.1	Positive Acknowledgement Models .....	98
9.2.2	Negative Acknowledgement .....	98
9.3	Diagnostic Error Definitions .....	98
9.3.1	Error Categories .....	99
9.3.2	Error Values .....	99
9.4	Vendor Specific Extensions .....	100
9.4.1	Private Data .....	100
9.4.2	Escape Services and Private Event .....	101
9.5	General Services and Event Functional Requirements .....	102
9.5.1	Services .....	102
9.5.2	Events .....	104
10	CSTA Device Identifier Formats .....	104
10.1	Device Identifier Formats .....	104
10.1.1	Diallable Digits .....	105
10.1.2	Switching Function Representation .....	106
10.1.3	Device Number .....	108
10.1.4	URI Representation .....	108
10.2	DeviceID Tags .....	108
10.3	Functional Requirements .....	109
11	Template Descriptions .....	109
11.1	Service Template .....	109
11.1.1	Service Description .....	109
11.1.2	Service Request .....	110
11.1.3	Service Response .....	111
11.1.4	Operational Model .....	111
11.2	Event Template .....	111
11.2.1	Event Description .....	111
11.2.2	Event Parameters .....	112
11.2.3	Event Causes .....	112
11.2.4	Functional Requirements .....	112

11.3	Parameter Type Template .....	112
11.3.1	Parameter Type Description .....	112
11.3.2	Format .....	112
11.3.3	Functional Requirements .....	112
12	Parameter Types .....	112
12.1	Definitions .....	112
12.2	Defined Parameter Types .....	113
12.2.1	AccountInfo .....	114
12.2.2	AgentPassword .....	115
12.2.3	AuthCode .....	115
12.2.4	CallCharacteristics .....	115
12.2.5	CallLinkageData .....	116
12.2.6	CallQualifyingData .....	117
12.2.7	ChargingInfo .....	118
12.2.8	ConnectionInformation .....	118
12.2.9	ConnectionList .....	119
12.2.10	CorrelatorData .....	120
12.2.11	CSTAPrivateData .....	121
12.2.12	CSTASecurityData .....	121
12.2.13	DeviceHistory .....	121
12.2.14	ErrorValue .....	122
12.2.15	EventCause .....	133
12.2.16	LanguagePreferences .....	137
12.2.17	LocalConnectionState .....	137
12.2.18	LocationInfo .....	138
12.2.19	LocationInfoList .....	139
12.2.20	MediaCallCharacteristics .....	139
12.2.21	MediaServiceType .....	141
12.2.22	MessageInfo .....	142
12.2.23	MonitorFilter .....	142
12.2.24	ServicesPermitted .....	143
12.2.25	SimpleCallState .....	143
12.2.26	SubjectOfCall .....	144
12.2.27	SystemStatus .....	144
12.2.28	TimeInfo .....	145
12.2.29	UserData .....	145
12.3	Identifier Parameter Types .....	146
12.3.1	AgentID .....	147
12.3.2	AssociatedCalledDeviceID .....	147
12.3.3	AssociatedCallingDeviceID .....	148
12.3.4	AuditoryApparatusID .....	148
12.3.5	ButtonID .....	148
12.3.6	CalledDeviceID .....	148
12.3.7	CallingDeviceID .....	149
12.3.8	CDRCrossRefID .....	150
12.3.9	ConnectionID .....	150
12.3.10	DCollCrossRefID .....	151
12.3.11	DeviceID .....	151
12.3.12	DisplayID .....	152
12.3.13	EscapeRegisterID .....	152
12.3.14	HookswitchID .....	152
12.3.15	IOCrossRefID .....	152
12.3.16	IORegisterReqID .....	153
12.3.17	LampID .....	153
12.3.18	MediaServiceInstanceID .....	153
12.3.19	MediaStreamID .....	153
12.3.20	MessageID .....	153
12.3.21	MonitorCrossRefID .....	154
12.3.22	NetworkCalledDeviceID .....	154
12.3.23	NetworkCallingDeviceID .....	154
12.3.24	RedirectionDeviceID .....	155

12.3.25	ResourceID .....	156
12.3.26	RingerID .....	156
12.3.27	RouteingCrossRefID .....	156
12.3.28	RouteRegisterReqID .....	156
12.3.29	ServiceCrossRefID .....	157
12.3.30	SubjectDeviceID .....	157
12.3.31	SysStatRegisterID .....	157
<b>13</b>	<b>Capability Exchange Services .....</b>	<b>157</b>
13.1	Services .....	158
13.1.1	Get CSTA Features .....	158
13.1.2	Get Logical Device Information .....	160
13.1.3	Get Physical Device Information .....	170
13.1.4	Get Switching Function Capabilities .....	174
13.1.5	Get Switching Function Devices .....	189
13.1.6	Switching Function Devices .....	191
<b>14</b>	<b>System Services .....</b>	<b>195</b>
14.1	Registration Services .....	195
14.1.1	Change System Status Filter .....	195
14.1.2	System Register .....	197
14.1.3	System Register Abort .....	199
14.1.4	System Register Cancel .....	200
14.2	Services .....	202
14.2.1	Request System Status .....	202
14.2.2	System Status .....	204
14.2.3	Switching Function Capabilities Changed .....	205
14.2.4	Switching Function Devices Changed .....	206
14.2.5	Get Registrations .....	207
14.2.6	Registration Info .....	210
<b>15</b>	<b>Monitoring Services .....</b>	<b>211</b>
15.1	Services .....	212
15.1.1	Change Monitor Filter .....	212
15.1.2	Monitor Start .....	213
15.1.3	Monitor Stop .....	217
15.1.4	Get Monitors .....	218
15.1.5	Monitor Info .....	220
<b>16</b>	<b>Snapshot Services .....</b>	<b>221</b>
16.1	Services .....	221
16.1.1	Snapshot Call .....	221
16.1.2	Snapshot Device .....	225
16.1.3	Snapshot CallData .....	227
16.1.4	Snapshot DeviceData .....	229
<b>17</b>	<b>Call Control Services &amp; Events .....</b>	<b>231</b>
17.1	Services .....	232
17.1.1	Accept Call .....	233
17.1.2	Alternate Call .....	234
17.1.3	Answer Call .....	237
17.1.4	Call Back Call-Related .....	239
17.1.5	Call Back Message Call-Related .....	242
17.1.6	Camp On Call .....	245
17.1.7	Clear Call .....	247
17.1.8	Clear Connection .....	249
17.1.9	Conference Call .....	253
17.1.10	Consultation Call .....	256
17.1.11	Deflect Call .....	262
17.1.12	Dial Digits .....	268
17.1.13	Directed Pickup Call .....	271
17.1.14	Group Pickup Call .....	274

17.1.15	Hold Call .....	278
17.1.16	Intrude Call .....	280
17.1.17	Join Call .....	284
17.1.18	Make Call .....	288
17.1.19	Make Connection .....	293
17.1.20	Make Predictive Call .....	298
17.1.21	Park Call .....	303
17.1.22	Reconnect Call .....	306
17.1.23	Retrieve Call .....	309
17.1.24	Send Message .....	311
17.1.25	Single Step Conference Call .....	315
17.1.26	Single Step Transfer Call .....	319
17.1.27	Transfer Call .....	322
17.2	Events .....	325
17.2.1	Bridged .....	325
17.2.2	Call Cleared .....	327
17.2.3	Conferenced .....	330
17.2.4	Connection Cleared .....	336
17.2.5	Delivered .....	340
17.2.6	Digits Dialed .....	344
17.2.7	Diverted .....	347
17.2.8	Established .....	351
17.2.9	Failed .....	356
17.2.10	Held .....	361
17.2.11	Network Capabilities Changed .....	363
17.2.12	Network Reached .....	367
17.2.13	Offered .....	370
17.2.14	Originated .....	375
17.2.15	Queued .....	378
17.2.16	Retrieved .....	382
17.2.17	Service Initiated .....	383
17.2.18	Transferred .....	386
18	Call Associated Features .....	391
18.1	Services .....	391
18.1.1	Associate Data .....	391
18.1.2	Cancel Telephony Tones .....	394
18.1.3	Change Connection Information .....	395
18.1.4	Generate Digits .....	398
18.1.5	Generate Telephony Tones .....	400
18.1.6	Send User Information .....	402
18.2	Events .....	404
18.2.1	Call Information .....	404
18.2.2	Charging .....	407
18.2.3	Digits Generated .....	408
18.2.4	Telephony Tones Generated .....	409
18.2.5	Service Completion Failure .....	411
19	Media Attachment Services & Events .....	414
19.1	Services .....	414
19.1.1	Attach Media Service .....	414
19.1.2	Detach Media Service .....	417
19.2	Events .....	420
19.2.1	Media Attached .....	420
19.2.2	Media Detached .....	421
20	Routeing Services .....	423
20.1	Registration Services .....	424
20.1.1	Route Register .....	424
20.1.2	Route Register Abort .....	426
20.1.3	Route Register Cancel .....	427
20.2	Services .....	428

20.2.1	Re-Route .....	428
20.2.2	Route End .....	429
20.2.3	Route Reject .....	431
20.2.4	Route Request .....	433
20.2.5	Route Select .....	435
20.2.6	Route Used .....	437
<b>21</b>	<b>Physical Device Features .....</b>	<b>439</b>
21.1	Services .....	440
21.1.1	Button Press .....	440
21.1.2	Get Auditory Apparatus Information .....	441
21.1.3	Get Button Information .....	444
21.1.4	Get Display .....	446
21.1.5	Get Hookswitch Status .....	447
21.1.6	Get Lamp Information .....	449
21.1.7	Get Lamp Mode .....	451
21.1.8	Get Message Waiting Indicator .....	453
21.1.9	Get Microphone Gain .....	454
21.1.10	Get Microphone Mute .....	455
21.1.11	Get Ringer Status .....	457
21.1.12	Get Speaker Mute .....	459
21.1.13	Get Speaker Volume .....	460
21.1.14	Set Button Information .....	461
21.1.15	Set Display .....	462
21.1.16	Set Hookswitch Status .....	465
21.1.17	Set Lamp Mode .....	466
21.1.18	Set Message Waiting Indicator .....	467
21.1.19	Set Microphone Gain .....	468
21.1.20	Set Microphone Mute .....	470
21.1.21	Set Ringer Status .....	471
21.1.22	Set Speaker Mute .....	473
21.1.23	Set Speaker Volume .....	474
21.2	Events .....	476
21.2.1	Button Information .....	476
21.2.2	Button Press .....	477
21.2.3	Display Updated .....	477
21.2.4	Hookswitch .....	479
21.2.5	Lamp Mode .....	479
21.2.6	Message Waiting .....	480
21.2.7	Microphone Gain .....	481
21.2.8	Microphone Mute .....	482
21.2.9	Ringer Status .....	482
21.2.10	Speaker Mute .....	483
21.2.11	Speaker Volume .....	484
<b>22</b>	<b>Logical Device Features .....</b>	<b>485</b>
22.1	Services .....	485
22.1.1	Call Back Non-Call-Related .....	485
22.1.2	Call Back Message Non-Call-Related .....	487
22.1.3	Cancel Call Back .....	488
22.1.4	Cancel Call Back Message .....	489
22.1.5	Get Agent State .....	491
22.1.6	Get Auto Answer .....	493
22.1.7	Get Auto Work Mode .....	494
22.1.8	Get Callback .....	495
22.1.9	Get Caller ID Status .....	497
22.1.10	Get Do Not Disturb .....	498
22.1.11	Get Forwarding .....	499
22.1.12	Get Last Number Dialed .....	503
22.1.13	Get Routing Mode .....	504
22.1.14	Set Agent State .....	505
22.1.15	Set Auto Answer .....	509

22.1.16	Set Auto Work Mode .....	510
22.1.17	Set Caller ID Status .....	512
22.1.18	Set Do Not Disturb .....	513
22.1.19	Set Forwarding .....	515
22.1.20	Set Routeing Mode .....	517
22.2	Events .....	519
22.2.1	Agent Busy .....	519
22.2.2	Agent Logged Off .....	520
22.2.3	Agent Logged On .....	521
22.2.4	Agent Not Ready .....	522
22.2.5	Agent Ready .....	523
22.2.6	Agent Working After Call .....	524
22.2.7	Auto Answer .....	525
22.2.8	Auto Work Mode .....	526
22.2.9	Call Back .....	527
22.2.10	Call Back Message .....	527
22.2.11	Caller ID Status .....	528
22.2.12	Do Not Disturb .....	528
22.2.13	Forwarding .....	529
22.2.14	Routeing Mode .....	531
23	Device Maintenance Events .....	532
23.1	Events .....	532
23.1.1	Back In Service .....	532
23.1.2	Device Capabilities Changed .....	533
23.1.3	Out Of Service .....	533
23.1.4	Partially In Service .....	534
24	I/O Services .....	535
24.1	Registration Services .....	536
24.1.1	I/O Register .....	536
24.1.2	I/O Register Abort .....	537
24.1.3	I/O Register Cancel .....	538
24.2	I/O Services .....	540
24.2.1	Data Path Resumed .....	540
24.2.2	Data Path Suspended .....	541
24.2.3	Fast Data .....	542
24.2.4	Resume Data Path .....	544
24.2.5	Send Broadcast Data .....	546
24.2.6	Send Data .....	547
24.2.7	Send Multicast Data .....	550
24.2.8	Start Data Path .....	551
24.2.9	Stop Data Path .....	553
24.2.10	Suspend Data Path .....	555
25	Data Collection Services .....	556
25.1	Services .....	556
25.1.1	Data Collected .....	556
25.1.2	Data Collection Resumed .....	560
25.1.3	Data Collection Suspended .....	561
25.1.4	Resume Data Collection .....	562
25.1.5	Start Data Collection .....	563
25.1.6	Stop Data Collection .....	565
25.1.7	Suspend Data Collection .....	566
26	Voice Services & Events .....	567
26.1	Services .....	567
26.1.1	Activate .....	567
26.1.2	Clear .....	569
26.1.3	Concatenate Message .....	570
26.1.4	Deactivate .....	571
26.1.5	Delete Message .....	572

26.1.6	Play Message .....	573
26.1.7	Query Voice Attribute .....	575
26.1.8	Queue .....	580
26.1.9	Record Message .....	581
26.1.10	Reposition .....	583
26.1.11	Resume .....	585
26.1.12	Review .....	586
26.1.13	Set Voice Attribute .....	588
26.1.14	Start .....	591
26.1.15	Stop .....	593
26.1.16	Suspend .....	595
26.1.17	Synthesize Message .....	597
26.2	Events .....	599
26.2.1	Bookmark Reached .....	599
26.2.2	Completed .....	600
26.2.3	DTMF Detected .....	601
26.2.4	Emptied .....	601
26.2.5	Interruption Detected .....	602
26.2.6	Not Recognized .....	603
26.2.7	Play .....	603
26.2.8	Recognized .....	604
26.2.9	Record .....	605
26.2.10	Review .....	606
26.2.11	Silence Timeout Expired .....	607
26.2.12	Speech Detected .....	607
26.2.13	Started .....	608
26.2.14	Stop .....	609
26.2.15	Suspend Play .....	610
26.2.16	Suspend Record .....	610
26.2.17	Voice Attribute Changed .....	611
26.2.18	Voice Error Occurred .....	613
27	Call Detail Record (CDR) Services .....	614
27.1	Services .....	615
27.1.1	Call Detail Records Notification .....	615
27.1.2	Call Detail Records Report .....	616
27.1.3	Send Stored Call Detail Records .....	621
27.1.4	Start Call Detail Records Transmission .....	622
27.1.5	Stop Call Detail Records Transmission .....	624
28	Location Services .....	625
28.1	Location Services .....	625
28.1.1	Get Location Information .....	625
28.1.2	Set Location Information .....	627
28.1.3	Location Tracking Session Resumed .....	628
28.1.4	Location Tracking Session Suspended .....	630
28.1.5	Resume Location Tracking Session .....	631
28.1.6	Location Information Report .....	632
28.1.7	Start Location Tracking Session .....	634
28.1.8	Stop Location Tracking Session .....	638
28.1.9	Suspend Location Tracking Session .....	639
28.1.10	Get Location Tracking Capabilities .....	640
28.1.11	Get Location Tracking Sessions .....	642
28.1.12	Location Session Info .....	644
29	Vendor Specific Extensions Services & Events .....	645
29.1	Registration Services .....	646
29.1.1	Escape Register .....	646
29.1.2	Escape Register Abort .....	647
29.1.3	Escape Register Cancel .....	648
29.2	Services .....	649
29.2.1	Escape .....	649

<b>29.2.2</b>	<b>Private Data Version Selection</b> .....	<b>650</b>
<b>29.3</b>	<b>Events</b> .....	<b>652</b>
<b>29.3.1</b>	<b>Private Event</b> .....	<b>652</b>
<b>Annex A (normative) Device Appearances</b> .....		<b>653</b>
<b>Annex B (normative) ISDN User-User Information Element Encoding for CSTA</b> .....		<b>661</b>
<b>Annex C (normative) Capability Bitmap Parameters Types</b> .....		<b>663</b>
<b>Annex D (informative) Connection State Transition Examples</b> .....		<b>726</b>
<b>Annex E (informative) Summary of changes in this edition</b> .....		<b>735</b>
<b>Bibliography</b> .....		<b>737</b>