

ISO/IEC/IEEE 21450:2010-05 (E)

Information technology_ - Smart transducer interface for sensors and actuators_ - Common functions, communication protocols, and Transducer Electronic Data Sheet (TEDS) formats

Contents

- 1 Overview 1
 - 1.1 Scope 3
 - 1.2 Purpose 3
 - 1.3 Conformance 3
- 2 Normative references 5
- 3 Definitions, acronyms, and abbreviations 6
 - 3.1 Definitions 6
 - 3.2 Acronyms and abbreviations 9
- 4 Data types 10
 - 4.1 Unsigned octet integer 10
 - 4.2 Unsigned 16 bit integer 10
 - 4.3 Signed 32 bit integer 10
 - 4.4 Unsigned 32 bit integer 10
 - 4.5 Single-precision real 11
 - 4.6 Double-precision real 11
 - 4.7 String 11
 - 4.8 Boolean 11
 - 4.9 IEEE1451Dot0::Args::TimeRepresentation 12
 - 4.10 Data types for associated applications 13
 - 4.11 Physical Units 13
 - 4.12 Universal unique identification 15
 - 4.13 Arbitrary octet array 15
 - 4.14 String array 16
 - 4.15 Boolean array 16
 - 4.16 Array of 8 bit signed integers 16
 - 4.17 Array of 16 bit signed integers 16
 - 4.18 Array of 32 bit signed integers 16
 - 4.19 Array of 8 bit unsigned integers 17
 - 4.20 Array of 16 bit unsigned integers 18
 - 4.21 Array of 32 bit unsigned integers 18
 - 4.22 Array of single-precision real numbers 18
 - 4.23 Array of double-precision real numbers 18
 - 4.24 Array of TimeDuration data types 18
 - 4.25 Array of TimeInstance data types 19
- 5 Smart transducer functional specification 19
 - 5.1 IEEE 1451 family reference model 19
 - 5.2 Plug-and-play capability 23
 - 5.3 Addresses 23
 - 5.4 Common characteristics 25
 - 5.5 Transducer Electronic Data Sheets 27
 - 5.6 TransducerChannel type descriptions 31
 - 5.7 Embedded TransducerChannels 34
 - 5.8 TransducerChannel groups 34

| | | |
|------|---|-----|
| 5.9 | TransducerChannel proxy | 35 |
| 5.10 | Attributes and operating modes..... | 36 |
| 5.11 | Triggering..... | 41 |
| 5.12 | Synchronization..... | 48 |
| 5.13 | Status | 49 |
| 5.14 | Service request logic..... | 55 |
| 5.15 | Hot-swap capability..... | 56 |
| 6 | Message structures | 56 |
| 6.1 | Data transmission order and bit significance..... | 56 |
| 6.2 | Command message structure | 57 |
| 6.3 | Reply messages | 58 |
| 6.4 | TIM initiated message structure | 58 |
| 7 | Commands..... | 59 |
| 7.1 | Standard commands..... | 60 |
| 7.2 | Manufacturer-defined commands..... | 81 |
| 8 | TEDS specification..... | 81 |
| 8.1 | General format for TEDS | 81 |
| 8.2 | Order of octets in numeric fields | 83 |
| 8.3 | TEDS identification header | 83 |
| 8.4 | Meta-TEDS | 84 |
| 8.5 | TransducerChannel TEDS..... | 94 |
| 8.6 | Calibration TEDS | 119 |
| 8.7 | Frequency Response TEDS..... | 136 |
| 8.8 | Transfer Function TEDS | 139 |
| 8.9 | Text-based TEDS | 149 |
| 8.10 | End User Application Specific TEDS | 154 |
| 8.11 | User's Transducer Name TEDS | 155 |
| 8.12 | Manufacturer-defined TEDS | 157 |
| 8.13 | PHY TEDS | 158 |
| 9 | Introduction to the IEEE 1451.0 API | 158 |
| 9.1 | API goals | 159 |
| 9.2 | API design decisions | 160 |
| 9.3 | IEEE1451Dot0 | 162 |
| 10 | Transducer services API..... | 173 |
| 10.1 | IEEE1451Dot0::TransducerServices::TimDiscovery..... | 173 |
| 10.2 | IEEE1451Dot0::TransducerServices::TransducerAccess | 175 |
| 10.3 | IEEE1451Dot0::TransducerServices::TransducerManager | 181 |
| 10.4 | IEEE1451Dot0::TransducerServices::TedsManager..... | 187 |
| 10.5 | IEEE1451Dot0::TransducerServices::CommManager..... | 190 |
| 10.6 | IEEE1451Dot0::TransducerServices::AppCallback..... | 191 |

| | | |
|------|---|-----|
| 11 | Module Communications API | 193 |
| 11.1 | IEEE1451Dot0::ModuleCommunication::Comm | 193 |
| 11.2 | IEEE1451Dot0::ModuleCommunication::P2PComm | 197 |
| 11.3 | IEEE1451Dot0::ModuleCommunication::NetComm | 201 |
| 11.4 | IEEE1451Dot0::ModuleCommunication::Registration | 210 |
| 11.5 | IEEE1451Dot0::ModuleCommunication::P2PRegistration | 212 |
| 11.6 | IEEE1451Dot0::ModuleCommunication::NetRegistration | 214 |
| 11.7 | IEEE1451Dot0::ModuleCommunication::Receive | 217 |
| 11.8 | IEEE1451Dot0::ModuleCommunication::P2PReceive | 217 |
| 11.9 | IEEE1451Dot0::ModuleCommunication::NetReceive | 218 |
| 12 | HTTP protocol | 220 |
| 12.1 | IEEE 1451.0 HTTP API | 221 |
| 12.2 | Discovery API | 224 |
| 12.3 | Transducer access API | 226 |
| 12.4 | TEDS Manager API | 232 |
| 12.5 | Transducer Manager API | 238 |
| | Annex A (informative) Bibliography | 244 |
| | Annex B (informative) Guidance to Transducer Services Interface | 246 |
| | Annex C (informative) Guidance to Module Communication Interface | 251 |
| | Annex D (informative) XML Schema for Text-based TEDS | 261 |
| | Annex E (informative) Example Meta-Identification TEDS | 278 |
| | Annex F (informative) Example TransducerChannel Identification TEDS | 280 |
| | Annex G (informative) Example Calibration Identification TEDS | 282 |
| | Annex H (informative) Example Commands TEDS | 284 |
| | Annex I (informative) Example Location and Title TEDS | 287 |
| | Annex J (informative) Example Units Extension TEDS | 289 |
| | Annex K (informative) Examples of Physical Units | 290 |
| | Annex L (informative) TEDS read and write protocols | 296 |
| | Annex M (informative) Trigger logic configurations | 298 |
| | Annex N (informative) Notation summary for IDL | 303 |
| | Annex O (informative) TEDS implementation of a simple sensor | 307 |
| | Annex P (informative) IEEE list of participants | 324 |