

DIN EN ISO/IEC 15438:2009-12 (E)

Information technology –Automatic identification and data capture techniques –PDF417 bar code symbology specification (ISO/IEC 15438:2006);English version EN ISO/IEC 15438:2010

Contents

	Page
Foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Symbols, operations and abbreviated terms	9
4.1 Symbols	9
4.2 Mathematical operations.....	10
4.3 Abbreviated terms	10
5 Requirements	10
5.1 Symbology characteristics	10
5.1.1 Basic characteristics	10
5.1.2 Summary of additional features	11
5.2 Symbol structure	12
5.2.1 PDF417 symbol parameters.....	12
5.2.2 Row parameters	13
5.2.3 Codeword sequence.....	13
5.3 Basic encodation	14
5.3.1 Symbol character structure	14
5.3.2 Start and stop characters	15
5.4 High level (data) encodation.....	16
5.4.1 Function codewords.....	16
5.4.2 Text Compaction mode	19
5.4.3 Byte Compaction mode.....	23
5.4.4 Numeric Compaction mode	25
5.4.5 Advice to select the appropriate compaction mode	27
5.4.6 Treatment of PDF417 reserved codewords.....	27
5.5 Extended Channel Interpretation	28
5.5.1 Encoding the ECI assignment number.....	28
5.5.2 Pre-assigned and default Extended Channel Interpretations	29
5.5.3 Encoding ECI sequences within compaction modes	30
5.5.4 Post-decode protocol	32
5.6 Determining the codeword sequence.....	32
5.7 Error detection and correction	32
5.7.1 Error correction level	32
5.7.2 Error correction capacity	33
5.7.3 Defining the error correction codewords	34
5.8 Dimensions.....	34
5.8.1 Minimum width of a module (X).....	34
5.8.2 Row height (Y).....	34
5.8.3 Quiet zones.....	35
5.9 Defining the symbol format	35
5.9.1 Defining the aspect ratio of the module	35
5.9.2 Defining the symbol matrix of rows and columns	35
5.10 Generating the error correction codewords	36
5.11 Low level encodation	38
5.11.1 Clusters.....	39
5.11.2 Determining the symbol matrix.....	39

5.11.3	Determining the values of the left and right row indicators	39
5.11.4	Row encoding	40
5.12	Compact PDF417	40
5.13	Macro PDF417	40
5.13.1	Compaction modes and Macro PDF417	41
5.13.2	ECIs and Macro PDF417	41
5.14	User guidelines	41
5.14.1	Human readable interpretation	41
5.14.2	Autodiscrimination capability	41
5.14.3	User-defined application parameters	41
5.14.4	PDF417 symbol quality	42
5.15	Reference decode algorithm	42
5.16	Error detection and error correction procedure	42
5.17	Transmitted data	43
5.17.1	Transmitted data in the basic (default) interpretation	43
5.17.2	Transmission protocol for Extended Channel Interpretation (ECI)	43
5.17.3	Transmitted data for Macro PDF417	44
5.17.4	Transmission of reserved codewords using the ECI protocol	44
5.17.5	Symbology identifier	44
5.17.6	Transmission using older protocols	44
Annex A (normative) Encoding/decoding table of PDF417 symbol character bar-space sequences		45
Annex B (normative) The default character set for Byte Compaction mode		57
Annex C (normative) Byte Compaction mode encoding algorithm		58
Annex D (normative) Numeric Compaction mode encoding algorithm		59
Annex E (normative) User selection of error correction level		60
E.1	Recommended minimum error correction level	60
E.2	Other user consideration of the error correction level	60
Annex F (normative) Tables of coefficients for calculating PDF417 error correction codewords		61
Annex G (normative) Compact PDF417		66
G.1	Description	66
G.2	Print quality	66
Annex H (normative) Macro PDF417		67
H.1	Macro PDF417 overview	67
H.2	Macro PDF417 syntax	67
H.2.1	The segment index	68
H.2.2	File ID field	68
H.2.3	Optional fields	69
H.2.4	Macro PDF417 terminator	70
H.3	High level encoding considerations	70
H.4	Encodation example	70
H.5	Macro PDF417 and the Extended Channel Interpretation protocol	71
H.5.1	Macro PDF417 with ECI 000000 and 000001 (GLI 0 and 1)	72
H.5.2	Macro PDF417 and other ECIs	72
H.6	Macro PDF417 data transmission	72
H.6.1	Operating in buffered mode	73
H.6.2	Operating in unbuffered mode	74
H.6.3	Reset-to-Zero transmissions	74
Annex I (normative) Testing PDF417 symbol quality		75
Annex J (normative) Reference decode algorithm for PDF417		76
J.1	Initialisation	76
J.2	Reference decode algorithm for line decoding	76
J.3	Filling the matrix	78
J.4	Interpretation	79

Annex K (normative) Error correction procedures	80
Annex L (normative) Symbology identifier	82
Annex M (normative) Transmission protocol for decoders conforming with original PDF417 standards	83
M.1 Basic Channel mode	83
M.2 GLI encoded symbols	83
M.3 Macro PDF417 symbols	84
M.3.1 Transmission in buffered mode	84
M.3.2 Transmission in unbuffered mode	85
M.4 Transmission of reserved codewords using the original PDF417 protocol	86
M.5 Achieving compatibility between old and new PDF417 equipment	86
M.5.1 Encoders	86
M.5.2 Decoders	86
Annex N (informative) Algorithm to minimise the number of codewords	89
Annex O (informative) Guidelines to determine the symbol matrix	90
O.1 Parameters affecting the determination of the matrix	90
O.2 Guidelines should any parameters not be achieved	93
Annex P (informative) Calculating the coefficients for generating the error correction codewords — Worked example	94
Annex Q (informative) Generating the error correction codewords — Worked example	95
Annex R (informative) Division circuit procedure for generating error correction codewords	98
Annex S (informative) Additional guidelines for the use of PDF417	99
S.1 Autodiscrimination compatibility	99
S.2 Pixel-based printing	99
S.2.1 General principles	99
S.2.2 Programmer's Example	99
Bibliography	101