ISO/IEC 24723:2010-08 (E)

Information technology - Automatic identification and data capture techniques - GS1 Composite bar code symbology specification

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms, definitions, abbreviated terms and mathematical operators 2
3.1 Terms and definitions 2
3.2 Abbreviated terms 3
3.3 Mathematical operators and notational conventions 3

4 Symbol description 3
4.1 Basic characteristics 3
4.2 Summary of additional features 4
4.3 Symbol structure 4
4.4 Supported component combinations 6

5 Source data encodation into a binary string 6
5.1 General 6
5.2 Encodation Method field 7
5.3 Compressed data field 7
5.4 General-purpose data compaction field 11

6 Error correction 15

7 Linear component requirements 15
7.1 General 15
7.2 EAN/UPC linear components 15
7.3 GS1 DataBar family linear components 16
7.4 GS1-128 components 18

8 CC-A component requirements 19
8.1 CC-A -- General 19
8.2 Overview of the CC-A component 19
8.3 CC-A component structure 20
8.4 Symbol character structure 22
8.5 Base 928 compaction mode 24
8.6 Reference decode algorithm 25

9 CC-B component requirements 26

10 CC-C component requirements 27

11 Symbol dimensions 28
11.1 Minimum width of a module (X) 28
11.2 Linear component height 28
11.3 2D component row height (Y) 28
11.4 Separator pattern and vertical separator bars 28
11.5 Quiet zones 29

12 Graphical requirements 29
12.1 General 29
12.2 Vertical alignment requirements 29
12.3 Horizontal alignment requirements 29
12.4 Human readable interpretation 30

13 Symbol quality 30
13.1 Linear component 30
13.2 2D component 30
13.3 Overall composite symbol grade 30
13.4 Additional pass/fail criteria 30

14 Transmitted data 30
14.1 General data transmission techniques 30
14.2 GS1-128 Composite symbols 31
14.3 GS1 DataBar Composite symbols 31
14.4 EAN/UPC Composite symbols 31
14.5 Symbol separator character 32
14.6 2D component escape mechanism character 32
14.7 Linear-only transmission mode 32
14.8 GS1-128 emulation 32
14.9 Examples of transmitted data 33

15 Application-defined parameters 33

Annex A (normative) Symbology identifiers 34

Annex B (normative) Parsing AI element strings 36

Annex C (normative) 2D component escape mechanism 38

Annex D (informative) Printing considerations 39

Annex E (informative) Base 928 radix conversions 42

Bibliography 45