ISO/IEC 23006-4:2010-12 (E)

Information technology - MPEG extensible middleware (MXM) - Part 4: MXM protocols

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Abbreviated terms 2

5 Namespace conventions 2

6 System overview 3

7 Base Protocol 5
7.1 Introduction 5
7.2 Protocol data format 5
7.2.1 ProtocolBaseType 5
7.2.2 ProtocolType 5
7.2.3 Ack 5
7.2.4 ProtocolResult 6
7.2.5 ContentIdentifier 7

8 Content Protocols 8
8.1 Identify Content Protocol 8
8.1.1 Protocol specification 8
8.1.2 Protocol data format 9
8.2 Authenticate Content Protocol 12
8.2.1 Protocol specification 12
8.2.2 Protocol data format 13
8.3 Store Content Protocol 15
8.3.1 Protocol specification 15
8.3.2 Protocol data format 17
8.4 Access Content Protocol 26
8.4.1 Protocol specification 26
8.4.2 Protocol data format 26

9 License Protocols 29
9.1 Store License Protocol 29
9.1.1 Protocol specification 29
9.1.2 Protocol data format 29
9.2 Revoke License Protocol 31
9.2.1 Protocol specification 31
9.2.2 Protocol data format 31
9.3 Access License Protocol 32
9.3.1 Protocol specification 33
9.3.2 Protocol data format 33

10 IPMP Tool Protocols 35
10.1 Access IPMP Tool Protocol 35

10.1.1 Protocol specification 35
10.1.2 Protocol data format 36
10.2 Access IPMP Tool List Protocol 37
10.2.1 Protocol specification 37
10.2.2 Protocol data format 38

11 Domain management protocols 39
11.1 Introduction 39
11.2 Domain management overview 39
11.3 Domain Information specification 40
11.3.1 Common elements defined in the mxmd namespace 40
11.3.2 DomainBaseType 41
11.3.3 IDType 41
11.3.4 DomainManageInfo 42
11.3.5 DACredentials and DomainMembershipCredentials 42
11.3.6 DomainID 42
11.3.7 User 43
11.3.8 Device 44
11.4 Domain Use Data specification 44
11.4.1 UseData 44
11.4.2 Record 45
11.5 Domain Protocol Information specification 45
11.5.1 DomainProtocolType 45
11.5.2 Ack 45
11.5.3 AuthenticateReq 46
11.5.4 LocalDomainIDRequest 46
11.5.5 LocalDomainIDResponse 46
11.5.6 RequestKey 47
11.5.7 RequestKeyResponse 47
11.5.8 AddDevice 48
11.5.9 AddUser 48
11.5.10 RenewDevice 48
11.5.11 RenewUser 49
11.5.12 AddDeviceResponse, AddUserResponse, RenewDeviceResponse and RenewUserResponse 49
11.5.13 LeaveDevice 50
11.5.14 LeaveUser 51
11.5.15 CreateDomain 51
11.5.16 CreateDomainResponse 52
11.5.17 RenewDomain 52
11.5.18 DeleteDomain 52
11.5.19 UnLicensedSimultaneousUseNotice 52
11.6 Domain Management Protocols specification 53
11.6.1 Introduction 53
11.6.2 Protocols between the Domain Administrator and the DMD 54
11.6.3 Protocol between the DMD and the LPD 55
11.6.4 Protocols between the device/User and the DMD 55
11.7 Simultaneous Content Usage Detection protocol specification 58
11.7.1 Introduction 58
11.7.2 Use Data 58
11.7.3 Merging Use Data between Devices 58
11.7.4 Un-Licensed Simultaneous Use 59
11.7.5 Notification to Domain Management Device 59

12 Event Reporting Protocols 60
12.1 Introduction 60
12.2 Protocols Specification 60
12.2.1 Register Event Report Request Protocol 60
12.2.2 Store Event Report 60
12.3 Protocol data format 61
12.3.1 EventReportingProtocolType 61
12.3.2 Ack 61

12.3.3 RegisterERR 62
12.3.4 SendER 62

Annex A (informative) Protocol Description Schemas 63

A.1 The MXM Base Protocol schema 63
A.2 The MXM Access Content Protocol schema 64
A.3 The MXM Access IPMP Tool Protocol schema 66
A.4 The MXM Access License Protocol schema 68
A.5 The MXM Authenticate Content Protocol schema 70
A.6 The MXM Domain schema 72
A.7 The MXM Domain Protocol schema 74
A.8 The MXM Identify Content Protocol schema 79
A.9 The MXM Revoke License Protocol schema 82
A.10 The MXM Store Content Protocol schema 83
A.11 The MXM Store License Protocol schema 88
A.12 The MXM Event Reporting Protocol schema 89

Bibliography 91