

ISO/IEC 14496-10:2010-12 (E)

Information technology - Coding of audio-visual objects - Part 10: Advanced Video Coding

Contents		Page
0	Introduction	xvi
0.1	Prologue	xvi
0.2	Purpose	xvi
0.3	Applications	xvi
0.4	Publication and versions of this Specification	xvi
0.5	Profiles and levels	xvii
0.6	Overview of the design characteristics	xviii
0.6.1	Predictive coding	xviii
0.6.2	Coding of progressive and interlaced video	xix
0.6.3	Picture partitioning into macroblocks and smaller partitions	xix
0.6.4	Spatial redundancy reduction	xix
0.7	How to read this Specification	xix
1	Scope	1
2	Normative references	1
3	Definitions	1
4	Abbreviations	9
5	Conventions	10
5.1	Arithmetic operators	10
5.2	Logical operators	11
5.3	Relational operators	11
5.4	Bit-wise operators	11
5.5	Assignment operators	11
5.6	Range notation	12
5.7	Mathematical functions	12
5.8	Order of operation precedence	13
5.9	Variables, syntax elements, and tables	14
5.10	Text description of logical operations	14
5.11	Processes	15
6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	16
6.1	Bitstream formats	16
6.2	Source, decoded, and output picture formats	16
6.3	Spatial subdivision of pictures and slices	21
6.4	Inverse scanning processes and derivation processes for neighbours	22
6.4.1	Inverse macroblock scanning process	22
6.4.2	Inverse macroblock partition and sub-macroblock partition scanning process	23
6.4.3	Inverse 4x4 luma block scanning process	25
6.4.4	Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3	25
6.4.5	Inverse 8x8 luma block scanning process	25
6.4.6	Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3	26
6.4.7	Derivation process of the availability for macroblock addresses	26
6.4.8	Derivation process for neighbouring macroblock addresses and their availability	26
6.4.9	Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames	27
6.4.10	Derivation processes for neighbouring macroblocks, blocks, and partitions	28

6.4.11	Derivation process for neighbouring locations	33
6.4.12	Derivation processes for block and partition indices	36
7	Syntax and semantics	37
7.1	Method of specifying syntax in tabular form	37
7.2	Specification of syntax functions, categories, and descriptors	38
7.3	Syntax in tabular form	40
7.3.1	NAL unit syntax	40
7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax	40
7.3.3	Slice header syntax	49
7.3.4	Slice data syntax	54
7.3.5	Macroblock layer syntax	55
7.4	Semantics	62
7.4.1	NAL unit semantics	62
7.4.2	Raw byte sequence payloads and RBSP trailing bits semantics	71
7.4.3	Slice header semantics	85
7.4.4	Slice data semantics	97
7.4.5	Macroblock layer semantics	97
8	Decoding process	110
8.1	NAL unit decoding process	111
8.2	Slice decoding process	112
8.2.1	Decoding process for picture order count	112
8.2.2	Decoding process for macroblock to slice group map	116
8.2.3	Decoding process for slice data partitions	120
8.2.4	Decoding process for reference picture lists construction	120
8.2.5	Decoded reference picture marking process	127
8.3	Intra prediction process	132
8.3.1	Intra_4x4 prediction process for luma samples	132
8.3.2	Intra_8x8 prediction process for luma samples	139
8.3.3	Intra_16x16 prediction process for luma samples	147
8.3.4	Intra prediction process for chroma samples	149
8.3.5	Sample construction process for I_PCM macroblocks	154
8.4	Inter prediction process	154
8.4.1	Derivation process for motion vector components and reference indices	157
8.4.2	Decoding process for Inter prediction samples	169
8.4.3	Derivation process for prediction weights	179
8.5	Transform coefficient decoding process and picture construction process prior to deblocking filter process	181
8.5.1	Specification of transform decoding process for 4x4 luma residual blocks	182
8.5.2	Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode	182
8.5.3	Specification of transform decoding process for 8x8 luma residual blocks	183
8.5.4	Specification of transform decoding process for chroma samples	184
8.5.5	Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3	186
8.5.6	Inverse scanning process for 4x4 transform coefficients and scaling lists	186
8.5.7	Inverse scanning process for 8x8 transform coefficients and scaling lists	187
8.5.8	Derivation process for chroma quantisation parameters	189
8.5.9	Derivation process for scaling functions	189
8.5.10	Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type	191
8.5.11	Scaling and transformation process for chroma DC transform coefficients	191
8.5.12	Scaling and transformation process for residual 4x4 blocks	193
8.5.13	Scaling and transformation process for residual 8x8 blocks	196
8.5.14	Picture construction process prior to deblocking filter process	200
8.5.15	Intra residual transform-bypass decoding process	201
8.6	Decoding process for P macroblocks in SP slices or SI macroblocks	202
8.6.1	SP decoding process for non-switching pictures	202
8.6.2	SP and SI slice decoding process for switching pictures	205
8.7	Deblocking filter process	207
8.7.1	Filtering process for block edges	211

8.7.2	Filtering process for a set of samples across a horizontal or vertical block edge	213
9	Parsing process	219
9.1	Parsing process for Exp-Golomb codes	219
9.1.1	Mapping process for signed Exp-Golomb codes	221
9.1.2	Mapping process for coded block pattern	221
9.2	CAVLC parsing process for transform coefficient levels	224
9.2.1	Parsing process for total number of transform coefficient levels and trailing ones	225
9.2.2	Parsing process for level information	229
9.2.3	Parsing process for run information	230
9.2.4	Combining level and run information	234
9.3	CABAC parsing process for slice data	234
9.3.1	Initialisation process	236
9.3.2	Binarization process	260
9.3.3	Decoding process flow	269
9.3.4	Arithmetic encoding process (informative)	291
Annex A Profiles and levels		299
A.1	Requirements on video decoder capability	299
A.2	Profiles	299
A.2.1	Baseline profile	299
A.2.2	Main profile	300
A.2.3	Extended profile	300
A.2.4	High profile	301
A.2.5	High 10 profile	301
A.2.6	High 4:2:2 profile	302
A.2.7	High 4:4:4 Predictive profile	302
A.2.8	High 10 Intra profile	303
A.2.9	High 4:2:2 Intra profile	303
A.2.10	High 4:4:4 Intra profile	304
A.2.11	CAVLC 4:4:4 Intra profile	304
A.3	Levels	305
A.3.1	Level limits common to the Baseline, Constrained Baseline, Main, and Extended profiles	305
A.3.2	Level limits common to the High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles	307
A.3.3	Profile-specific level limits	309
A.3.4	Effect of level limits on frame rate (informative)	314
A.3.5	Effect of level limits on maximum DPB size in units of frames (informative)	317
Annex B Byte stream format		319
B.1	Byte stream NAL unit syntax and semantics	319
B.1.1	Byte stream NAL unit syntax	319
B.1.2	Byte stream NAL unit semantics	319
B.2	Byte stream NAL unit decoding process	320
B.3	Decoder byte-alignment recovery (informative)	320
Annex C Hypothetical reference decoder		322
C.1	Operation of coded picture buffer (CPB)	326
C.1.1	Timing of bitstream arrival	326
C.1.2	Timing of coded picture removal	327
C.2	Operation of the decoded picture buffer (DPB)	328
C.2.1	Decoding of gaps in frame_num and storage of "non-existing" frames	328
C.2.2	Picture decoding and output	329
C.2.3	Removal of pictures from the DPB before possible insertion of the current picture	329
C.2.4	Current decoded picture marking and storage	330
C.3	Bitstream conformance	331
C.4	Decoder conformance	332
C.4.1	Operation of the output order DPB	333
C.4.2	Decoding of gaps in frame_num and storage of "non-existing" pictures	333

C.4.3	Picture decoding	334
C.4.4	Removal of pictures from the DPB before possible insertion of the current picture	334
C.4.5	Current decoded picture marking and storage	335
Annex D Supplemental enhancement information		338
D.1	SEI payload syntax	339
D.1.1	Buffering period SEI message syntax	341
D.1.2	Picture timing SEI message syntax	342
D.1.3	Pan-scan rectangle SEI message syntax	343
D.1.4	Filler payload SEI message syntax	343
D.1.5	User data registered by ITU-T Rec. T.35 SEI message syntax	343
D.1.6	User data unregistered SEI message syntax	344
D.1.7	Recovery point SEI message syntax	344
D.1.8	Decoded reference picture marking repetition SEI message syntax	344
D.1.9	Spare picture SEI message syntax	345
D.1.10	Scene information SEI message syntax	345
D.1.11	Sub-sequence information SEI message syntax	346
D.1.12	Sub-sequence layer characteristics SEI message syntax	346
D.1.13	Sub-sequence characteristics SEI message syntax	347
D.1.14	Full-frame freeze SEI message syntax	347
D.1.15	Full-frame freeze release SEI message syntax	347
D.1.16	Full-frame snapshot SEI message syntax	347
D.1.17	Progressive refinement segment start SEI message syntax	348
D.1.18	Progressive refinement segment end SEI message syntax	348
D.1.19	Motion-constrained slice group set SEI message syntax	348
D.1.20	Film grain characteristics SEI message syntax	349
D.1.21	Deblocking filter display preference SEI message syntax	349
D.1.22	Stereo video information SEI message syntax	350
D.1.23	Post-filter hint SEI message syntax	350
D.1.24	Tone mapping information SEI message syntax	351
D.1.25	Frame packing arrangement SEI message syntax	352
D.1.26	Reserved SEI message syntax	352
D.2	SEI payload semantics	352
D.2.1	Buffering period SEI message semantics	352
D.2.2	Picture timing SEI message semantics	353
D.2.3	Pan-scan rectangle SEI message semantics	358
D.2.4	Filler payload SEI message semantics	359
D.2.5	User data registered by ITU-T Rec. T.35 SEI message semantics	359
D.2.6	User data unregistered SEI message semantics	360
D.2.7	Recovery point SEI message semantics	360
D.2.8	Decoded reference picture marking repetition SEI message semantics	362
D.2.9	Spare picture SEI message semantics	362
D.2.10	Scene information SEI message semantics	364
D.2.11	Sub-sequence information SEI message semantics	366
D.2.12	Sub-sequence layer characteristics SEI message semantics	367
D.2.13	Sub-sequence characteristics SEI message semantics	368
D.2.14	Full-frame freeze SEI message semantics	370
D.2.15	Full-frame freeze release SEI message semantics	370
D.2.16	Full-frame snapshot SEI message semantics	370
D.2.17	Progressive refinement segment start SEI message semantics	370
D.2.18	Progressive refinement segment end SEI message semantics	371
D.2.19	Motion-constrained slice group set SEI message semantics	371
D.2.20	Film grain characteristics SEI message semantics	372
D.2.21	Deblocking filter display preference SEI message semantics	378
D.2.22	Stereo video information SEI message semantics	380
D.2.23	Post-filter hint SEI message semantics	380
D.2.24	Tone mapping information SEI message semantics	381
D.2.25	Frame packing arrangement SEI message semantics	383
D.2.26	Reserved SEI message semantics	391
Annex E Video usability information		392

E.1	VUI syntax	393
E.1.1	VUI parameters syntax	393
E.1.2	HRD parameters syntax	394
E.2	VUI semantics	394
E.2.1	VUI parameters semantics	394
E.2.2	HRD parameters semantics	407
Annex F Patent Rights		409
Annex G Scalable video coding		411
G.1	Scope	411
G.2	Normative references	411
G.3	Definitions	411
G.4	Abbreviations	415
G.5	Conventions	415
G.6	Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships	415
G.6.1	Derivation process for reference layer macroblocks	415
G.6.2	Derivation process for reference layer partitions	418
G.6.3	Derivation process for reference layer sample locations in resampling	419
G.6.4	SVC derivation process for macroblock and sub-macroblock partition indices	421
G.7	Syntax and semantics	421
G.7.1	Method of specifying syntax in tabular form	421
G.7.2	Specification of syntax functions, categories, and descriptors	421
G.7.3	Syntax in tabular form	421
G.7.4	Semantics	433
G.7.4.1	NAL unit semantics	434
G.8	SVC decoding process	466
G.8.1	SVC initialisation and decoding processes	468
G.8.2	SVC reference picture lists construction and decoded reference picture marking process	487
G.8.3	SVC intra decoding processes	498
G.8.4	SVC Inter prediction process	508
G.8.5	SVC transform coefficient decoding and sample array construction processes	521
G.8.6	Resampling processes for prediction data, intra samples, and residual samples	538
G.8.7	SVC deblocking filter processes	568
G.8.8	Specification of bitstream subsets	580
G.9	Parsing process	581
G.9.1	Alternative parsing process for coded block pattern	582
G.9.2	Alternative CAVLC parsing process for transform coefficient levels	583
G.9.3	Alternative CABAC parsing process for slice data in scalable extension	587
G.10	Profiles and levels	590
G.10.1	Profiles	590
G.10.2	Levels	593
G.11	Byte stream format	598
G.12	Hypothetical reference decoder	598
G.13	Supplemental enhancement information	598
G.13.1	SEI payload syntax	599
G.13.2	SEI payload semantics	605
G.14	Video usability information	633
G.14.1	SVC VUI parameters extension syntax	634
G.14.2	SVC VUI parameters extension semantics	634
Annex H Multiview video coding		637
H.1	Scope	637
H.2	Normative references	637
H.3	Definitions	637
H.4	Abbreviations	639
H.5	Conventions	639

H.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	639
H.7	Syntax and semantics	639
H.7.1	Method of specifying syntax in tabular form	639
H.7.2	Specification of syntax functions, categories, and descriptors	640
H.7.3	Syntax in tabular form	640
H.7.4	Semantics	644
H.8	MVC decoding process	657
H.8.1	MVC decoding process for picture order count	658
H.8.2	MVC decoding process for reference picture lists construction	658
H.8.3	MVC decoded reference picture marking process	663
H.8.4	MVC inter prediction and inter-view prediction process	663
H.8.5	Specification of bitstream subsets	663
H.9	Parsing process	667
H.10	Profiles and levels	667
H.10.1	Profiles	667
H.10.2	Levels	669
H.11	Byte stream format	672
H.12	MVC hypothetical reference decoder	672
H.13	MVC SEI messages	672
H.13.1	SEI message syntax	672
H.13.2	SEI message semantics	678
H.14	Video usability information	690
H.14.1	MVC VUI parameters extension syntax	691
H.14.2	MVC VUI parameters extension semantics	691

LIST OF FIGURES	Figure 6-1 - Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame	18
Figure 6-2	- Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields	19
Figure 6-3	- Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame	19
Figure 6-4	- Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields	20
Figure 6-5	- Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame	20
Figure 6-6	- Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields	21
Figure 6-7	- A picture with 11 by 9 macroblocks that is partitioned into two slices	22
Figure 6-8	- Partitioning of the decoded frame into macroblock pairs	22
Figure 6-9	- Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans	24
Figure 6-10	- Scan for 4x4 luma blocks	25
Figure 6-11	- Scan for 8x8 luma blocks	25
Figure 6-12	- Neighbouring macroblocks for a given macroblock	26
Figure 6-13	- Neighbouring macroblocks for a given macroblock in MBAFF frames	27
Figure 6-14	- Determination of the neighbouring macroblock, blocks, and partitions (informative) ..	28

Figure 7-1 - Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive	69
Figure 8-1 - Intra_4x4 prediction mode directions (informative)	134
Figure 8-2 - Example for temporal direct-mode motion vector inference (informative)	166
Figure 8-3 - Directional segmentation prediction (informative)	167
Figure 8-4 - Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation	174
Figure 8-5 - Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D	176
Figure 8-6 - Assignment of the indices of dcY to luma4x4BlkIdx	183
Figure 8-7 - Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2	185
Figure 8-8 - 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative)	187
Figure 8-9 - 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative)	188
Figure 8-10 - Boundaries in a macroblock to be filtered	208
Figure 8-11 - Convention for describing samples across a 4x4 block horizontal or vertical boundary	212
Figure 9-1 - Illustration of CABAC parsing process for a syntax element SE (informative)	236
Figure 9-2 - Overview of the arithmetic decoding process for a single bin (informative)	285
Figure 9-3 - Flowchart for decoding a decision	286
Figure 9-4 - Flowchart of renormalization	289
Figure 9-5 - Flowchart of bypass decoding process	290
Figure 9-6 - Flowchart of decoding a decision before termination	291
Figure 9-7 - Flowchart for encoding a decision	293
Figure 9-8 - Flowchart of renormalization in the encoder	294
Figure 9-9 - Flowchart of PutBit(B)	295
Figure 9-10 - Flowchart of encoding bypass	296
Figure 9-11 - Flowchart of encoding a decision before termination	297
Figure 9-12 - Flowchart of flushing at termination	297
Figure C-1 - Structure of byte streams and NAL unit streams for HRD conformance checks	323
Figure C-2 - HRD buffer model	325
Figure D-1 - Rearrangement and upconversion of checkerboard interleaving (frame_packing_arrangement_type equal to 0)	389

Figure D-2 - Rearrangement and upconversion of column interleaving (frame_packing_arrangement_type equal to 1 with quincunx_sampling_flag equal to 0)	389
Figure D-3 - Rearrangement and upconversion of row interleaving (frame_packing_arrangement_type equal to 2 with quincunx_sampling_flag equal to 0)	390
Figure D-4 - Rearrangement and upconversion of side-by-side packing arrangement (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 0)	390
Figure D-5 - Rearrangement and upconversion of top-bottom packing arrangement (frame_packing_arrangement_type equal to 4 with quincunx_sampling_flag equal to 0)	391
Figure D-6 - Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1)	391
Figure D-7 - Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5)	392
Figure E-1 - Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field	404
LIST OF TABLES Table 5-1 - Operation precedence from highest (at top of table) to lowest (at bottom of table)	13
Table 6-1 - SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag	17
Table 6-2 - Specification of input and output assignments for subclauses 6.4.10.1 to 6.4.10.7	28
Table 6-3 - Specification of mbAddrN	33
Table 6-4 - Specification of mbAddrN and yM	35
Table 7-1 - NAL unit type codes, syntax element categories, and NAL unit type classes	63
Table 7-2 - Assignment of mnemonic names to scaling list indices and specification of fall-back rule	74
Table 7-3 - Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter	74
Table 7-4 - Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter	75
Table 7-5 - Meaning of primary_pic_type	83
Table 7-6 - Name association to slice_type	86
Table 7-7 - modification_of_pic_nums_idc operations for modification of reference picture lists	92
Table 7-8 - Interpretation of adaptive_ref_pic_marking_mode_flag	94
Table 7-9 - Memory management control operation (memory_management_control_operation) values	95
Table 7-10 - Allowed collective macroblock types for slice_type	98
Table 7-11 - Macroblock types for I slices	99
Table 7-12 - Macroblock type with value 0 for SI slices	100
Table 7-13 - Macroblock type values 0 to 4 for P and SP slices	101

Table 7-14 - Macroblock type values 0 to 22 for B slices	102
Table 7-15 - Specification of CodedBlockPatternChroma values	104
Table 7-16 - Relationship between intra_chroma_pred_mode and spatial prediction modes	105
Table 7-17 - Sub-macroblock types in P macroblocks	106
Table 7-18 - Sub-macroblock types in B macroblocks	107
Table 8-1 - Refined slice group map type	117
Table 8-2 - Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names	133
Table 8-3 - Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names	140
Table 8-4 - Specification of Intra16x16PredMode and associated names	147
Table 8-5 - Specification of Intra chroma prediction modes and associated names	150
Table 8-6 - Specification of the variable colPic	159
Table 8-7 - Specification of PicCodingStruct(X)	159
Table 8-8 - Specification of mbAddrCol, yM, and vertMvScale	161
Table 8-9 - Assignment of prediction utilization flags	163
Table 8-10 - Derivation of the vertical component of the chroma vector in field coding mode	169
Table 8-11 - Differential full-sample luma locations	175
Table 8-12 - Assignment of the luma prediction sample predPartLXL[xL, yL]	176
Table 8-13 - Specification of mapping of idx to cij for zig-zag and field scan	187
Table 8-14 - Specification of mapping of idx to cij for 8x8 zig-zag and 8x8 field scan	188
Table 8-15 - Specification of QPC as a function of qPI	189
Table 8-16 - Derivation of offset dependent threshold variables and from indexA and indexB	216
Table 8-17 - Value of variable tC0 as a function of indexA and bS	217
Table 9-1 - Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative)	220
Table 9-2 - Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative) ..	220
Table 9-3 - Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v)	221
Table 9-4 - Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes	221
Table 9-5 - coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token)	227
Table 9-6 - Codeword table for level_prefix (informative)	230
Table 9-7 - total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7	232

Table 9-8 - total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15	232
Table 9-9 - total_zeros tables for chroma DC 2x2 and 2x4 blocks	233
Table 9-10 - Tables for run_before	234
Table 9-11 - Association of ctxIdx and syntax elements for each slice type in the initialisation process	237
Table 9-12 - Values of variables m and n for ctxIdx from 0 to 10	238
Table 9-13 - Values of variables m and n for ctxIdx from 11 to 23	239
Table 9-14 - Values of variables m and n for ctxIdx from 24 to 39	239
Table 9-15 - Values of variables m and n for ctxIdx from 40 to 53	239
Table 9-16 - Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401	240
Table 9-17 - Values of variables m and n for ctxIdx from 60 to 69	240
Table 9-18 - Values of variables m and n for ctxIdx from 70 to 104	241
Table 9-19 - Values of variables m and n for ctxIdx from 105 to 165	242
Table 9-20 - Values of variables m and n for ctxIdx from 166 to 226	243
Table 9-21 - Values of variables m and n for ctxIdx from 227 to 275	244
Table 9-22 - Values of variables m and n for ctxIdx from 277 to 337	245
Table 9-23 - Values of variables m and n for ctxIdx from 338 to 398	246
Table 9-24 - Values of variables m and n for ctxIdx from 402 to 459	247
Table 9-25 - Values of variables m and n for ctxIdx from 460 to 483	248
Table 9-26 - Values of variables m and n for ctxIdx from 484 to 571	249
Table 9-27 - Values of variables m and n for ctxIdx from 572 to 659	251
Table 9-28 - Values of variables m and n for ctxIdx from 660 to 717	253
Table 9-29 - Values of variables m and n for ctxIdx from 718 to 775	254
Table 9-30 - Values of variables m and n for ctxIdx from 776 to 863	255
Table 9-31 - Values of variables m and n for ctxIdx from 864 to 951	257
Table 9-32 - Values of variables m and n for ctxIdx from 952 to 1011	259
Table 9-33 - Values of variables m and n for ctxIdx from 1012 to 1023	260
Table 9-34 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	262
Table 9-35 - Bin string of the unary binarization (informative)	265
Table 9-36 - Binarization for macroblock types in I slices	267
Table 9-37 - Binarization for macroblock types in P, SP, and B slices	268

Table 9-38 - Binarization for sub-macroblock types in P, SP, and B slices	269
Table 9-39 - Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	271
Table 9-40 - Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	272
Table 9-41 - Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx	281
Table 9-42 - Specification of ctxBlockCat for the different blocks	282
Table 9-43 - Mapping of scanning position to ctxIdxInc for ctxBlockCat = 5, 9, or 13	283
Table 9-44 - Specification of rangeTabLPS depending on pStateldx and qCodIRangeldx	287
Table 9-45 - State transition table	288
Table A-1 - Level limits	308
Table A-2 - Specification of cpbBrVclFactor and cpbBrNalFactor	311
Table A-3 - Baseline and Constrained Baseline profile level limits	312
Table A-4 - Main, High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits	313
Table A-5 - Extended profile level limits	314
Table A-6 - Maximum frame rates (frames per second) for some example frame sizes	315
Table A-7 - Maximum DPB size (frames) for some example frame sizes	318
Table D-1 - Interpretation of pic_struct	356
Table D-2 - Mapping of ct_type to source picture scan	357
Table D-3 - Definition of counting_type values	358
Table D-4 - scene_transition_type values	366
Table D-5 - model_id values	374
Table D-6 - blending_mode_id values	375
Table D-7 - filter_hint_type values	382
Table D-8 - Definition of frame_packing_arrangement_type	385
Table D-9 - Definition of content_interpretation_type	386
Table E-1 - Meaning of sample aspect ratio indicator	396
Table E-2 - Meaning of video_format	397
Table E-3 - Colour primaries	398
Table E-4 - Transfer characteristics	399
Table E-5 - Matrix coefficients	402

Table E-6 - Divisor for computation of $t_{fi}, d_{pb}(n)$	405
Table F-1 - Organisations providing patent rights licensing notices	410
Table G-1 - Name association to <code>slice_type</code> for NAL units with <code>nal_unit_type</code> equal to 20	452
Table G-2 - Interpretation of <code>adaptive_ref_base_pic_marking_mode_flag</code>	462
Table G-3 - Memory management base control operation (<code>memory_management_base_control_operation</code>) values	462
Table G-4 - Allowed collective macroblock types for <code>slice_type</code>	466
Table G-5 - Inferred macroblock type <code>I_BL</code> for EI slices	466
Table G-6 - Scale values <code>cS</code> for transform coefficient level scaling	531
Table G-7 - Macroblock type predictors <code>mbTypeeLPred</code>	549
Table G-8 - Sub-macroblock type predictors <code>subMbTypeeLPred[mbPartIdx]</code>	549
Table G-9 - 16-phase luma interpolation filter for resampling in <code>Intra_Base</code> prediction	559
Table G-10 - Mapping of (nX, nY) to <code>coeffTokenIdx</code> and vice versa	586
Table G-11 - Association of <code>ctxIdx</code> and syntax elements for each slice type in the initialisation process	590
Table G-12 - Values of variables <code>m</code> and <code>n</code> for <code>ctxIdx</code> from 1024 to 1026	590
Table G-13 - Values of variables <code>m</code> and <code>n</code> for <code>ctxIdx</code> from 1027 to 1030	590
Table G-14 - Syntax elements and associated types of binarization, <code>maxBinIdxCtx</code> , and <code>ctxIdxOffset</code>	591
Table G-15 - Assignment of <code>ctxIdxInc</code> to <code>binIdx</code> for the <code>ctxIdxOffset</code> values related to the syntax elements <code>base_mode_flag</code> and <code>residual_prediction_flag</code>	591
Table G-16 - Scalable Baseline profile level limits	600
Table G-17 - Specification of <code>cpbBrVclFactor</code> and <code>cpbBrNalFactor</code>	600
Table H-1 - <code>modification_of_pic_nums_idc</code> operations for modification of reference picture lists ..	658
Table H-2 - Association between camera parameter variables and syntax elements	690