

# ISO/IEC 19784-4:2011-03 (E)

## Information technology - Biometric application programming interface - Part 4: Biometric sensor function provider interface

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Conformance .....	1
3	Normative references .....	1
4	Terms and definitions .....	1
5	Symbols, abbreviated terms, data structure definitions and error codes .....	2
5.1	Symbols and abbreviated terms .....	2
5.2	Data structure definitions and error codes .....	2
6	Interface architecture .....	3
7	Selecting and loading BFPs and BioAPI_Units .....	4
7.1	Obtaining information about BFPs and BioAPI_Units .....	4
7.2	Loading BFPs .....	5
7.2.1	Loading BFPs when attaching to an unspecified BioAPI_Unit .....	5
7.2.2	Loading BFPs when attaching to a specific BioAPI_Unit .....	5
8	BSFPI Definition .....	5
8.1	BSFPI data structures .....	5
8.1.1	Control codes .....	5
8.1.2	BioSFPI_EventHandler .....	6
8.1.3	BioSFPI_GUI_RESPONSE .....	6
8.1.4	BioSFPI_GUI_PROGRESS_EVENT_HANDLER .....	6
8.2	BSFP Functions .....	7
8.2.1	BioSFPI_BSFPLoad .....	7
8.2.2	BioSFPI_UnitAttach .....	8
8.2.3	BioSFPI_UnitDetach .....	9
8.2.4	BioSFPI_QueryUnits .....	9
8.2.5	BioSFPI_Free .....	10
8.2.6	BioSFPI_ControlUnit .....	11
8.2.7	BioSFPI_Cancel .....	11
8.2.8	BioSFPI_SetPowerMode .....	12
8.2.9	BioSFPI_SetGUICallbacks .....	13
8.2.10	BioSFPI_QueryFormatInfo .....	13
8.2.11	BioSFPI_GetPackets .....	14
8.2.12	BioSFPI_DataTransfer .....	15
8.2.13	BioSFPI_SetIndicatorStatus .....	16
8.2.14	BioSFPI_GetIndicatorStatus .....	16
8.2.15	BioSFPI_CalibrateSensor .....	17
8.2.16	BioSFPI_SubscribeToGUIEvents .....	17
8.2.17	BioSFPI_UnsubscribeFromGUIEvents .....	18
Annex A (normative)	Imaging biometric sensor units .....	20

<b>A.1</b>	<b>General</b> .....	<b>20</b>
<b>A.1.1</b>	<b>Bit and Byte ordering</b> .....	<b>20</b>
<b>A.1.2</b>	<b>Scan sequence</b> .....	<b>20</b>
<b>A.1.3</b>	<b>Pixel aspect ratio</b> .....	<b>20</b>
<b>A.1.4</b>	<b>Greyscale pixel depth</b> .....	<b>20</b>
<b>A.1.5</b>	<b>Colour space</b> .....	<b>20</b>
<b>A.1.6</b>	<b>Video interlacing</b> .....	<b>21</b>
<b>A.2</b>	<b>BioSFPI_BSFPIImagePropertyID</b> .....	<b>21</b>
<b>A.3</b>	<b>BioSFPI_BSFPIImagePropertySchema</b> .....	<b>21</b>
<b>A.4</b>	<b>BioSFPI_UnitImagePropertyID</b> .....	<b>22</b>
<b>A.5</b>	<b>BioSFPI_UnitImagePropertySchema</b> .....	<b>22</b>
<b>A.6</b>	<b>Image sensor functions</b> .....	<b>23</b>
<b>A.6.1</b>	<b>BioSFPI_GetImageParameters</b> .....	<b>23</b>
<b>A.6.2</b>	<b>BioSFPI_SetImageParameters</b> .....	<b>24</b>
<b>A.6.3</b>	<b>BioSFPI_Pause</b> .....	<b>25</b>
<b>A.6.4</b>	<b>BioSFPI_Play</b> .....	<b>25</b>
<b>Annex B (normative) Signature sensor units</b> .....		<b>27</b>
<b>B.1</b>	<b>General</b> .....	<b>27</b>
<b>B.1.1</b>	<b>Bit and byte ordering</b> .....	<b>27</b>
<b>B.1.2</b>	<b>Coordinate system</b> .....	<b>27</b>
<b>B.1.3</b>	<b>Channel inclusion field</b> .....	<b>28</b>
<b>B.1.4</b>	<b>Sequence of sample points</b> .....	<b>29</b>
<b>B.1.5</b>	<b>Sample Rate</b> .....	<b>29</b>
<b>B.1.6</b>	<b>ChannelDescriptions</b> .....	<b>29</b>
<b>B.2</b>	<b>BioSFPI_BSFPSignaturePropertyID</b> .....	<b>29</b>
<b>B.3</b>	<b>BioSFPI_BSFPSignaturePropertySchema</b> .....	<b>30</b>
<b>B.4</b>	<b>BioSFPI_UnitSignaturePropertyID</b> .....	<b>30</b>
<b>B.5</b>	<b>BioSFPI_UnitSignaturePropertySchema</b> .....	<b>31</b>
<b>B.6</b>	<b>Signature Sensor Functions</b> .....	<b>32</b>
<b>B.6.1</b>	<b>BioSFPI_GetSignatureParameters</b> .....	<b>32</b>
<b>B.6.2</b>	<b>BioSFPI_SetSignatureParameters</b> .....	<b>33</b>
<b>Annex C (informative) Obtaining biometric sensor data across the SFPI</b> .....		<b>35</b>
<b>C.1</b>	<b>Overall functionality</b> .....	<b>35</b>
<b>C.2</b>	<b>Fundamentals of the data transfer interfaces</b> .....	<b>36</b>
<b>C.3</b>	<b>Memory management</b> .....	<b>36</b>
<b>C.4</b>	<b>Components forming the interface</b> .....	<b>36</b>
<b>C.5</b>	<b>Implementation options for use of the data transfer interface</b> .....	<b>36</b>
<b>Bibliography</b> .....		<b>38</b>