

ISO/IEC 24724:2011-04 (E)

Information technology - Automatic identification and data capture techniques - GS1 DataBar bar code symbology specification

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms, definitions, abbreviated terms and mathematical operators | 2 |
| 3.1 | Terms and definitions | 2 |
| 3.2 | Abbreviated terms | 3 |
| 3.3 | Mathematical operators and notational conventions | 3 |
| 4 | Symbol description | 3 |
| 4.1 | Types of GS1 DataBar symbol | 3 |
| 4.2 | Symbology characteristics | 4 |
| 4.3 | Summary of additional features | 4 |
| 4.4 | Symbol structure | 5 |
| 5 | Symbol requirements for GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked and GS1 DataBar Stacked Omnidirectional | 5 |
| 5.1 | Basic characteristics of GS1 DataBar Omnidirectional | 5 |
| 5.2 | Symbol structure of GS1 DataBar Omnidirectional | 6 |
| 5.2.1 | Symbol character structure | 7 |
| 5.2.2 | Symbol character value | 7 |
| 5.2.3 | Symbol value | 8 |
| 5.2.4 | Finder patterns | 10 |
| 5.2.5 | Reference decode algorithm | 11 |
| 5.3 | Variations for specific applications | 14 |
| 5.3.1 | GS1 DataBar Truncated | 14 |
| 5.3.2 | Two-row variations | 14 |
| 6 | Symbol requirements for GS1 DataBar Limited | 15 |
| 6.1 | Basic characteristics | 15 |
| 6.2 | Symbol structure | 16 |
| 6.2.1 | Symbol character structure | 17 |
| 6.2.2 | Symbol character value | 17 |
| 6.2.3 | Symbol value | 18 |
| 6.2.4 | Check character | 19 |
| 6.2.5 | Finder pattern | 19 |
| 6.2.6 | Reference decode algorithm | 19 |
| 7 | Symbol requirements for GS1 DataBar Expanded and GS1 DataBar Expanded Stacked ... | 21 |
| 7.1 | Basic characteristics of GS1 DataBar Expanded | 21 |
| 7.2 | Symbol structure | 22 |
| 7.2.1 | Overall symbol structure | 22 |
| 7.2.2 | Symbol character structure | 23 |
| 7.2.3 | Symbol character value | 23 |
| 7.2.4 | Symbol binary value | 24 |
| 7.2.5 | Data encodation | 25 |
| 7.2.6 | Check character | 34 |

| | | |
|---|---|----|
| 7.2.7 | Finder pattern | 35 |
| 7.2.8 | GS1 DataBar Expanded Stacked | 37 |
| 7.2.9 | Reference decode algorithm | 38 |
| 8 | Symbol quality | 40 |
| 8.1 | Linear symbology parameters | 40 |
| 8.2 | Additional pass/fail criteria | 40 |
| 8.3 | Stacked symbols | 40 |
| 9 | Transmitted data | 41 |
| 10 | Human readable interpretation | 41 |
| 11 | Minimum and Maximum width of a module (X) | 41 |
| 12 | Application-defined parameters | 41 |
| Annex A (normative) Check digit calculation | | 42 |
| Annex B (normative) C-language element width encoder and decoder | | 43 |
| Annex C (normative) GS1 DataBar Limited check character element widths | | 47 |
| Annex D (normative) Splitting long GS1 DataBar Expanded or GS1 DataBar Expanded Stacked symbols for GS1 emulation mode | | 50 |
| Annex E (informative) Symbol elements | | 51 |
| Annex F (informative) Encoding examples | | 55 |
| F.1 | GS1 DataBar Omnidirectional and GS1 DataBar Truncated | 55 |
| F.2 | GS1 DataBar Limited | 57 |
| F.3 | GS1 DataBar Expanded | 58 |
| Annex G (informative) C-language element width decoder | | 60 |
| Annex H (informative) Minimizing misreads | | 63 |
| H.1 | General | 63 |
| H.2 | Voting | 64 |
| H.3 | Decoding by row | 64 |
| H.4 | Consistency checks | 64 |
| H.5 | GS1 DataBar Limited Decoding Considerations | 65 |
| H.5.1 | Original reference decode algorithm concerning guard bars | 65 |
| H.5.2 | Potential to misread UPC-A symbols | 65 |
| H.5.3 | Methods to prevent misreads of UPC-A symbols | 66 |
| Annex I (informative) Printing considerations | | 69 |
| I.1 | Guard pattern considerations | 69 |
| I.2 | Pixel-based printing | 69 |
| I.3 | Guidance to users of pixel-based printing software | 70 |
| I.4 | Process control considerations | 70 |
| I.5 | Separation of multiple symbols | 71 |
| I.6 | Printing the separator pattern | 71 |
| Annex J (informative) GS1 DataBar Symbology -- Summary of Characteristics | | 72 |
| Bibliography | | 73 |