

ISO/IEC 18000-62:2012-07 (E)

Information technology - Radio frequency identification for item management - Part 62: Parameters for air interface communications at 860 MHz to 960 MHz Type B

| Contents | | Page |
|------------------------------|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Conformance | 1 |
| 2.1 | Claiming conformance | 1 |
| 2.2 | Interrogator conformance and obligations | 2 |
| 2.3 | Tag conformance and obligations | 2 |
| 3 | Normative references | 3 |
| 4 | Terms, definitions, symbols and abbreviated terms | 3 |
| 4.1 | Terms and definitions | 3 |
| 4.2 | Symbols | 3 |
| 4.3 | Abbreviated terms | 4 |
| 5 | Overview | 5 |
| 5.1 | Parameter tables | 5 |
| 6 | Type B | 9 |
| 6.1 | Physical layer and data coding | 9 |
| 6.1.1 | Interrogator power-up waveform | 9 |
| 6.1.2 | Interrogator power-down | 9 |
| 6.1.3 | Frequency hopping carrier rise and fall times | 10 |
| 6.1.4 | FM0 return link | 11 |
| 6.1.5 | Manchester forward link | 14 |
| 6.1.6 | Protocol concept | 17 |
| 6.1.7 | Command format | 18 |
| 6.1.8 | Response format | 20 |
| 6.1.9 | WAIT | 20 |
| 6.1.10 | Examples of a command packet | 20 |
| 6.1.11 | Communication sequences at packet level | 21 |
| 6.2 | Btree protocol and collision arbitration | 22 |
| 6.2.1 | Definition of data elements, bit and byte ordering | 22 |
| 6.2.2 | Tag memory organisation | 23 |
| 6.2.3 | Block security status | 24 |
| 6.2.4 | Overall protocol description, Btree protocol | 24 |
| 6.2.5 | Collision arbitration | 29 |
| 6.2.6 | Commands | 31 |
| 6.2.7 | Command types | 31 |
| 6.2.8 | Transmission errors | 58 |
| Annex A (informative) | Calculation of 16-bit cyclic redundancy checks | 59 |
| A.1 | Example CRC-16 encoder/decoder | 59 |
| A.2 | Example CRC-16 calculations | 60 |
| Annex B (normative) | Memory mapping | 62 |

| | | |
|---|--|-----------|
| B.1 | Unique identifier (normative) | 62 |
| B.1.1 | Unique identifier general | 62 |
| B.1.2 | Unique identifier format | 62 |
| B.1.3 | Unique identifier according to ANSI 256 | 62 |
| B.1.4 | Remaining system memory | 63 |
| Annex C (informative) Tag memory map | | 67 |
| C.1 | Tag memory map | 67 |
| Bibliography | | 68 |