# ISO/IEC 15961-1:2013-03 (E)

## Information technology - Radio frequency identification (RFID) for item management: Data protocol - Part 1: Application interface

## Contents

Page


Foreword ..... viii

Introduction ..... ix

1 Scope ..... 1

2 Normative references ..... 1

3 Terms, definitions and conventions ..... 2
3.1 Terms and definitions ..... 2
3.2 Conventions ..... 2

4 Compliance ..... 2
4.1 General ..... 2
4.2 Application compliance ..... 3
4.3 Conformance of the Data Processor ..... 3

5 Protocol model ..... 3
5.1 Overview ..... 3
5.2 Layered protocol ..... 3
5.3 Flexible implementation configurations ..... 6
5.4 Functional processes - interrogator implementation ..... 6
5.4.1 Functional processes - application interface ..... 7
5.4.2 Functional processes - interrogator ..... 7
5.4.3 RFID tag ..... 8

6 Presentation conventions ..... 9
6.1 Presentation of commands, responses and arguments ..... 9
6.1.1 Commands and responses ..... 9
6.1.2 Arguments ..... 9
6.1.3 Data types ..... 10
6.2 Object Identifier presentation in the application interface ..... 10
6.2.3 Presenting the Object-Identifier as a Uniform Resource Name (URN) ..... 12
6.3 Byte Notation ..... 12
6.3.1 The byte: the basic unit for 8-bit coding ..... 12
6.3.2 Bit ordering ..... 12
6.3.3 Byte conversion ..... 12

7 Processing application commands and responses ..... 12
7.1 General ..... 12
7.2 Encoding system related information in commands ..... 13
7.2.1 Singulation-Id ..... 13
7.2.2 AFI ..... 13
7.2.3 DSFID ..... 14
7.2.4 Access-Method ..... 14
7.2.5 Data-Format ..... 16
7.3 Preparing the basic Objects and other application-based arguments ..... 17
7.3.1 General model ..... 17
7.3.2 Object-Identifier ..... 17
7.3.3 Relating Object-Identifiers ..... 18
7.3.4 Object ..... 18

7.3.5 Compact-Parameter ..... 18
7.3.6 Object-Lock ..... 20
7.4 Other command arguments ..... 20
7.4.1 Access-Password ..... 20
7.4.2 Additional-App-Bits ..... 21
7.4.3 AFI-Lock ..... 21
7.4.4 Append-To-Existing-Multiple-Record ..... 21
7.4.5 Application-Defined-Record-Capacity ..... 21
7.4.6 Avoid-Duplicate ..... 21
7.4.7 Battery-Assist-Indicator ..... 21
7.4.8 Block-Align ..... 21
7.4.9 Block-Align-Packed-Object ..... 21
7.4.10 Check-Duplicate ..... 22
7.4.11 Data-CRC-Indicator ..... 22
7.4.12 Data-Length-Of-Record ..... 22
7.4.13 Delete-MR-Method ..... 22
7.4.14 Directory-Length-EBV8-Indicator ..... 22
7.4.15 DSFID-Lock ..... 22
7.4.16 DSFID-Pad-Bytes ..... 23
7.4.17 Editable-Pointer-Size ..... 23
7.4.18 Encoded-Memory-Capacity ..... 23
7.4.19 EPC-Code ..... 23
7.4.20 Full-Function-Sensor-Indicator ..... 23
7.4.21 Hierarchical-Identifier-Arc ..... 23
7.4.22 Identifier-Of-My-Parent ..... 23
7.4.23 Identify-Method ..... 23
7.4.24 ID-Type ..... 24
7.4.25 Instance-Of-Arc ..... 24
7.4.26 Kill-Password ..... 24
7.4.27 Length-Of-Mask ..... 24
7.4.28 Lock-Directory-Entry ..... 24
7.4.29 Lock-Multiple-Records-Header ..... 24
7.4.30 Lock-Record-Preamble ..... 25
7.4.31 Lock-UII-Segment-Arguments ..... 25
7.4.32 Max-App-Length ..... 25
7.4.33 Memory-Bank ..... 25
7.4.34 Memory-Bank-Lock ..... 25
7.4.35 Memory-Length-Encoding ..... 25
7.4.36 Memory-Segment ..... 25
7.4.37 Memory-Type ..... 25
7.4.38 Multiple-Records-Directory-Length ..... 25
7.4.39 Multiple-Records-Features-Indicator ..... 26
7.4.40 NSI-Bits ..... 26
7.4.41 Number-In-Data-Element-List ..... 26
7.4.42 Number-Of-Records ..... 26
7.4.43 Number-Of-Tags ..... 26
7.4.44 Objects-Offsets-Multiplier ..... 27
7.4.45 Packed-Object-Directory-Type ..... 27
7.4.46 Password ..... 27
7.4.47 Password-Type ..... 27
7.4.48 PO-Directory-Size ..... 27
7.4.49 PO-Index-Length ..... 27
7.4.50 Pointer ..... 27
7.4.51 Pointer-To-Multiple-Records-Directory ..... 27
7.4.52 Read-Record-Type ..... 28
7.4.53 Read-Type ..... 29
7.4.54 Record-Memory-Capacity ..... 30
7.4.55 Record-Type-Arc ..... 30
7.4.56 Record-Type-Classification ..... 30
7.4.57 Sector-Identifier ..... 30
7.4.58 Simple-Sensor-Indicator ..... 31
7.4.59 Start-Address-Of-Record ..... 31

7.4.60 Tag-Data-Profile-ID-Table ..... 31
7.4.61 Tag-Mask ..... 31
7.4.62 Update-Multiple-Records-Directory ..... 31
7.4.63 Word-Count ..... 31
7.4.64 Word-Pointer ..... 31
7.5 Command-related field names ..... 31
7.5.1 Data-Set ..... 32
7.5.2 Identities ..... 32
7.5.3 Length-Lock Byte ..... 32
7.5.4 Length-Of-Encoded-Data ..... 32
7.5.5 Lock-Status ..... 32
7.5.6 Logical-Memory-Map ..... 32
7.5.7 Memory-Capacity ..... 32
7.5.8 Module-OID ..... 32
7.5.9 Number-Of-Tags-Found ..... 32
7.5.10 PO-ID-Table ..... 32
7.5.11 Protocol-Control-Word ..... 32
7.5.12 Read-Data ..... 33
7.6 Data security ..... 33

8 Data flows and processes to the air interface ..... 33
8.1 Establishing communications between the application and the RFID tag ..... 33
8.1.1 Air interface services ..... 33
8.1.2 System information ..... 34
8.2 Application system services ..... 34

9 Command-Codes, Completion-Codes, and Execution-Codes ..... 34
9.1 Final arc values of the command and response modules ..... 35
9.2 Completion-Code ..... 36
9.3 Execution-Code ..... 39

10 Commands and responses ..... 40
10.1 Configure-AFI ..... 40
10.1.1 Configure-AFI command ..... 40
10.1.2 Configure-AFI response ..... 40
10.2 Configure-DSFID ..... 41
10.2.1 Configure-DSFID command ..... 41
10.2.2 Configure-DSFID response ..... 42
10.3 Inventory-Tags ..... 42
10.3.1 Inventory-Tags command ..... 42
10.3.2 Inventory-Tags response ..... 44
10.4 Delete-Object ..... 44
10.4.1 Delete-Object command ..... 44
10.4.2 Delete-Object response ..... 45
10.5 Modify-Object ..... 46
10.5.1 Modify-Object command ..... 46
10.5.2 Modify-Object response ..... 47
10.6 Read-Object-Identifiers ..... 48
10.6.1 Read-Object-Identifiers command ..... 48
10.6.2 Read-Object-Identifiers response ..... 49
10.7 Read-Logical-Memory-Map ..... 49
10.7.1 Read-Logical-Memory-Map command ..... 49
10.7.2 Read-Logical-Memory-Map response ..... 50
10.8 Erase-Memory ..... 50
10.8.1 Erase-Memory command ..... 50
10.8.2 Erase-Memory response ..... 51
10.9 Get-App-Based-System-Info ..... 51
10.9.1 Get-App-Based-System-Info command ..... 51
10.9.2 Get-App-Based-System-Info response ..... 51
10.10 Write-Objects ..... 52
10.10.1 Write-Objects command ..... 52
10.10.2 Write-Objects response ..... 54

10.11 Read-Objects ... 55
10.11.1 Read-Objects command ... 55
10.11.2 Read-Objects response ... 56
10.12 Write-Objects-Segmented-Memory-Tag ... 56
10.12.1 Write-Objects-Segmented-Memory-Tag command ... 56
10.12.2 Write-Objects-Segmented-Memory-Tag response ... 58
10.13 Write-EPC-UII ... 59
10.13.1 Write-EPC-UII command ... 59
10.13.2 Write-EPC-UII response ... 60
10.14 Inventory-ISO-UIImemory ... 60
10.14.1 Inventory-ISO-UIImemory command ... 60
10.14.2 Inventory-ISO-UIImemory response ... 61
10.15 Inventory-EPC-UIImemory ... 62
10.15.1 Inventory-EPC-UIImemory command ... 62
10.15.2 Inventory-EPC-UIImemory response ... 62
10.16 Write-Password-Segmented-Memory-Tag ... 63
10.16.1 Write-Password-Segmented-Memory-Tag command ... 63
10.16.2 Write-Password-Segmented-Memory-Tag response ... 63
10.17 Read-Words-Segmented-Memory-Tag ... 64
10.17.1 Read-Words-Segmented-Memory-Tag command ... 64
10.17.2 Read-Words-Segmented-Memory-Tag response ... 64
10.18 Kill-Segmented-Memory-Tag ... 65
10.18.1 Kill-Segmented-Memory-Tag command ... 65
10.18.2 Kill-Segmented-Memory-Tag response ... 65
10.19 Delete-Packed-Object ... 65
10.19.1 Delete-Packed-Object command ... 65
10.19.2 Delete-Packed-Object response ... 66
10.20 Modify-Packed-Object-Structure ... 67
10.20.1 Modify-Packed-Object-Structure command ... 67
10.20.2 Modify-Packed-Object-Structure response ... 68
10.21 Write-Segments-6TypeD-Tag ... 69
10.21.1 Write-Segments-6TypeD-Tag command ... 69
10.21.2 Write-Segments-6TypeD-Tag response ... 70
10.22 Read-Segments-6TypeD-Tag ... 71
10.22.1 Read-Segments-6TypeD-Tag command ... 71
10.22.2 Read-Segments-6TypeD-Tag response ... 73
10.23 Write-Monomorphic-UII ... 73
10.23.1 Write-Monomorphic-UII command ... 73
10.23.2 Write-Monomorphic-UII response ... 75
10.24 Configure-Extended-DSFID ... 76
10.24.1 Configure-Extended-DSFID command ... 76
10.24.2 Configure-Extended-DSFID response ... 77
10.25 Configure-Multiple-Records-Header ... 77
10.25.1 Configure-Multiple-Records-Header command ... 77
10.25.2 Configure-Multiple-Records-Header response ... 80
10.26 Read-Multiple-Records ... 80
10.26.1 Read-Multiple-Records command ... 80
10.26.2 Read-Multiple-Records response ... 81
10.27 Delete-Multiple-Record ... 82
10.27.1 Delete-Multiple-Record command ... 82
10.27.2 Delete-Multiple-Record response ... 83

11 Arguments ... 84
11.1 Add-Objects ... 84
11.2 DSFID-Constructs ... 85
11.3 EPC-UIImemory ... 85
11.4 Ext-DSFID-Constructs ... 85
11.5 ISO-UIImemory ... 87
11.6 Item-Related-Add-Objects ... 87
11.7 Item-Related-DSFID-Constructs ... 87
11.8 Multiple-Records-Constructs ... 87
11.9 Multiple-Records-Directory-Structure ... 89

11.10 Multiple-Records-Header-Structure ..... 89
11.11 Multiple-Records-Preamble-Structure ..... 90
11.12 Packed-Object-Constructs ..... 91
11.13 Read-Objects ..... 93
11.14 Read-Objects-Response ..... 93
11.15 Read-OIDs-Response ..... 93
11.16 UII-Add-Objects ..... 93
11.17 UII-DSFID-Constructs ..... 94
11.18 Write-Responses ..... 94

Annex A (informative) Abstract syntax and transfer encoding rules ..... 95

Annex B (informative) Accommodating established data formats ..... 104

Annex C (informative) Relating data Objects ..... 106

Annex D (informative) Data security issues ..... 108

Annex E (informative) Original commands and responses using ASN.1 abstract syntax ..... 110

Bibliography ..... 142