ISO/IEC 15962:2013-03 (E)

Information technology - Radio frequency identification (RFID) f or item management - Data protocol: data encoding rules and logical memory functions

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Terms, definitions and conventions 2
3.1 Terms and definitions 2
3.2 Conventions 2

4 Conformance 2
4.1 Conformance with the air interface 2
4.2 Conformance with the application interface 2
4.3 Conformance with the Access-Method 3

5 Protocol model 4
5.1 Overview 4
5.2 Layered protocol 4
5.3 Flexible implementation configurations 6
5.4 Functional processes - interrogator implementation 6

6 Data and presentation conventions 9
6.2 Extensible bit vector (EBV) 10
6.3 Object Identifier presentation in the application interface 10
6.4 The Object 12
6.5 The 8-bit byte 12
6.6 N-bit encoding 12

7 Data Processor - high level processing 12

8 Data Processor and the application interface 13
8.1 Application commands - overview 13
8.2 Application commands and responses- write 15
8.3 Application commands and responses- read 31
8.4 Application commands and responses- other 40
8.5 Air interface support for application commands 49

9 Data Processor and the air interface 49
9.1 Air interface services 49
9.2 Defining the system information 50
9.3 Configuring the Logical Memory 58

10 The Command/Response Unit: processing of command and response arguments 58
10.1 Process arguments 59
10.2 Completion-Codes 71
10.3 Execution-Codes 74

11 Access-Method 74
11.1 No-Directory structure 75

11.2 Directory structure 77
11.3 Packed-Objects structure 79
11.4 Tag Data Profile 80
11.5 Multiple-Records 80

Data-Format 3 86

12.2 Specific support for ISO TC122 standards 87

13 Monomorphic-UII encoding 87
13.1 6-bit encoding 88
13.2 7-bit encoding 88
13.3 URN Code 40 encoding 88
13.4 8859-1 octet encoding 89
13.5 Application-defined 8-bit coding 89

Annex A (informative) Air interface support for application commands 90

A.1 Overview 90

Annex B (normative) Pro forma description for the Tag Driver 96

B.1 Defining the Singulation-Id 96
B.2 System information : AFI 96
B.3 System information: DSFID 96
B.4 Memory-related parameters 96
B.5 Support for commands 97

135 kHz 98

13,56 MHz 99
13,56 MHz 101

Mode 1 102

Mode 2 104

860 MHz to 960 MHz 104
860 MHz to 960 MHz 105
860 MHz to 960 MHz 107
860 MHz to 960 MHz 108

Annex D (normative) Encoding rules for No-Directory Access-Method 112

D.1 Object processing 112
D.2 Encoding the length of the compacted Object 114
D.3 Processing the Object-Identifier 114
D.4 Processing the Relative-OID 116
D.5 Encoding the length and Object-Identifier or Relative-OID 119
D.6 The Precursor 120
D.7 The Offset byte 121
D.8 The Precursor expansion byte 121
D.9 Decoding the Logical Memory 122

Annex E (normative) Basic Data Compaction Schemes 125

E.1 Integer compaction 125
E.2 Numeric compaction 125
E.3 5-bit compaction 126
E.4 6-bit compaction 126
E.5 7-bit compaction 127
E.6 Octet encodation 129

Annex G (informative) Encoding example for No-Directory structure 133

G.1 Starting position 133
G.2 Encoding the Object-Identifiers 133
G.3 The initial state of the entry for the Logical Memory 133
G.4 The Logical Memory after data compaction 134
G.5 The Logical Memory after formatting for a No-Directory Access-Method 134

Annex H (informative) Encoding example for Directory structure 136

H.1 The base data 136
H.2 Encoding the first Directory entry 136
H.3 Encoding the second Directory entry 137
H.4 Encoding the remaining Directory entries 137
H.5 Decoding the Directory and reading the target Object-Identifier 138

Annex I (normative) Packed-Objects structure 139

I.1 Overview 139
I.2 Overview of associated Annexes 139
I.3 High-level Packed-Objects format design 139
I.4 Format Flags section 142
I.5 Object Info section 144
I.6 Secondary ID Bits section 150
I.7 Aux Format section 150
I.8 Data section 152
I.9 ID Map and Directory encoding options 155

Annex J (normative) Packed Objects ID Tables 161

J.1 Packed Objects Data Format registration file structure 161
J.2 Mandatory and Optional ID Table columns 163
J.3 Syntax of OIDs, IDString, and FormatString columns 166
J.4 OID input/output representation 168

Annex K (normative) Packed Objects Encoding tables 170

Annex L (informative) Encoding example for Packed Objects 175

Annex M (informative) Decoding Packed Objects 179

M.1 Overview 179
M.2 Decoding Alphanumeric data 180

Annex N (normative) Tag Data Profile encoding 183

N.1 Scope 183
N.2 The Registered Table 183
N.3 Encoding the Tag Data Profile on the RFID tag 184
N.4 Decoding the Tag Data Profile 186
N.5 Modifying Data 187

Annex O (normative) Tag Data Profile ID tables 188

O.1 Tag-Data-Profile Data-Format registration file structure 188
O.2 File Header section 189
O.3 Table Header section 189
O.4 Table Trailer section 190
O.5 Mandatory ID Table columns 190

Annex P (informative) Encoding example for Tag Data Profile 192

P.1 Encoded data segment 192
P.2 Encoding the header segment 195

Annex Q (normative) Basic encoding rules for Multiple-Records Access-Method 196

Q.1 Overview 196
Q.2 Encoding the Multiple-Records header 196
Q.3 Encoding the preamble of an individual record that is not part of a hierarchical structure 200
Q.4 The record 203
Q.5 The directory 203
Q.6 Appending a new record 207
Q.7 Modifying an existing record 208
Q.8 Deleting an existing record 208
Q.9 Constructing the Object-Identifier from the MR-header, preamble and individual record 209

Annex R (normative) Multiple-Records encoding rules for hierarchical records 212

R.1 Overview 212
R.2 Encoding the Multiple-Records header 213
R.3 Encoding the preamble of hierarchical record 214
R.4 The hierarchical record 216
R.5 Data element list 216
R.6 The directory 218
R.7 Appending a new record 218
R.8 Modifying an existing record 218
R.9 Deleting a record 218

Annex S (informative) Encoding example for the Multiple-Records Access-Method 219

S.1 The heterogeneous multiple record example 219
S.2 An encoding example of a homogeneous multiple record 226
S.3 An encoding example of a hierarchical multiple record 229

T.1 DSFID 232
T.2 Precursor byte 232
T.3 Data byte-count indicator 232
T.4 Encoding and Decoding 233
T.5 Encoding and Decoding Example using Data Identifiers 234
T.6 Additional Code Values and other Precursor features 236

Standards 238

U.1 DSFID 238
U.2 Precursor byte 238
U.3 Data byte-count indicator 238
U.4 Encoding and Decoding 239
U.5 Encoding and Decoding Example 241

Annex V (normative) URN Code 40 encoding 243

V.1 Basic Character Set 243
V.2 Extended Encoding 244
V.3 Encoding Example 245
V.4 Resolver Example 245

Bibliography 246