ISO/IEC 10179:1996-04 (E)

Information technology - Processing languages - Document Style Semantics and Specification Language (DSSSL)

Contents

Page

1 Scope 1

2 Conformance 2

3 Normative References 3

4 Definitions 4

5 Notation and Conventions 7
5.1 Syntax Productions 7
5.2 Procedure Prototypes 8

6 DSSSL Overview 8
6.1 Areas of Standardization 9
6.2 Conceptual Model 10
6.3 DSSSL Languages 11
6.3.1 The Transformation Language 11
6.3.1.1 Components of the Transformation Process 12
6.3.1.2 Model for Coded Characters, Characters, and Glyph Identifiers 13
6.3.2 The Style Language 14
6.3.2.1 Components of the Formatting Process 15
6.3.2.2 Grove Building 15
6.3.2.3 Flow Object Tree 15
6.3.2.4 Flow Object Classes 16
6.3.2.5 Areas 17
6.3.2.6 Page and Column Geometry 18
6.3.2.7 Expression Language 18
6.3.2.8 Model for Coded Characters, Characters, and Glyph Identifiers 19

7 DSSSL Specifications 19
7.1 DSSSL Document Architecture 20
7.1.1 Features 24
7.1.2 SGML Grove Plan 24
7.1.3 Character Repertoire 25
7.1.4 Standard Characters 25
7.1.5 Other Characters 26
7.1.6 Baseset Encoding 26
7.1.7 Literal Described Character 26
7.1.8 Sdata Entity Mapping 27
7.1.9 Separator Characters 27
7.1.10 Name Characters 27
7.1.11 Character Combination 27
7.2 Public Identifiers 27
7.3 Lexical Conventions 27
7.3.1 Case Sensitivity 27
7.3.2 Identifiers 28
7.3.3 Tokens, Whitespace, and Comments 28

8 Expression Language 29
8.1 Overview of the Expression Language 30
8.2 Basic Concepts 30
8.2.1 Variables and Regions 30
8.2.2 True and False 31
8.2.3 Extemal Representations 31
8.2.4 Disjointness of Types 31
8.3 Expressions 32
8.3.1 Primitive Expression Types 32
8.3.1.1 Variable Reference 32
8.3.1.2 Literals 33
8.3.1.3 Procedure Call 34
8.3.1.4 Lambda Expression 34
8.3.1.5 Conditional Expression 36
8.3.2 Derived Expression Types 36
8.3.2.1 Cond-expression 36
8.3.2.2 Case-expression 37
8.3.2.3 And-expression 37
8.3.2.4 Or-expression 38
8.3.2.5 Binding expressions 38
8.3.2.6 Named-let 39
8.3.2.7 Quasiquotation 40
8.4 Definitions 41
8.5 Standard Procedures 43
8.5.1 Booleans 43
8.5.1.1 Negation 43
8.5.1.2 Boolean Type Predicate 44
8.5.2 Equivalence 44
8.5.3 Pairs and Lists 45
8.5.3.1 Pair Type Predicate 46
8.5.3.2 Pair Construction Procedure 46
8.5.3.3 car Procedure 46
8.5.3.4 cdr Procedure 47
8.5.3.5 cr Procedures 47
8.5.3.6 Empty List Type Predicate 48
8.5.3.7 List Type Predicate 48
8.5.3.8 List Construction 48
8.5.3.9 List Length 48
8.5.3.10 Lists Appendance 49
8.5.3.11 List Reversal 49
8.5.3.12 Sublist Extraction 49
8.5.3.13 List Access 49
8.5.3.14 List Membership 50
8.5.3.15 Association Lists 50
8.5.4 Symbols 50
8.5.4.1 Symbol Type Predicate 51
8.5.4.2 Symbol to String Conversion 51
8.5.4.3 String to Symbol Conversion 51
8.5.5 Keywords 51
8.5.5.1 Keyword Type Predicate 52
8.5.5.2 Keyword to String Conversion 52
8.5.5.3 String to Keyword Conversion 52
8.5.6 Named Constants 52
8.5.7 Quantities and Numbers 52
8.5.7.1 Numerical Types 52
8.5.7.2 Exactness 53
8.5.7.3 Implementation Restrictions 54
8.5.7.4 Syntax of Numerical Constants 55
8.5.7.5 Number Type Predicates 56
8.5.7.6 Exactness Predicates 56
8.5.7.7 Comparison Predicates 56
8.5.7.8 Numerical Property Predicates 57

8.5.7.9 Maximum and Minimum 57
8.5.7.10 Addition 57
8.5.7.11 Multiplication 58
8.5.7.12 Subtraction 58
8.5.7.13 Division 58
8.5.7.14 Absolute Value 58
8.5.7.15 Number-theoretic Division 59
8.5.7.16 Real to Integer Conversion 59
8.5.7.17 e" and Natural Logarithm 60
8.5.7.18 Trigonometric Functions 60
8.5.7.19 Inverse Trigonometric Functions 60
8.5.7.20 Square Root 61
8.5.7.21 Exponentiation 61
8.5.7.22 Exactness Conversion 61
8.5.7.23 Quantity to Number Conversion 61
8.5.7.24 Number to String Conversion 61
8.5.7.25 String to Number Conversion 63
8.5.8 Characters 63
8.5.8.1 Character Properties 64
8.5.8.2 Language-dependent Operations 64
8.5.8.3 Character Type Predicate 67
8.5.8.4 Character Comparison Predicates 67
8.5.8.5 Case-insensitive Character Predicates 67
8.5.8.6 Character Case Conversion 68
8.5.8.7 Character Properties 68
8.5.9 Strings 68
8.5.9.1 String Type Predicate 69
8.5.9.2 String Construction 69
8.5.9.3 String Length 69
8.5.9.4 String Access 69
8.5.9.5 String Equivalence 69
8.5.9.6 String Comparison 69
8.5.9.7 Substring Extraction 70
8.5.9.8 String Appendance 70
8.5.9.9 Conversion between Strings and Lists 70
8.5.10 Procedures 70
8.5.10.1 Procedure Type Predicate 70
8.5.10.2 Procedure Application 71
8.5.10.3 Mapping Procedures over Lists 71
8.5.10.4 External Procedures 71
8.5.11 Date and Time 72
8.5.12 Error Signaling 72
8.6 Gore Expression Language 72
8.6.1 Syntax 72
8.6.2 Procedures 74

9 Groves 75
9.1 Nodal Properties 76
9.2 Grove Plans 77
9.3 Property Set Definition 78
9.3.1 Common Attributes 78
9.3.1.1 Component Names 78
9.3.1.2 Specification Documents 79
9.3.2 Modules 79
9.3.3 Data Type Definition 80
9.3.4 Class Definition 81
9.3.5 Property Definition 81
9.3.6 Normalization Rule Definition 82
9.4 Intrinsic Properties 83
9.5 Auxiliary Groves 84
9.6 SGML Property Set 84
9.7 DSSSL SGML Grove Plan 122

10 Standard Document Query Language ... 123
10.1 Primitive Procedures ... 123
10.1.1 Application Binding ... 123
10.1.2 Node Lists ... 124
10.1.3 Named Node Lists ... 124
10.1.4 Error Reporting ... 125
10.1.5 Application Name Transformation ... 125
10.1.6 Property Values ... 125
10.1.7 SGML Grove Construction ... 126
10.2 Derived Procedures ... 126
10.2.1 HyTime Support ... 126
10.2.2 List Operations ... 130
10.2.3 Generic Property Operations ... 137
10.2.4 Gore Query Language ... 143
10.2.4.1 Navigation ... 143
10.2.4.2 Counting ... 143
10.2.4.3 Accessing Attribute Values ... 144
10.2.4.4 Testing Current Location ... 145
10.2.4.5 Entities and Notations ... 146
10.2.4.6 Name Normalization ... 147
10.2.5 SGML Property Operations ... 147
10.3 Auxiliary Parsing ... 149
10.3.1 Word Searching ... 149
10.3.2 Node Regular Expressions ... 150
10.3.3 Regexp Constructors ... 151
10.3.4 Regular Expression Searching Procedures ... 152

11 Transformation Language ... 152
11.1 Features ... 153
11.2 Associations ... 153
11.3 Transform-expression ... 154
11.3.1 Subgrove-spec ... 155
11.3.2 Create-spec ... 156
11.3.3 Result-node-list ... 158
11.3.4 Transform-grove-spec ... 159
11.3.5 SGML Prolog Parsing ... 159
11.4 SGML Document Generator ... 159
11.4.1 Verification Mapping ... 160
11.4.2 Transliteration ... 161

12 Style Language ... 162
12.1 Features ... 162
12.2 Flow Object Tree ... 164
12.3 Areas ... 164
12.3.1 Display Areas ... 165
12.3.2 Inline Areas ... 168
12.3.3 Inlined and Displayed Flow Objects ... 171
12.3.4 Attachment Areas ... 172
12.4 Flow Object Tree Construction ... 173
12.4.1 Construction Rules ... 173
12.4.2 Primary Flow Object ... 176
12.4.3 Sosofos ... 176
12.4.4 Multi-process Feature ... 180
12.4.5 Styles ... 180
12.4.6 Characteristic Specification ... 181
12.4.7 Synchronization of Flow Objects ... 184
12.5 Common Data Types and Procedures ... 185
12.5.1 Layout-driven Generated Text ... 185
12.5.1.1 Constructing Indirect Sosofos ... 186
12.5.1.2 Layout Numbering ... 187
12.5.1.3 Reference Values ... 188

12.5.2 Length Specification 190
12.5.3 Decoration Areas 190
12.5.4 Spaces 191
12.5.4.1 Display Spaces 191
12.5.4.2 Inline Spaces 191
12.5.5 Glyph Identifiers 192
12.5.6 Glyph Substitution Tables 192
12.5.7 Font Information 193
12.5.8 Addresses 194
12.5.9 Color 195
12.6 Flow Object Classes 197
12.6.1 Sequence Flow Object Class 197
12.6.2 Display-group Flow Object 197
12.6.3 Simple-page-sequence Flow Object Class 199
12.6.4 Page-sequence Flow Object Class 201
12.6.4.1 Page-model 202
12.6.5 Column-set-sequence Flow Object Class 205
12.6.5.1 Column-set-model 207
12.6.6 Paragraph Flow Object Class 217
12.6.6.1 Line Spacing 225
12.6.7 Paragraph-break Flow Object Class 225
12.6.8 Line-field Flow Object Class 225
12.6.9 Sideline Flow Object Class 226
12.6.10 Anchor Flow Object Class 227
12.6.11 Character Flow Object Class 228
12.6.11.1 Character Properties 234
12.6.12 Leader Flow Object Class 236
12.6.13 Embedded-text Flow Object Class 237
12.6.14 Rule Flow Object Class 238
12.6.15 External-graphic Flow Object Class 242
12.6.16 Included-container-area Flow Object Class 247
12.6.17 Score Flow Object Class 251
12.6.18 Box Flow Object Class 253
12.6.19 Side-by-side Flow Object Class 258
12.6.20 Side-by-side-item Flow Object Class 260
12.6.21 Glyph-annotation Flow Object Class 261
12.6.22 Alignment-point Flow Object Class 262
12.6.23 Aligned-column Flow Object Class 262
12.6.24 Multi-line-inline-note Flow Object Class 265
12.6.25 Emphasizing-Mark Flow Object Class 266
12.6.26 Flow Object Classes for Mathematical Formulae 267
12.6.26.1 Math-sequence Flow Object Class 267
12.6.26.2 Unmath Flow Object Class 268
12.6.26.3 Subscript Flow Object Class 269
12.6.26.4 Superscript Flow Object Class 269
12.6.26.5 Script Flow Object Class 269
12.6.26.6 Mark Flow Object Class 271
12.6.26.7 Fence Flow Object Class 272
12.6.26.8 Fraction Flow Object Class 272
12.6.26.9 Radical Flow Object Class 273
12.6.26.10 Math-operator Flow Object Class 274
12.6.26.11 Grid Flow Object Class 275
12.6.26.12 Grid-cell Flow Object Class 276
12.6.27 Flow Object Classes for Tables 276
12.6.27.1 Table Flow Object Class 277
12.6.27.2 Table-part Flow Object Class 280
12.6.27.3 Table-column flow object 282
12.6.27.4 Automatic Table-width Computation 284
12.6.27.5 Table-row Flow Object Class 284
12.6.27.6 Table-cell Flow Object Class 284
12.6.27.7 Table-border Flow Object Class 287

12.6.28 Flow Object Classes for Online Display 289
12.6.28.1 Scroll Flow Object Class 289
12.6.28.2 Multi-mode Flow Object Class 290
12.6.28.3 Link Flow Object Class 290
12.6.28.4 Marginalia Flow Object Class 291

Annex A: Further Information 292