ISO/IEC 17821:2015-04 (E)

Information technology - Specification of low power wireless mesh network over channel-hopped TDMA links

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Abbreviations 2

5 General description 3
5.1 General 3
5.2 Components of the LPWMN 3
5.3 Architecture of the LPWMN 4
5.4 Functional overview 5
5.4.1 Link network formation 5
5.4.2 Link connection 6
5.4.3 Unbalanced cluster-tree addressing 7
5.4.4 Routing 8

6 Functional description 9
6.1 Starting the LPWMN 9
6.1.1 Starting a link network 9
6.1.2 Starting a router 10
6.1.3 Starting a device 11
6.2 Joining a link network 12
6.2.1 Device procedure 12
6.2.2 Router procedure 12
6.3 Leaving a link network 13
6.4 Address assignment with an unbalanced cluster-tree structure 14
6.5 DSME MAC link and link-path 15
6.5.1 Establishing a link-path 15
6.5.2 Maintaining a link-path 16
6.5.3 Routing a link-path 17
6.6 Data services 19
6.6.1 General 19
6.6.2 DLN sublayer data service 19
6.6.3 DLC sublayer data service 20
6.6.4 Data reception 20

7 LPWMN services 21
7.1 LPWMN management services 21
7.1.1 Primitives for link network formation 22
7.1.2 Primitives for link network joining as a router 24
7.1.3 Primitives for link network joining as a device 25
7.1.4 Primitives for the DLIB management 26
7.1.5 Primitives for link network resources management 29
7.2 LPWMN link management services 30
7.2.1 Primitives for link establishment 30

7.2.2 Primitives for link release 32
7.2.3 Primitives for link management 34
7.3 LPWMN data services 35
7.3.1 Primitives for data service on a CAP link 35
7.3.2 Primitives for data service on a shared GTS link 37
7.3.3 Primitives for data service on a dedicated link path 39
7.3.4 Primitives for data service through DLN sublayer 41

8 LPWMN frame formats 43

8.1 General link network frame format 43
8.1.1 Frame Control field 44
8.1.2 Destination Address field 44
8.1.3 Source Address field 45
8.1.4 Destination IEEE Address field 45
8.1.5 Source IEEE Address field 45
8.1.6 Link Management subframe field 45
8.1.7 Link Network Management subframe field 45
8.1.8 Frame Payload field 45
8.2 Data frames 45
8.3 Link management command frames 46
8.3.1 Link Management Command Frame Identifier field 46
8.3.2 Sequence Number field 46
8.3.3 Length of Link Management Command field 47
8.3.4 Link Management Command Payload field 47
8.4 Link network management command frames 48
8.4.1 Link Network Management Command Frame Identifier field 49
8.4.2 Sequence Number field 49
8.4.3 Length of Link Network Management Command Frame field 50
8.4.4 Link Network Management Command Payload field 50

9 Link network constants, information bases, and status values 52
9.1 Link network constants 52
9.2 DSME MAC link Information base 52
9.3 Link network status values 57

Annex A (informative) Enhanced MAC for reliable services 58

Annex B (informative) Authentication and Key Establishment Protocols (AKEP) 60

Bibliography 65