

# ISO/IEC 17821:2015-04 (E)

## Information technology - Specification of low power wireless mesh network over channel-hopped TDMA links

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | v           |
| Introduction ..... |  | vi          |
| 1                  | Scope .....  | 1           |
| 2                  | Normative references .....   | 1           |
| 3                  | Terms and definitions .....  | 1           |
| 4                  | Abbreviations .....  | 2           |
| 5                  | General description .....  | 3           |
| 5.1                | General .....  | 3           |
| 5.2                | Components of the LPWMN .....                                      | 3           |
| 5.3                | Architecture of the LPWMN .....                                    | 4           |
| 5.4                | Functional overview .....  | 5           |
| 5.4.1              | Link network formation .....                                       | 5           |
| 5.4.2              | Link connection .....  | 6           |
| 5.4.3              | Unbalanced cluster-tree addressing .....                           | 7           |
| 5.4.4              | Routing .....  | 8           |
| 6                  | Functional description .....                                       | 9           |
| 6.1                | Starting the LPWMN .....   | 9           |
| 6.1.1              | Starting a link network .....                                      | 9           |
| 6.1.2              | Starting a router .....  | 10          |
| 6.1.3              | Starting a device .....  | 11          |
| 6.2                | Joining a link network .....                                       | 12          |
| 6.2.1              | Device procedure .....   | 12          |
| 6.2.2              | Router procedure .....   | 12          |
| 6.3                | Leaving a link network .....                                       | 13          |
| 6.4                | Address assignment with an unbalanced cluster-tree structure ..... | 14          |
| 6.5                | DSME MAC link and link-path .....                                  | 15          |
| 6.5.1              | Establishing a link-path .....                                     | 15          |
| 6.5.2              | Maintaining a link-path .....                                      | 16          |
| 6.5.3              | Routing a link-path .....  | 17          |
| 6.6                | Data services .....  | 19          |
| 6.6.1              | General .....  | 19          |
| 6.6.2              | DLN sublayer data service .....                                    | 19          |
| 6.6.3              | DLC sublayer data service .....                                    | 20          |
| 6.6.4              | Data reception .....   | 20          |
| 7                  | LPWMN services .....   | 21          |
| 7.1                | LPWMN management services .....                                    | 21          |
| 7.1.1              | Primitives for link network formation .....                        | 22          |
| 7.1.2              | Primitives for link network joining as a router .....              | 24          |
| 7.1.3              | Primitives for link network joining as a device .....              | 25          |
| 7.1.4              | Primitives for the DLIB management .....                           | 26          |
| 7.1.5              | Primitives for link network resources management .....             | 29          |
| 7.2                | LPWMN link management services .....                               | 30          |
| 7.2.1              | Primitives for link establishment .....                            | 30          |

|   |  |    |
|---|--|----|
| 7.2.2   | Primitives for link release .....                                  | 32 |
| 7.2.3   | Primitives for link management .....                               | 34 |
| 7.3   | LPWMN data services .....  | 35 |
| 7.3.1   | Primitives for data service on a CAP link .....                    | 35 |
| 7.3.2   | Primitives for data service on a shared GTS link .....             | 37 |
| 7.3.3   | Primitives for data service on a dedicated link path .....         | 39 |
| 7.3.4   | Primitives for data service through DLN sublayer .....             | 41 |
| 8   | LPWMN frame formats .....  | 43 |
| 8.1   | General link network frame format .....                            | 43 |
| 8.1.1   | Frame Control field .....  | 44 |
| 8.1.2   | Destination Address field .....                                    | 44 |
| 8.1.3   | Source Address field .....   | 45 |
| 8.1.4   | Destination IEEE Address field .....                               | 45 |
| 8.1.5   | Source IEEE Address field .....                                    | 45 |
| 8.1.6   | Link Management subframe field .....                               | 45 |
| 8.1.7   | Link Network Management subframe field .....                       | 45 |
| 8.1.8   | Frame Payload field .....  | 45 |
| 8.2   | Data frames .....  | 45 |
| 8.3   | Link management command frames .....                               | 46 |
| 8.3.1   | Link Management Command Frame Identifier field .....               | 46 |
| 8.3.2   | Sequence Number field .....  | 46 |
| 8.3.3   | Length of Link Management Command field .....                      | 47 |
| 8.3.4   | Link Management Command Payload field .....                        | 47 |
| 8.4   | Link network management command frames .....                       | 48 |
| 8.4.1   | Link Network Management Command Frame Identifier field .....       | 49 |
| 8.4.2   | Sequence Number field .....  | 49 |
| 8.4.3   | Length of Link Network Management Command Frame field .....        | 50 |
| 8.4.4   | Link Network Management Command Payload field .....                | 50 |
| 9   | Link network constants, information bases, and status values ..... | 52 |
| 9.1   | Link network constants .....                                       | 52 |
| 9.2   | DSME MAC link Information base .....                               | 52 |
| 9.3   | Link network status values .....                                   | 57 |
| Annex A (informative) Enhanced MAC for reliable services .....                    |  | 58 |
| Annex B (informative) Authentication and Key Establishment Protocols (AKEP) ..... |  | 60 |
| Bibliography .....  |  | 65 |