ISO/IEC TR 23009-3:2015-05 (E)

Information technology - Dynamic adaptive streaming over HTTP (DASH) - Part 3: Implementation Guidelines

Contents

Page

1 Scope 1
2 References 1
3 Terms, Definitions and Abbreviated Terms 2
4 Introduction 2
4.1 System overview 2
4.2 Normative parts 3
4.3 Main design principles 4
4.3.1 Common timeline 4
4.3.2 Data model 4
4.3.3 Segments 5
4.3.4 Segment types 6
4.3.5 Segment addressing schemes 6
4.3.6 Stream access points 6
4.4 Background on DASH profile concept 7
5 Guidelines for content generation 7
5.1 General guidelines 7
5.1.1 Video content generation 7
5.1.2 Audio content generation 9
5.1.3 Content preparation for live streaming 11
5.1.4 Guidelines for generation of segment file names 11
5.2 Guidelines for ISO-BMFF content generation 14
5.2.1 On-demand streaming 14
5.2.2 Live streaming 18
5.2.3 Enabling trick modes 19
5.2.4 Support for SubRepresentations 21
5.2.5 Enabling delivery format to storage file format conversion 22
5.3 Guidelines for MPEG-2 TS content generation 26
5.3.1 General recommendations 26
5.3.2 Live streaming 27
5.3.3 On demand streaming 28
5.4 Support for Advertisement Insertion 29
5.4.1 Use cases 29
5.4.2 MPD authoring 30
5.4.3 Example 30
5.4.4 The use of inband events 31
6 Client implementation guidelines 32
6.1 General 32
6.2 Client architecture overview 32
6.3 Example of client operation 33
6.4 Timing model for live streaming 33
6.4.1 General 33
6.4.2 MPD information 33
6.4.3 MPD times 34
6.4.4 Context derivation 34
6.4.5 Derivation of MPD times 35
6.4.6 Addressing methods 35

6.4.7 Scheduling playout 36
6.4.8 Validity of MPD 36
6.5 MPD retrieval 36
6.6 Segment list generation 37
6.6.1 General 37
6.6.2 Template-based generation of segment list 38
6.6.3 Playlist-based generation of segment list 39
6.6.4 Media segment list restrictions 39
6.7 Rate adaptation 40
6.8 Seeking 41
6.9 Support for trick modes 42
6.10 Stream switching 42
6.11 Client support for dependent representations 42
6.11.1 General 42
6.11.2 Client trick-mode support using SubRepresentations 43