

# ISO/IEC 23008-2:2015-05 (E)

## Information technology - High efficiency coding and media delivery in heterogeneous environments - Part 2: High efficiency video coding

---

Contents	Page
0 Introduction.....	xvii
0.1 General.....	xvii
0.2 Prologue.....	xvii
0.3 Purpose.....	xvii
0.4 Applications.....	xvii
0.5 Publication and versions of this Specification.....	xvii
0.6 Profiles, tiers, and levels.....	xviii
0.7 Overview of the design characteristics.....	xviii
0.8 How to read this Specification.....	xviii
1 Scope.....	1
2 Normative references.....	1
2.1 General.....	1
2.2 Identical Recommendations   International Standards.....	1
2.3 Paired Recommendations   International Standards equivalent in technical content.....	1
2.4 Additional references.....	1
3 Definitions.....	1
4 Abbreviations.....	10
5 Conventions.....	12
5.1 General.....	12
5.2 Arithmetic operators.....	12
5.3 Logical operators.....	12
5.4 Relational operators.....	12
5.5 Bit-wise operators.....	12
5.6 Assignment operators.....	13
5.7 Range notation.....	13
5.8 Mathematical functions.....	13
5.9 Order of operation precedence.....	14
5.10 Variables, syntax elements, and tables.....	15
5.11 Text description of logical operations.....	15
5.12 Processes.....	16
6 Bitstream and picture formats, partitionings, scanning processes, and neighbouring relationships.....	17
6.1 Bitstream formats.....	17
6.2 Source, decoded, and output picture formats.....	17
6.3 Partitioning of pictures, slices, slice segments, tiles, coding tree units, and coding tree blocks.....	19
6.3.1 Partitioning of pictures into slices, slice segments, and tiles.....	19
6.3.2 Block and quadtree structures.....	20
6.3.3 Spatial or component-wise partitionings.....	21
6.4 Availability processes.....	22
6.4.1 Derivation process for z-scan order block availability.....	22
6.4.2 Derivation process for prediction block availability.....	22
6.5 Scanning processes.....	23
6.5.1 Coding tree block raster and tile scanning conversion process.....	23
6.5.2 Z-scan order array initialization process.....	24
6.5.3 Up-right diagonal scan order array initialization process.....	25
6.5.4 Horizontal scan order array initialization process.....	25
6.5.5 Vertical scan order array initialization process.....	25
7 Syntax and semantics.....	26
7.1 Method of specifying syntax in tabular form.....	26
7.2 Specification of syntax functions and descriptors.....	27
7.3 Syntax in tabular form.....	28
7.3.1 NAL unit syntax.....	28

7.3.1.1	General NAL unit syntax .....	28
7.3.1.2	NAL unit header syntax .....	29
7.3.2	Raw byte sequence payloads, trailing bits, and byte alignment syntax .....	30
7.3.2.1	Video parameter set RBSP syntax .....	30
7.3.2.2	Sequence parameter set RBSP syntax .....	31
7.3.2.3	Picture parameter set RBSP syntax .....	34
7.3.2.4	Supplemental enhancement information RBSP syntax .....	36
7.3.2.5	Access unit delimiter RBSP syntax .....	36
7.3.2.6	End of sequence RBSP syntax .....	36
7.3.2.7	End of bitstream RBSP syntax .....	36
7.3.2.8	Filler data RBSP syntax .....	36
7.3.2.9	Slice segment layer RBSP syntax .....	36
7.3.2.10	RBSP slice segment trailing bits syntax .....	37
7.3.2.11	RBSP trailing bits syntax .....	37
7.3.2.12	Byte alignment syntax .....	37
7.3.3	Profile, tier and level syntax .....	38
7.3.4	Scaling list data syntax .....	40
7.3.5	Supplemental enhancement information message syntax .....	40
7.3.6	Slice segment header syntax .....	41
7.3.6.1	General slice segment header syntax .....	41
7.3.6.2	Reference picture list modification syntax .....	43
7.3.6.3	Weighted prediction parameters syntax .....	44
7.3.7	Short-term reference picture set syntax .....	45
7.3.8	Slice segment data syntax .....	46
7.3.8.1	General slice segment data syntax .....	46
7.3.8.2	Coding tree unit syntax .....	46
7.3.8.3	Sample adaptive offset syntax .....	46
7.3.8.4	Coding quadtree syntax .....	48
7.3.8.5	Coding unit syntax .....	49
7.3.8.6	Prediction unit syntax .....	51
7.3.8.7	PCM sample syntax .....	51
7.3.8.8	Transform tree syntax .....	52
7.3.8.9	Motion vector difference syntax .....	53
7.3.8.10	Transform unit syntax .....	54
7.3.8.11	Residual coding syntax .....	56
7.3.8.12	Cross-component prediction syntax .....	58
7.4	Semantics .....	58
7.4.1	General .....	58
7.4.2	NAL unit semantics .....	58
7.4.2.1	General NAL unit semantics .....	58
7.4.2.2	NAL unit header semantics .....	59
7.4.2.3	Encapsulation of an SODB within an RBSP (informative) .....	62
7.4.2.4	Order of NAL units and association to coded pictures, access units, and coded video sequences .....	63
7.4.3	Raw byte sequence payloads, trailing bits, and byte alignment semantics .....	66
7.4.3.1	Video parameter set RBSP semantics .....	66
7.4.3.2	Sequence parameter set RBSP semantics .....	69
7.4.3.3	Picture parameter set RBSP semantics .....	75
7.4.3.4	Supplemental enhancement information RBSP semantics .....	79
7.4.3.5	Access unit delimiter RBSP semantics .....	79
7.4.3.6	End of sequence RBSP semantics .....	79
7.4.3.7	End of bitstream RBSP semantics .....	80
7.4.3.8	Filler data RBSP semantics .....	80
7.4.3.9	Slice segment layer RBSP semantics .....	80
7.4.3.10	RBSP slice segment trailing bits semantics .....	80
7.4.3.11	RBSP trailing bits semantics .....	80
7.4.3.12	Byte alignment semantics .....	80
7.4.4	Profile, tier, and level semantics .....	80
7.4.5	Scaling list data semantics .....	83
7.4.6	Supplemental enhancement information message semantics .....	85
7.4.7	Slice segment header semantics .....	85
7.4.7.1	General slice segment header semantics .....	85
7.4.7.2	Reference picture list modification semantics .....	90
7.4.7.3	Weighted prediction parameters semantics .....	91

7.4.8	Short-term reference picture set semantics .....	91
7.4.9	Slice segment data semantics .....	94
7.4.9.1	General slice segment data semantics .....	94
7.4.9.2	Coding tree unit semantics .....	94
7.4.9.3	Sample adaptive offset semantics .....	94
7.4.9.4	Coding quadtree semantics .....	96
7.4.9.5	Coding unit semantics .....	96
7.4.9.6	Prediction unit semantics .....	98
7.4.9.7	PCM sample semantics .....	98
7.4.9.8	Transform tree semantics .....	99
7.4.9.9	Motion vector difference semantics .....	99
7.4.9.10	Transform unit semantics .....	100
7.4.9.11	Residual coding semantics .....	101
7.4.9.12	Cross-component prediction semantics .....	103
8	Decoding process .....	103
8.1	General decoding process .....	103
8.1.1	General .....	103
8.1.2	CVSG decoding process .....	104
8.1.3	Decoding process for a coded picture with nuh_layer_id equal to 0 .....	104
8.2	NAL unit decoding process .....	105
8.3	Slice decoding process .....	105
8.3.1	Decoding process for picture order count .....	105
8.3.2	Decoding process for reference picture set .....	106
8.3.3	Decoding process for generating unavailable reference pictures .....	110
8.3.3.1	General decoding process for generating unavailable reference pictures .....	110
8.3.3.2	Generation of one unavailable picture .....	111
8.3.4	Decoding process for reference picture lists construction .....	111
8.3.5	Decoding process for collocated picture and no backward prediction flag .....	112
8.4	Decoding process for coding units coded in intra prediction mode .....	112
8.4.1	General decoding process for coding units coded in intra prediction mode .....	112
8.4.2	Derivation process for luma intra prediction mode .....	113
8.4.3	Derivation process for chroma intra prediction mode .....	115
8.4.4	Decoding process for intra blocks .....	116
8.4.4.1	General decoding process for intra blocks .....	116
8.4.4.2	Intra sample prediction .....	118
8.5	Decoding process for coding units coded in inter prediction mode .....	124
8.5.1	General decoding process for coding units coded in inter prediction mode .....	124
8.5.2	Inter prediction process .....	124
8.5.3	Decoding process for prediction units in inter prediction mode .....	127
8.5.3.1	General .....	127
8.5.3.2	Derivation process for motion vector components and reference indices .....	128
8.5.3.3	Decoding process for inter prediction samples .....	142
8.5.4	Decoding process for the residual signal of coding units coded in inter prediction mode .....	150
8.5.4.1	General .....	150
8.5.4.2	Decoding process for luma residual blocks .....	151
8.5.4.3	Decoding process for chroma residual blocks .....	152
8.6	Scaling, transformation and array construction process prior to deblocking filter process .....	153
8.6.1	Derivation process for quantization parameters .....	153
8.6.2	Scaling and transformation process .....	155
8.6.3	Scaling process for transform coefficients .....	156
8.6.4	Transformation process for scaled transform coefficients .....	157
8.6.4.1	General .....	157
8.6.4.2	Transformation process .....	158
8.6.5	Residual modification process for blocks using a transform bypass .....	159
8.6.6	Residual modification process for transform blocks using cross-component prediction .....	159
8.6.7	Picture construction process prior to in-loop filter process .....	160
8.7	In-loop filter process .....	160
8.7.1	General .....	160
8.7.2	Deblocking filter process .....	161
8.7.2.1	General .....	161
8.7.2.2	Derivation process of transform block boundary .....	162
8.7.2.3	Derivation process of prediction block boundary .....	163

8.7.2.4	Derivation process of boundary filtering strength.....	164
8.7.2.5	Edge filtering process.....	165
8.7.3	Sample adaptive offset process.....	173
8.7.3.1	General.....	173
8.7.3.2	Coding tree block modification process.....	174
9	Parsing process.....	175
9.1	General.....	175
9.2	Parsing process for 0-th order Exp-Golomb codes.....	176
9.2.1	General.....	176
9.2.2	Mapping process for signed Exp-Golomb codes.....	177
9.3	CABAC parsing process for slice segment data.....	178
9.3.1	General.....	178
9.3.2	Initialization process.....	180
9.3.2.1	General.....	180
9.3.2.2	Initialization process for context variables.....	181
9.3.2.3	Storage process for context variables and Rice parameter initialization states.....	190
9.3.2.4	Synchronization process for context variables and Rice parameter initialization states.....	191
9.3.2.5	Initialization process for the arithmetic decoding engine.....	191
9.3.3	Binarization process.....	192
9.3.3.1	General.....	192
9.3.3.2	Truncated Rice (TR) binarization process.....	194
9.3.3.3	k-th order Exp-Golomb (EGk) binarization process.....	195
9.3.3.4	Limited k-th order Exp-Golomb (EGk) binarization process.....	195
9.3.3.5	Fixed-length (FL) binarization process.....	196
9.3.3.6	Binarization process for part_mode.....	196
9.3.3.7	Binarization process for intra_chroma_pred_mode.....	197
9.3.3.8	Binarization process for inter_pred_idc.....	197
9.3.3.9	Binarization process for cu_qp_delta_abs.....	198
9.3.3.10	Binarization process for coeff_abs_level_remaining[ ].....	198
9.3.4	Decoding process flow.....	199
9.3.4.1	General.....	199
9.3.4.2	Derivation process for ctxTable, ctxIdx and bypassFlag.....	200
9.3.4.3	Arithmetic decoding process.....	206
9.3.5	Arithmetic encoding process (informative).....	212
9.3.5.1	General.....	212
9.3.5.2	Initialization process for the arithmetic encoding engine (informative).....	212
9.3.5.3	Encoding process for a binary decision (informative).....	213
9.3.5.4	Renormalization process in the arithmetic encoding engine (informative).....	214
9.3.5.5	Bypass encoding process for binary decisions (informative).....	215
9.3.5.6	Encoding process for a binary decision before termination (informative).....	216
9.3.5.7	Byte stuffing process (informative).....	218
10	Sub-bitstream extraction process.....	218
Annex A	Profiles, tiers and levels.....	219
A.1	Overview of profiles, tiers and levels.....	219
A.2	Requirements on video decoder capability.....	219
A.3	Profiles.....	219
A.3.1	General.....	219
A.3.2	Main profile.....	219
A.3.3	Main 10 profile.....	220
A.3.4	Main Still Picture profile.....	221
A.3.5	Format range extensions profiles.....	222
A.3.6	Format range extensions high throughput profiles.....	226
A.4	Tiers and levels.....	228
A.4.1	General tier and level limits.....	228
A.4.2	Profile-specific level limits for the video profiles.....	229
A.4.3	Effect of level limits on picture rate for the video profiles (informative).....	232
Annex B	Byte stream format.....	236
B.1	General.....	236
B.2	Byte stream NAL unit syntax and semantics.....	236
B.2.1	Byte stream NAL unit syntax.....	236

B.2.2	Byte stream NAL unit semantics .....	236
B.3	Byte stream NAL unit decoding process .....	237
B.4	Decoder byte-alignment recovery (informative).....	237
Annex C	Hypothetical reference decoder .....	238
C.1	General.....	238
C.2	Operation of coded picture buffer (CPB).....	242
C.2.1	General.....	242
C.2.2	Timing of decoding unit arrival .....	242
C.2.3	Timing of decoding unit removal and decoding of decoding unit .....	244
C.3	Operation of the decoded picture buffer (DPB).....	246
C.3.1	General.....	246
C.3.2	Removal of pictures from the DPB .....	247
C.3.3	Picture output .....	247
C.3.4	Current decoded picture marking and storage.....	248
C.4	Bitstream conformance .....	248
C.5	Decoder conformance .....	249
C.5.1	General.....	249
C.5.2	Operation of the output order DPB .....	250
C.5.2.1	General.....	250
C.5.2.2	Output and removal of pictures from the DPB .....	251
C.5.2.3	Picture decoding, marking, additional bumping, and storage .....	251
C.5.2.4	"Bumping" process .....	252
Annex D	Supplemental enhancement information .....	253
D.1	General.....	253
D.2	SEI payload syntax .....	254
D.2.1	General SEI message syntax .....	254
D.2.2	Buffering period SEI message syntax .....	257
D.2.3	Picture timing SEI message syntax .....	258
D.2.4	Pan-scan rectangle SEI message syntax.....	258
D.2.5	Filler payload SEI message syntax .....	259
D.2.6	User data registered by Rec. ITU-T T.35 SEI message syntax.....	259
D.2.7	User data unregistered SEI message syntax .....	259
D.2.8	Recovery point SEI message syntax .....	259
D.2.9	Scene information SEI message syntax .....	260
D.2.10	Picture snapshot SEI message syntax.....	260
D.2.11	Progressive refinement segment start SEI message syntax .....	260
D.2.12	Progressive refinement segment end SEI message syntax .....	260
D.2.13	Film grain characteristics SEI message syntax .....	261
D.2.14	Post-filter hint SEI message syntax.....	261
D.2.15	Tone mapping information SEI message syntax .....	262
D.2.16	Frame packing arrangement SEI message syntax .....	263
D.2.17	Display orientation SEI message syntax .....	263
D.2.18	Structure of pictures information SEI message syntax.....	264
D.2.19	Decoded picture hash SEI message syntax .....	264
D.2.20	Active parameter sets SEI message syntax .....	264
D.2.21	Decoding unit information SEI message syntax .....	265
D.2.22	Temporal sub-layer zero index SEI message syntax.....	265
D.2.23	Scalable nesting SEI message syntax.....	265
D.2.24	Region refresh information SEI message syntax .....	266
D.2.25	No display SEI message syntax .....	266
D.2.26	Time code SEI message syntax.....	267
D.2.27	Mastering display colour volume SEI message syntax.....	268
D.2.28	Segmented rectangular frame packing arrangement SEI message syntax.....	268
D.2.29	Temporal motion-constrained tile sets SEI message syntax.....	269
D.2.30	Chroma resampling filter hint SEI message syntax .....	270
D.2.31	Knee function information SEI message syntax .....	270
D.2.32	Colour remapping information SEI message syntax .....	271
D.2.33	Deinterlaced field identification SEI message syntax .....	272
D.2.34	Reserved SEI message syntax .....	272
D.3	SEI payload semantics .....	272
D.3.1	General SEI payload semantics.....	272

D.3.2	Buffering period SEI message semantics.....	276
D.3.3	Picture timing SEI message semantics.....	278
D.3.4	Pan-scan rectangle SEI message semantics .....	283
D.3.5	Filler payload SEI message semantics .....	284
D.3.6	User data registered by Rec. ITU-T T.35 SEI message semantics.....	284
D.3.7	User data unregistered SEI message semantics.....	284
D.3.8	Recovery point SEI message semantics .....	285
D.3.9	Scene information SEI message semantics .....	286
D.3.10	Picture snapshot SEI message semantics .....	288
D.3.11	Progressive refinement segment start SEI message semantics.....	288
D.3.12	Progressive refinement segment end SEI message semantics.....	289
D.3.13	Film grain characteristics SEI message semantics .....	289
D.3.14	Post-filter hint SEI message semantics .....	294
D.3.15	Tone mapping information SEI message semantics.....	295
D.3.16	Frame packing arrangement SEI message semantics.....	299
D.3.17	Display orientation SEI message semantics.....	306
D.3.18	Structure of pictures information SEI message semantics .....	307
D.3.19	Decoded picture hash SEI message semantics .....	308
D.3.20	Active parameter sets SEI message semantics .....	309
D.3.21	Decoding unit information SEI message semantics .....	310
D.3.22	Temporal sub-layer zero index SEI message semantics.....	311
D.3.23	Scalable nesting SEI message semantics .....	312
D.3.24	Region refresh information SEI message semantics .....	313
D.3.25	No display SEI message semantics .....	314
D.3.26	Time code SEI message semantics .....	314
D.3.27	Mastering display colour volume SEI message semantics.....	317
D.3.28	Segmented rectangular frame packing arrangement SEI message semantics .....	318
D.3.29	Temporal motion-constrained tile sets SEI message semantics .....	320
D.3.30	Chroma resampling filter hint SEI message semantics .....	323
D.3.31	Knee function information SEI message semantics .....	332
D.3.32	Colour remapping information SEI message semantics.....	334
D.3.33	Deinterlaced field identification SEI message semantics.....	336
D.3.34	Reserved SEI message semantics.....	336
Annex E	Video usability information.....	337
E.1	General.....	337
E.2	VUI syntax.....	338
E.2.1	VUI parameters syntax.....	338
E.2.2	HRD parameters syntax .....	340
E.2.3	Sub-layer HRD parameters syntax.....	341
E.3	VUI semantics.....	341
E.3.1	VUI parameters semantics .....	341
E.3.2	HRD parameters semantics.....	354
E.3.3	Sub-layer HRD parameters semantics.....	357
Annex F	Common specifications for multi-layer extensions.....	359
F.1	Scope.....	359
F.2	Normative references .....	359
F.3	Definitions .....	359
F.4	Abbreviations.....	362
F.5	Conventions .....	362
F.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships.....	362
F.7	Syntax and semantics .....	362
F.7.1	Method of specifying syntax in tabular form .....	362
F.7.2	Specification of syntax functions, categories, and descriptors.....	362
F.7.3	Syntax in tabular form.....	362
F.7.3.1	NAL unit syntax.....	362
F.7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax.....	363
F.7.3.3	Profile, tier, and level syntax .....	377
F.7.3.4	Scaling list data syntax .....	377
F.7.3.5	Supplemental enhancement information message syntax.....	377
F.7.3.6	Slice segment header syntax .....	378
F.7.3.7	Short-term reference picture set syntax .....	381

F.7.3.8	Slice segment data syntax .....	381
F.7.4	Semantics .....	381
F.7.4.1	General .....	381
F.7.4.2	NAL unit semantics .....	381
F.7.4.3	Raw byte sequence payloads, trailing bits, and byte alignment semantics .....	385
F.7.4.4	Profile, tier, and level semantics .....	410
F.7.4.5	Scaling list data semantics .....	412
F.7.4.6	Supplemental enhancement information message semantics .....	412
F.7.4.7	Slice segment header semantics .....	412
F.7.4.8	Short-term reference picture set semantics .....	416
F.7.4.9	Slice segment data semantics .....	417
F.8	Decoding process .....	417
F.8.1	General decoding process .....	417
F.8.1.1	General .....	417
F.8.1.2	CVSG decoding process .....	418
F.8.1.3	Common decoding process for a coded picture .....	419
F.8.1.4	Decoding process for a coded picture with nuh_layer_id equal to 0 .....	422
F.8.1.5	Decoding process for starting the decoding of a coded picture with nuh_layer_id greater than 0 .....	422
F.8.1.6	Decoding process for ending the decoding of a coded picture with nuh_layer_id greater than 0 .....	423
F.8.1.7	Decoding process for generating unavailable reference pictures for pictures first in decoding order within a layer .....	423
F.8.1.8	Initialization process for an external base layer picture .....	424
F.8.1.9	Decoding process for an external base layer picture .....	425
F.8.2	NAL unit decoding process .....	425
F.8.3	Slice decoding processes .....	425
F.8.3.1	Decoding process for picture order count .....	425
F.8.3.2	Decoding process for reference picture set .....	427
F.8.3.3	Decoding process for generating unavailable reference pictures .....	428
F.8.3.4	Decoding process for reference picture lists construction .....	428
F.8.4	Decoding process for coding units coded in intra prediction mode .....	428
F.8.5	Decoding process for coding units coded in inter prediction mode .....	429
F.8.6	Scaling, transformation and array construction process prior to deblocking filter process .....	429
F.8.7	In-loop filter process .....	429
F.9	Parsing process .....	429
F.10	Specification of bitstream subsets .....	429
F.10.1	Sub-bitstream extraction process .....	429
F.10.2	Independent non-base layer rewriting process .....	429
F.10.3	Sub-bitstream extraction process for additional layer sets .....	430
F.11	Profiles, tiers, and levels .....	430
F.11.1	Independent non-base layer decoding capability .....	430
F.11.2	Decoder capabilities .....	431
F.12	Byte stream format .....	432
F.13	Hypothetical reference decoder .....	432
F.13.1	General .....	432
F.13.2	Operation of bitstream partition buffer (BPB) .....	437
F.13.2.1	General .....	437
F.13.2.2	Timing of decoding unit arrival .....	437
F.13.2.3	Timing of decoding unit removal and decoding of decoding unit .....	439
F.13.3	Operation of decoded picture buffer (DPB) .....	442
F.13.3.1	General .....	442
F.13.3.2	Removal of pictures from the DPB .....	442
F.13.3.3	Picture output .....	443
F.13.3.4	Current decoded picture marking and storage .....	444
F.13.4	Bitstream conformance .....	444
F.13.5	Decoder conformance .....	446
F.13.5.1	General .....	446
F.13.5.2	Operation of the output order DPB .....	447
F.13.6	Demultiplexing process for deriving a bitstream partition .....	450
F.14	Supplemental enhancement information .....	450
F.14.1	General .....	450
F.14.2	SEI payload syntax .....	450
F.14.2.1	General SEI payload syntax .....	450

F.14.2.2	Annex D SEI message syntax for multi-layer extensions .....	450
F.14.2.3	Layers not present SEI message syntax .....	450
F.14.2.4	Inter-layer constrained tile sets SEI message syntax .....	451
F.14.2.5	Bitstream partition nesting SEI message syntax .....	451
F.14.2.6	Bitstream partition initial arrival time SEI message syntax .....	452
F.14.2.7	Sub-bitstream property SEI message syntax .....	452
F.14.2.8	Alpha channel information SEI message syntax .....	452
F.14.2.9	Overlay information SEI message syntax .....	453
F.14.2.10	Temporal motion vector prediction constraints SEI message syntax .....	454
F.14.2.11	Frame-field information SEI message syntax .....	454
F.14.3	SEI payload semantics .....	454
F.14.3.1	General SEI payload semantics .....	454
F.14.3.2	Annex D SEI message semantics for multi-layer extensions .....	455
F.14.3.3	Layers not present SEI message semantics .....	463
F.14.3.4	Inter-layer constrained tile sets SEI message semantics .....	463
F.14.3.5	Bitstream partition nesting SEI message semantics .....	465
F.14.3.6	Bitstream partition initial arrival time SEI message semantics .....	465
F.14.3.7	Sub-bitstream property SEI message semantics .....	466
F.14.3.8	Alpha channel information SEI message semantics .....	467
F.14.3.9	Overlay information SEI message semantics .....	468
F.14.3.10	Temporal motion vector prediction constraints SEI message semantics .....	470
F.14.3.11	Frame-field information SEI message semantics .....	471
F.15	Video usability information .....	472
F.15.1	General .....	472
F.15.2	VUI syntax .....	472
F.15.3	VUI semantics .....	472
F.15.3.1	VUI parameters semantics .....	472
F.15.3.2	HRD parameters semantics .....	473
F.15.3.3	Sub-layer HRD parameters semantics .....	473
Annex G	Multiview high efficiency video coding .....	474
G.1	Scope .....	474
G.2	Normative references .....	474
G.3	Definitions .....	474
G.4	Abbreviations .....	474
G.5	Conventions .....	474
G.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships .....	474
G.7	Syntax and semantics .....	474
G.8	Decoding processes .....	474
G.8.1	General decoding process .....	474
G.8.1.1	General .....	474
G.8.1.2	Decoding process for a coded picture with nuh_layer_id greater than 0 .....	474
G.8.1.3	Decoding process for inter-layer reference picture set .....	475
G.8.2	NAL unit decoding process .....	475
G.8.3	Slice decoding processes .....	475
G.8.4	Decoding process for coding units coded in intra prediction mode .....	475
G.8.5	Decoding process for coding units coded in inter prediction mode .....	475
G.8.6	Scaling, transformation and array construction process prior to deblocking filter process .....	475
G.8.7	In-loop filter process .....	475
G.9	Parsing process .....	475
G.10	Specification of bitstream subsets .....	476
G.11	Profiles, tiers, and levels .....	476
G.11.1	Profiles .....	476
G.11.1.1	Multiview Main profile .....	476
G.11.2	Tiers and levels .....	478
G.11.2.1	General tier and level limits .....	478
G.11.2.2	Profile-specific tier and level limits for the Multiview Main profile .....	479
G.11.3	Decoder capabilities .....	480
G.12	Byte stream format .....	480
G.13	Hypothetical reference decoder .....	480
G.14	Supplemental enhancement information .....	480
G.14.1	General .....	480

G.14.2	SEI payload syntax.....	480
G.14.2.1	General SEI payload syntax.....	480
G.14.2.2	Annex D and Annex F SEI message syntax for multiview high efficiency video coding.....	480
G.14.2.3	3D reference displays information SEI message syntax.....	481
G.14.2.4	Depth representation information SEI message syntax.....	482
G.14.2.5	Multiview scene information SEI message syntax.....	482
G.14.2.6	Multiview acquisition information SEI message syntax.....	483
G.14.2.7	Multiview view position SEI message syntax.....	484
G.14.3	SEI payload semantics.....	484
G.14.3.1	General SEI payload semantics.....	484
G.14.3.2	Annex D and Annex F SEI message semantics for multiview high efficiency video coding.....	484
G.14.3.3	3D reference displays information SEI message semantics.....	484
G.14.3.4	Depth representation information SEI message semantics.....	487
G.14.3.5	Multiview scene information SEI message semantics.....	489
G.14.3.6	Multiview acquisition information SEI message semantics.....	490
G.14.3.7	Multiview view position SEI message semantics.....	493
G.15	Video usability information.....	493
Annex H	Scalable high efficiency video coding.....	494
H.1	Scope.....	494
H.2	Normative references.....	494
H.3	Definitions.....	494
H.4	Abbreviations.....	494
H.5	Conventions.....	494
H.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships.....	494
H.7	Syntax and semantics.....	494
H.8	Decoding processes.....	494
H.8.1	General decoding process.....	494
H.8.1.1	General.....	494
H.8.1.2	Decoding process for a coded picture with nuh_layer_id greater than 0.....	494
H.8.1.3	Decoding process for inter-layer reference picture set.....	495
H.8.1.4	Derivation process for inter-layer reference pictures.....	495
H.8.2	NAL unit decoding process.....	507
H.8.3	Slice decoding processes.....	507
H.8.3.1	Decoding process for picture order count.....	507
H.8.3.2	Decoding process for reference picture set.....	507
H.8.3.3	Decoding process for generating unavailable reference pictures.....	507
H.8.3.4	Decoding process for reference picture lists construction.....	507
H.8.4	Decoding process for coding units coded in intra prediction mode.....	507
H.8.5	Decoding process for coding units coded in inter prediction mode.....	507
H.8.6	Scaling, transformation and array construction process prior to deblocking filter process.....	508
H.8.7	In-loop filter process.....	508
H.9	Parsing process.....	508
H.10	Specification of bitstream subsets.....	508
H.11	Profiles, tiers, and levels.....	508
H.11.1	Profiles.....	508
H.11.1.1	Scalable Main and Scalable Main 10 profiles.....	508
H.11.2	Tiers and levels.....	510
H.11.2.1	General tier and level limits.....	510
H.11.2.2	Profile specific tier and level limits for the Scalable Main and Scalable Main 10 profiles.....	512
H.11.3	Decoder capabilities.....	513
H.12	Byte stream format.....	513
H.13	Hypothetical reference decoder.....	513
H.14	Supplemental enhancement information.....	513
H.15	Video usability information.....	513
Bibliography	.....	514

## LIST OF FIGURES

Figure 6-1 – Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a picture.....	18
---	----

Figure 6-2 – Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a picture .....	18
Figure 6-3 – Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a picture .....	19
Figure 6-4 – A picture with 11 by 9 luma coding tree blocks that is partitioned into two slices, the first of which is partitioned into three slice segments (informative).....	20
Figure 6-5 – A picture with 11 by 9 luma coding tree blocks that is partitioned into two tiles and one slice (left) or is partitioned into two tiles and three slices (right) (informative) .....	20
Figure 7-1 – Structure of an access unit not containing any NAL units with nal_unit_type equal to FD_NUT, SUFFIX_SEI_NUT, VPS_NUT, SPS_NUT, PPS_NUT, RSV_VCL_N10, RSV_VCL_R11, RSV_VCL_N12, RSV_VCL_R13, RSV_VCL_N14, RSV_VCL_R15, RSV_IRAP_VCL22, or RSV_IRAP_VCL23, or in the range of RSV_VCL24..RSV_VCL31, RSV_NVCL41..RSV_NVCL47, or UNSPEC48..UNSPEC63 .....	66
Figure 8-1 – Intra prediction mode directions (informative) .....	114
Figure 8-2 – Intra prediction angle definition (informative).....	122
Figure 8-3 – Spatial motion vector neighbours (informative) .....	137
Figure 8-4 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation.....	145
Figure 8-5 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for eighth sample chroma interpolation.....	147
Figure 9-1 – Illustration of CABAC parsing process for a syntax element synEl (informative).....	179
Figure 9-2 – Spatial neighbour T that is used to invoke the coding tree block availability derivation process relative to the current coding tree block (informative) .....	180
Figure 9-3 – Illustration of CABAC initialization process (informative).....	181
Figure 9-4 – Illustration of CABAC storage process (informative).....	191
Figure 9-5 – Overview of the arithmetic decoding process for a single bin (informative).....	206
Figure 9-6 – Flowchart for decoding a decision .....	208
Figure 9-7 – Flowchart of renormalization.....	210
Figure 9-8 – Flowchart of bypass decoding process.....	211
Figure 9-9 – Flowchart of decoding a decision before termination .....	212
Figure 9-10 – Flowchart for encoding a decision .....	214
Figure 9-11 – Flowchart of renormalization in the encoder .....	215
Figure 9-12 – Flowchart of PutBit(B).....	215
Figure 9-13 – Flowchart of encoding bypass.....	216
Figure 9-14 – Flowchart of encoding a decision before termination .....	217
Figure 9-15 – Flowchart of flushing at termination .....	217
Figure C.1 – Structure of byte streams and NAL unit streams for HRD conformance checks.....	238
Figure C.2 – HRD buffer model .....	241
Figure D.1 – Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields .....	280
Figure D.2 – Nominal vertical and horizontal sampling locations of 4:2:2 samples in top and bottom fields .....	281
Figure D.3 – Nominal vertical and horizontal sampling locations of 4:4:4 samples in top and bottom fields .....	281
Figure D.4 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, and ( x, y ) equal to ( 0, 0 ) or ( 4, 8 ) for both constituent frames.....	303
Figure D.5 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, ( x, y ) equal to ( 12, 8 ) for constituent frame 0, and ( x, y ) equal to ( 0, 0 ) or ( 4, 8 ) for constituent frame 1 .....	304

Figure D.6 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, and ( x, y ) equal to ( 0, 0 ) or ( 8, 4 ) for both constituent frames.....	304
Figure D.7 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, ( x, y ) equal to ( 8, 12 ) for constituent frame 0, and ( x, y ) equal to ( 0, 0 ) or ( 8, 4 ) for constituent frame 1.....	305
Figure D.8 – Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1).....	305
Figure D.9 – Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5).....	306
Figure D.10 – Rearrangement of a segmented rectangular frame packing arrangement.....	320
Figure D.11 – A knee function with num_knee_points_minus1 equal to 2.....	333
Figure E.1 – Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field.....	351
Figure F.1 – Bitstream-partition-specific HRD buffer model.....	435

## LIST OF TABLES

Table 5-1 – Operation precedence from highest (at top of table) to lowest (at bottom of table).....	14
Table 6-1 – SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag...	17
Table 7-1 – NAL unit type codes and NAL unit type classes.....	60
Table 7-2 – Interpretation of pic_type.....	79
Table 7-3 – Specification of sizeId.....	83
Table 7-4 – Specification of matrixId according to sizeId, prediction mode and colour component.....	83
Table 7-5 – Specification of default values of ScalingList[ 0 ][ matrixId ][ i ] with i = 0..15.....	84
Table 7-6 – Specification of default values of ScalingList[ 1..3 ][ matrixId ][ i ] with i = 0..63.....	84
Table 7-7 – Name association to slice_type.....	86
Table 7-8 – Specification of the SAO type.....	95
Table 7-9 – Specification of the SAO edge offset class.....	96
Table 7-10 – Name association to prediction mode and partitioning type.....	97
Table 7-11 – Name association to inter prediction mode.....	98
Table 8-1 – Specification of intra prediction mode and associated names.....	113
Table 8-2 – Specification of modeIdx.....	116
Table 8-3 – Specification of intraPredModeC when ChromaArrayType is equal to 2.....	116
Table 8-4 – Specification of intraHorVerDistThres[ nTbS ] for various transform block sizes.....	120
Table 8-5 – Specification of intraPredAngle.....	122
Table 8-6 – Specification of invAngle.....	122
Table 8-7 – Specification of l0CandIdx and l1CandIdx.....	135
Table 8-8 – Assignment of the luma prediction sample predSampleLX <sub>L</sub> .....	146
Table 8-9 – Assignment of the chroma prediction sample predSampleLX <sub>C</sub> for ( X, Y ) being replaced by ( 1, b ), ( 2, c ), ( 3, d ), ( 4, e ), ( 5, f ), ( 6, g ), and ( 7, h ), respectively.....	148
Table 8-10 – Specification of Qp <sub>C</sub> as a function of qP <sub>i</sub> for ChromaArrayType equal to 1.....	155
Table 8-11 – Name of association to edgeType.....	161

Table 8-12 – Derivation of threshold variables $\beta'$ and $t_c'$ from input Q .....	169
Table 8-13 – Specification of hPos and vPos according to the sample adaptive offset class .....	175
Table 9-1 – Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative) .....	176
Table 9-2 – Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative) .....	177
Table 9-3 – Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v) .....	177
Table 9-4 – Association of ctxIdx and syntax elements for each initializationType in the initialization process .....	183
Table 9-5 – Values of initValue for ctxIdx of sao_merge_left_flag and sao_merge_up_flag .....	184
Table 9-6 – Values of initValue for ctxIdx of sao_type_idx_luma and sao_type_idx_chroma .....	184
Table 9-7 – Values of initValue for ctxIdx of split_cu_flag .....	184
Table 9-8 – Values of initValue for ctxIdx of cu_transquant_bypass_flag .....	184
Table 9-9 – Values of initValue for ctxIdx of cu_skip_flag .....	184
Table 9-10 – Values of initValue for ctxIdx of pred_mode_flag .....	185
Table 9-11 – Values of initValue for ctxIdx of part_mode .....	185
Table 9-12 – Values of initValue for ctxIdx of prev_intra_luma_pred_flag .....	185
Table 9-13 – Values of initValue for ctxIdx of intra_chroma_pred_mode .....	185
Table 9-14 – Values of initValue for ctxIdx of rqt_root_cbf .....	185
Table 9-15 – Value of initValue for ctxIdx of merge_flag .....	185
Table 9-16 – Values of initValue for ctxIdx of merge_idx .....	186
Table 9-17 – Values of initValue for ctxIdx of inter_pred_idc .....	186
Table 9-18 – Values of initValue for ctxIdx of ref_idx_l0 and ref_idx_l1 .....	186
Table 9-19 – Values of initValue for ctxIdx of.mvp_l0_flag and.mvp_l1_flag .....	186
Table 9-20 – Values of initValue for ctxIdx of split_transform_flag .....	186
Table 9-21 – Values of initValue for ctxIdx of cbf_luma .....	186
Table 9-22 – Values of initValue for ctxIdx of cbf_cb and cbf_cr .....	187
Table 9-23 – Values of initValue for ctxIdx of abs_mvd_greater0_flag and abs_mvd_greater1_flag .....	187
Table 9-24 – Values of initValue for ctxIdx of cu_qp_delta_abs .....	187
Table 9-25 – Values of initValue for ctxIdx of transform_skip_flag .....	187
Table 9-26 – Values of initValue for ctxIdx of last_sig_coeff_x_prefix .....	187
Table 9-27 – Values of initValue for ctxIdx of last_sig_coeff_y_prefix .....	188
Table 9-28 – Values of initValue for ctxIdx of coded_sub_block_flag .....	188
Table 9-29 – Values of initValue for ctxIdx of sig_coeff_flag .....	188
Table 9-30 – Values of initValue for ctxIdx of coeff_abs_level_greater1_flag .....	189
Table 9-31 – Values of initValue for ctxIdx of coeff_abs_level_greater2_flag .....	189
Table 9-32 – Values of initValue for ctxIdx of explicit_rdp_pcm_flag .....	189
Table 9-33 – Values of initValue for ctxIdx of explicit_rdp_pcm_dir_flag .....	189
Table 9-34 – Values of initValue for ctxIdx of cu_chroma_qp_offset_flag .....	189
Table 9-35 – Values of initValue for ctxIdx of cu_chroma_qp_offset_idx .....	190
Table 9-36 – Values of initValue for ctxIdx of log2_res_scale_abs_plus1 .....	190
Table 9-37 – Values of initValue for ctxIdx of res_scale_sign_flag .....	190

Table 9-38 – Syntax elements and associated binarizations .....	192
Table 9-39 – Bin string of the unary binarization (informative).....	195
Table 9-40 – Binarization for part_mode.....	197
Table 9-41 – Binarization for intra_chroma_pred_mode.....	197
Table 9-42 – Binarization for inter_pred_idc .....	198
Table 9-43 – Assignment of ctxInc to syntax elements with context coded bins .....	200
Table 9-44 – Specification of ctxInc using left and above syntax elements .....	202
Table 9-45 – Specification of ctxIdxMap[ i ] .....	204
Table 9-46 – Specification of rangeTabLps depending on the values of pStateIdx and qRangeIdx .....	209
Table 9-47 – State transition table .....	210
Table A.1 – Allowed values for syntax elements in the format range extensions profiles .....	223
Table A.2 – Bitstream indications for conformance to format range extensions profiles.....	225
Table A.3 – Bitstream indications for conformance to format range extensions high throughput profiles .....	227
Table A.4 – General tier and level limits.....	229
Table A.5 – Tier and level limits for the video profiles.....	231
Table A.6 – Specification of CpbVclFactor, CpbNalFactor, FormatCapabilityFactor, and MinCrScaleFactor .....	232
Table A.7 – Maximum picture rates (pictures per second) at level 1 to 4.1 for some example picture sizes when MinCbSizeY is equal to 64.....	233
Table A.8 – Maximum picture rates (pictures per second) at level 5 to 6.2 for some example picture sizes when MinCbSizeY is equal to 64.....	234
Table D.1 – Persistence scope of SEI messages (informative).....	273
Table D.2 – Interpretation of pic_struct.....	280
Table D.3 – scene_transition_type values .....	287
Table D.4 – film_grain_model_id values .....	289
Table D.5 – blending_mode_id values .....	291
Table D.6 – filter_hint_type values .....	295
Table D.7 – Interpretation of camera_iso_speed_idc and exposure_index_idc.....	298
Table D.8 – Definition of frame_packing_arrangement_type .....	300
Table D.9 – Definition of content_interpretation_type.....	301
Table D.10 – Interpretation of hash_type .....	308
Table D.11 – Definition of counting_type[ i ] values .....	316
Table D.12 – Definition of segmented_rect_content_interpretation_type.....	319
Table D.13 – ver_chroma_filter_idc values.....	324
Table D.14 – hor_chroma_filter_idc values .....	324
Table D.15 – Chroma sampling format indicated by target_format_idc .....	325
Table D.16 – Constraints on the value of num_vertical_filters .....	325
Table D.17 – Constraints on the value of num_horizontal_filters .....	326
Table D.18 – Values of verFilterCoeff and verTapLength when ver_chroma_filter_idc is equal to 2.....	327
Table D.19 – Values of horFilterCoeff and horTapLength when hor_chroma_filter_idc is equal to 2.....	327
Table D.20 – Usage of chroma filter in the vertical direction .....	330

Table D.21 – Usage of chroma filter in the horizontal direction .....	332
Table E.1 – Interpretation of sample aspect ratio indicator .....	342
Table E.2 – Meaning of video_format.....	343
Table E.3 – Colour primaries.....	344
Table E.4 – Transfer characteristics .....	346
Table E.5 – Matrix coefficients .....	350
Table E.6 – Divisor for computation of DpbOutputElementalInterval[ n ].....	357
Table F.1 – Mapping of ScalabiltyId to scalability dimensions.....	386
Table F.2 – Mapping of AuxId to the type of auxiliary pictures .....	387
Table F.3 – Specification of CompatibleProfileList .....	432
Table F.4 – Persistence scope of SEI messages (informative).....	454
Table G.1 – Persistence scope of SEI messages (informative).....	484
Table G.2 – Association between camera parameter variables and syntax elements .....	486
Table G.3 – Definition of depth_representation_type .....	488
Table G.4 – Association between depth parameter variables and syntax elements.....	488
Table G.5 – Association between camera parameter variables and syntax elements .....	493
Table H.1 – 16-phase luma resampling filter.....	500
Table H.2 – 16-phase chroma resampling filter.....	501