

ISO/IEC/IEEE 8802-3-1:2015-08 (E)

Standard for Management Information Base (MIB) - Definitions for Ethernet

Contents

| | Page |
|---|------|
| 1. Overview | 1 |
| 1.1 Scope | 2 |
| 1.2 Purpose | 2 |
| 1.3 Internet-Standard Management Framework | 2 |
| 1.4 Security considerations | 2 |
| 1.5 Conformance | 3 |
| 2. Normative references | 5 |
| 3. Definitions | 7 |
| 4. Abbreviations | 9 |
| 5. Ethernet logical link discovery protocol (LLDP) extension MIB module | 11 |
| 5.1 Structure of the IEEE 802.3 LLDP extension MIB | 11 |
| 5.2 Relationship to other MIBs | 11 |
| 5.3 Security considerations for IEEE 802.3 LLDP extension MIB module | 14 |
| 5.4 MIB module definition | 15 |
| 6. Ethernet operations, administration, and maintenance (OAM) MIB module | 41 |
| 6.1 Introduction | 41 |
| 6.2 Overview | 41 |
| 6.2.1 Remote fault indication | 41 |
| 6.2.2 Link monitoring | 41 |
| 6.2.3 Remote loopback | 42 |
| 6.2.4 Ethernet OAM protocol data units | 42 |
| 6.3 Relation to other MIB modules | 42 |
| 6.3.1 Relation to other EFM MIB modules | 42 |
| 6.3.2 Mapping of IEEE 802.3 managed objects | 42 |
| 6.4 MIB structure | 45 |
| 6.5 Security considerations for Ethernet operations, administration, and maintenance (OAM) MIB module | 45 |
| 6.6 MIB module definition | 46 |
| 7. Ethernet repeater device MIB module | 83 |
| 7.1 Overview | 83 |
| 7.1.1 Repeater management | 83 |
| 7.1.2 Structure of the MIB | 83 |
| 7.1.3 Relationship to MIB-II | 83 |
| 7.2 Topology mapping | 84 |
| 7.3 MIB module definition | 84 |
| 8. Ethernet data terminal equipment (DTE) power via medium dependent interface (MDI) MIB module | 129 |
| 8.1 Introduction | 129 |
| 8.2 Overview | 129 |
| 8.3 MIB structure | 129 |

| | | |
|--------|--|-----|
| 8.4 | Security considerations for Ethernet data terminal equipment (DTE) power via medium dependent interface (MDI) MIB module | 129 |
| 8.5 | MIB module definition | 130 |
| 9. | Ethernet passive optical networks (EPON) MIB module | 143 |
| 9.1 | Overview | 143 |
| 9.1.1 | EPON architecture highlights | 143 |
| 9.1.2 | Management architecture | 149 |
| 9.2 | MIB structure | 150 |
| 9.3 | Relationship to other MIB modules | 154 |
| 9.3.1 | Relation to the Interfaces Group MIB and Ethernet-like interface MIB | 154 |
| 9.3.2 | Relation to the IEEE 802.3 MAU MIBs | 160 |
| 9.3.3 | Relation to the Ethernet OAM MIB | 160 |
| 9.3.4 | Relation to the bridge MIB | 160 |
| 9.4 | Mapping of IEEE 802.3 managed objects | 160 |
| 9.5 | Security considerations for Ethernet passive optical network (EPON) MIB module | 163 |
| 9.5.1 | dot3MpcpAdminState | 163 |
| 9.5.2 | dot3EponFecMode | 163 |
| 9.5.3 | dot3ExtPkgObjectReset | 163 |
| 9.5.4 | dot3ExtPkgObjectPowerDown | 163 |
| 9.5.5 | dot3ExtPkgObjectFecEnabled | 163 |
| 9.5.6 | dot3ExtPkgObjectRegisterAction | 163 |
| 9.5.7 | dot3ExtPkgObjectReportNumThreshold | 163 |
| 9.5.8 | dot3ExtPkgObjectReportThreshold | 163 |
| 9.5.9 | dot3ExtPkgOptIfLowerInputPowerThreshold | 164 |
| 9.5.10 | dot3ExtPkgOptIfUpperInputPowerThreshold | 164 |
| 9.5.11 | dot3ExtPkgOptIfLowerOutputPowerThreshold | 164 |
| 9.5.12 | dot3ExtPkgOptIfUpperOutputPowerThreshold | 164 |
| 9.5.13 | dot3ExtPkgOptIfTransmitEnable | 164 |
| 9.6 | MIB module definition | 164 |
| 10. | Ethernet-like interface MIB module | 209 |
| 10.1 | Introduction | 209 |
| 10.2 | Overview | 209 |
| 10.2.1 | Relation to MIB-2 | 209 |
| 10.2.2 | Relation to the Interfaces Group MIB | 209 |
| 10.2.3 | Relation to the IEEE 802.3 MAU-MIB module | 215 |
| 10.2.4 | Mapping of IEEE 802.3 managed objects | 216 |
| 10.3 | Security considerations for Ethernet-like interface MIB module | 218 |
| 10.4 | MIB module definition | 219 |
| 11. | Ethernet in the First Mile copper (EFMCu) interfaces MIB module | 253 |
| 11.1 | Introduction | 253 |
| 11.2 | Relation to other MIB modules | 253 |
| 11.2.1 | Relation to Interfaces Group MIB module | 253 |
| 11.2.2 | Relation to SHDSL MIB module | 259 |
| 11.2.3 | Relation to VDSL MIB module | 259 |
| 11.2.4 | Relation to Ethernet-Like and MAU MIB modules | 259 |
| 11.3 | MIB structure | 260 |
| 11.3.1 | EFM copper MIB overview | 260 |
| 11.3.2 | PME profiles | 260 |

| | |
|---|-----|
| 11.3.3 Mapping of IEEE 802.3 managed objects | 261 |
| 11.4 Security considerations for Ethernet in the First Mile copper interfaces MIB module | 262 |
| 11.5 MIB module definition | 262 |
| 12. Ethernet wide area network (WAN) interface sublayer (WIS) MIB module | 313 |
| 12.1 Overview | 313 |
| 12.1.1 Relationship to the SONET/SDH interface MIB | 313 |
| 12.1.2 Relationship to the Ethernet-like interface MIB | 313 |
| 12.1.3 Relationship to the IEEE 802.3 MAU MIB | 314 |
| 12.1.4 Use of the ifTable | 314 |
| 12.1.5 SONET/SDH terminology | 315 |
| 12.1.6 Mapping of IEEE 802.3 managed objects | 315 |
| 12.1.7 Mapping of SNMP objects to WIS station management registers | 319 |
| 12.1.8 Structure of the MIB module | 322 |
| 12.2 Security considerations for Ethernet wide area network (WAN) interface sublayer (WIS) MIB module | 323 |
| 12.3 MIB module definition | 324 |
| Annex 12A (informative) Collection of performance data using WIS MDIO registers | 337 |
| 13. Ethernet medium attachment units (MAUs) MIB module | 339 |
| 13.1 Introduction | 339 |
| 13.2 Overview | 339 |
| 13.2.1 Relationship to IETF RFC 3636 and IETF RFC 4836 | 339 |
| 13.2.2 Relationship to other MIBs | 339 |
| 13.2.3 Management of internal MAUs | 340 |
| 13.2.4 Mapping of IEEE 802.3 managed objects | 340 |
| 13.2.5 Addition of new MAU types | 343 |
| 13.3 Security considerations for Ethernet medium attachment units (MAUs) MIB module | 344 |
| 13.4 IANA considerations | 344 |
| 13.5 MIB module definition | 344 |
| Annex A (informative) Bibliography | 375 |
| Annex B (normative) Branch and leaf assignments for IEEE 802.3 and IEEE 802.3.1 managed objects | 379 |
| B.1 Branch and leaf table | 379 |