

ISO/IEC 15438:2015-09 (E)

Information technology - Automatic identification and data capture techniques - PDF417 bar code symbology specification

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols, operations and abbreviated terms	3
4.1	Symbols	3
4.2	Mathematical operations	4
4.3	Abbreviated terms	4
5	Requirements	4
5.1	Symbology characteristics	4
5.1.1	Basic characteristics	4
5.1.2	Summary of additional features	5
5.2	Symbol structure	6
5.2.1	PDF417 symbol parameters	6
5.2.2	Row parameters	6
5.2.3	Codeword sequence	7
5.3	Basic encodation	8
5.3.1	Symbol character structure	8
5.3.2	Start and stop characters	9
5.4	High level (data) encodation	9
5.4.1	Function codewords	10
5.4.2	Text Compaction mode	12
5.4.3	Byte Compaction mode	17
5.4.4	Numeric Compaction mode	19
5.4.5	Advice to select the appropriate compaction mode	20
5.4.6	Treatment of PDF417 reserved codewords	20
5.5	Extended Channel Interpretation	21
5.5.1	Encoding the ECI assignment number	22
5.5.2	Pre-assigned and default Extended Channel Interpretations	22
5.5.3	Encoding ECI sequences within compaction modes	23
5.5.4	Post-decode protocol	25
5.6	Determining the codeword sequence	25
5.7	Error detection and correction	25
5.7.1	Error correction level	25
5.7.2	Error correction capacity	26
5.7.3	Defining the error correction codewords	26
5.8	Dimensions	27
5.8.1	Minimum width of a module (X)	27
5.8.2	Row height (Y)	27
5.8.3	Quiet zones	27
5.9	Defining the symbol format	27
5.9.1	Defining the aspect ratio of the module	27
5.9.2	Defining the symbol matrix of rows and columns	28
5.10	Generating the error correction codewords	29

5.11	Low level encodation	30
5.11.1	Clusters	31
5.11.2	Determining the symbol matrix	31
5.11.3	Determining the values of the left and right row indicators	32
5.11.4	Row encoding	32
5.12	Compact PDF417	32
5.13	Macro PDF417	32
5.13.1	Compaction modes and Macro PDF417	33
5.13.2	ECIs and Macro PDF417	33
5.14	User guidelines	33
5.14.1	Human readable interpretation	33
5.14.2	Autodiscrimination capability	33
5.14.3	User-defined application parameters	33
5.14.4	PDF417 symbol quality	34
5.15	Reference decode algorithm	34
5.16	Error detection and error correction procedure	34
5.17	Transmitted data	34
5.17.1	Transmitted data in the basic (default) interpretation	34
5.17.2	Transmission protocol for Extended Channel Interpretation (ECI)	35
5.17.3	Transmitted data for Macro PDF417	36
5.17.4	Transmission of reserved codewords using the ECI protocol	36
5.17.5	Symbology identifier	36
5.17.6	Transmission using older protocols	36
Annex A (normative) Encoding/decoding table of PDF417 symbol character bar- space sequences		37
Annex B (normative) The default character set for Byte Compaction mode		60
Annex C (normative) Byte Compaction mode encoding algorithm		61
Annex D (normative) Numeric Compaction mode encoding algorithm		63
Annex E (normative) User selection of error correction level		65
Annex F (normative) Tables of coefficients for calculating PDF417 error correction codewords		66
Annex G (normative) Compact PDF417		70
Annex H (normative) Macro PDF417		71
Annex I (normative) Testing PDF417 symbol quality		79
Annex J (normative) Reference decode algorithm for PDF417		80
Annex K (normative) Error correction procedures		84
Annex L (normative) Symbology identifier		86
Annex M (normative) Transmission protocol for decoders conforming with original PDF417 standards		87
Annex N (informative) Algorithm to minimise the number of codewords		93
Annex O (informative) Guidelines to determine the symbol matrix		95
Annex P (informative) Calculating the coefficients for generating the error correction codewords - worked example		99
Annex Q (informative) Generating the error correction codewords - worked example		100
Annex R (informative) Division circuit procedure for generating error correction codewords		104

Annex S (informative) Additional guidelines for the use of PDF417 106
Bibliography 108