

ISO/IEC 14496-22:2015-10 (E)

Information technology - Coding of audio-visual objects - Part 22: Open Font Format

Contents		Page
Foreword		viii
Introduction		x
1	Scope	1
2	Normative references	2
3	Abbreviated terms	2
4	The Open font file format	3
4.1	Description	3
4.2	Filenames	3
4.3	Data types	3
4.4	Table version numbers	4
4.5	Open font structure	5
4.5.1	Table directory	5
4.5.2	Calculating checksums	6
4.6	Font collections	6
4.6.1	The Font Collection file structure	7
4.6.2	TTC header	7
5	Open font tables	8
5.1	General	8
5.2	Required common tables	8
5.2.1	cmap - Character to glyph index mapping table	9
5.2.2	head - Font header	20
5.2.3	hhea - Horizontal header	22
5.2.4	hmtx - Horizontal metrics	23
5.2.5	maxp - Maximum profile	23
5.2.6	name - Naming table	24
5.2.7	OS/2 - Global font information table	43
5.2.8	Font class parameters - see informative Annex B for details	65
5.2.9	post - PostScript	65
5.3	TrueType outline tables	67
5.3.1	cvt - Control value table	68
5.3.2	fpgm - Font program	68
5.3.3	glyf - Glyph data	68
5.3.4	loca - Index to location	71
5.3.5	prep - Control value program	72
5.3.6	gasp - Grid-fitting and scan conversion procedure	72
5.4	PostScript outline tables	74
5.4.1	CFF - PostScript font program (Compact Font Format) table	74
5.4.2	VORG - Vertical origin table	74
5.5	Table for SVG glyph outlines	76
5.5.1	SVG - The SVG (Scalable Vector Graphics) table	76
5.5.2	Color Palettes	77
5.5.3	Glyph Identifiers	77
5.5.4	Glyph Semantics and Metrics	78
5.5.5	Glyph Rendering	78
5.6	Bitmap glyph tables	80
5.6.1	EBDT - Embedded bitmap data table	80

5.6.2	EBLC - Embedded bitmap location table	84
5.6.3	EBSC - Embedded bitmap scaling table	91
5.6.4	CBDT - Color bitmap data table	92
5.6.5	CBLC - Color bitmap location table	94
5.7	Optional tables	95
5.7.1	DSIG - Digital signature table	96
5.7.2	hdmx - Horizontal device metrics	98
5.7.3	kern - Kerning	99
5.7.4	LTSH - Linear threshold	102
5.7.5	PCLT - PCL 5 table	103
5.7.6	VDMX - Vertical device metrics	111
5.7.7	vhea - Vertical header table	114
5.7.8	vmx - Vertical metric table	117
5.7.9	COLR - Color Table	119
5.7.10	CPAL - Palette Table	121
6	Advanced Open Font layout tables	123
6.1	Advanced Open Font layout extensions	123
6.1.1	Overview of advanced typographic layout extensions	123
6.1.2	TrueType versus OFF layout	125
6.1.3	OFF layout terminology	125
6.1.4	Text processing with OFF layout	128
6.2	OFF layout common table formats	129
6.2.1	Overview	129
6.2.2	Table organization	131
6.2.3	Scripts and languages	132
6.2.4	Features and lookups	134
6.2.5	Common table examples	143
6.3	Advanced typographic tables	152
6.3.1	BASE Baseline table	152
6.3.2	GDEF - The glyph definition table	173
6.3.3	GPOS - The glyph positioning table	186
6.3.4	GSUB - The glyph substitution table	246
6.3.5	JSTF - The justification table	286
6.3.6	MATH - The mathematical typesetting table	298
6.4	Layout tag registry	313
6.4.1	Scripts tags	313
6.4.2	Language tags	317
6.4.3	Feature tags	338
6.4.4	Baseline tags	402
7	Recommendations for OFF fonts	407
7.1	Byte ordering	407
7.2	'sfnt' version	407
7.3	Mixing outline formats	407
7.4	Filenames	407
7.5	Table alignment and length	407
7.6	First four glyphs in fonts	408
7.7	Shape of .notdef glyph	408
7.8	'BASE' table	408
7.9	'cmap' table	409
7.10	'cvt' table	409
7.11	'fpgm' table	409
7.12	'glyf' table	409
7.13	'hdmx' table	409
7.14	'head' table	410
7.15	'hhea' table	410
7.16	'hmtx' table	410
7.17	'kern' table	410
7.18	'loca' table	411
7.19	'LTSH' table	411
7.20	'maxp' table	411

7.21	'name' table	411
7.22	'OS/2' table	413
7.23	sTypoAscender, sTypoDescender and sTypoLineGap	413
7.24	'post' table	413
7.25	'prep' table	414
7.26	'VDMX' table	414
7.27	TrueType Collections	414
8	General recommendations	414
8.1	Optimized table ordering	414
8.2	Non-standard (Symbol) fonts	414
8.3	Device resolutions	415
8.4	Baseline to baseline distances	415
8.5	Style bits	416
8.6	Drop-out control	416
8.7	Embedded bitmaps	416
8.8	OFF CJK font guidelines	417
Annex A (informative) Patent Statements		418
Annex B (informative) Font Class and Font Subclass parameters		419
B.1	Introduction	419
B.2	sFamilyClass	419
B.3	Class ID=0 No Classification	419
B.4	Class ID=1 Oldstyle Serifs	419
B.4.1	Subclass ID = 0 : No Classification	419
B.4.2	Subclass ID = 1 : IBM Rounded Legibility	420
B.4.3	Subclass ID = 2 : Garalde	420
B.4.4	Subclass ID = 3 : Venetian	420
B.4.5	Subclass ID = 4 : Modified Venetian	420
B.4.6	Subclass ID = 5 : Dutch Modern	420
B.4.7	Subclass ID = 6 : Dutch Traditional	420
B.4.8	Subclass ID = 7 : Contemporary	420
B.4.9	Subclass ID = 8 : Calligraphic	420
B.4.10	Subclass ID = 9-14 : (reserved for future use)	420
B.4.11	Subclass ID = 15 : Miscellaneous	421
B.5	Class ID=2 Transitional Serifs	421
B.5.1	Subclass ID = 0 : No Classification	421
B.5.2	Subclass ID = 1 : Direct Line	421
B.5.3	Subclass ID = 2 : Script	421
B.5.4	Subclass ID = 3-14 : (reserved for future use)	421
B.5.5	Subclass ID = 15 : Miscellaneous	421
B.6	Class ID=3 Modern Serifs	421
B.6.1	Subclass ID = 0 : No Classification	421
B.6.2	Subclass ID = 1 : Italian	422
B.6.3	Subclass ID = 2 : Script	422
B.6.4	Subclass ID = 3-14 : (reserved for future use)	422
B.6.5	Subclass ID = 15 : Miscellaneous	422
B.7	Class ID=4 Clarendon Serifs	422
B.7.1	Subclass ID = 0 : No Classification	422
B.7.2	Subclass ID = 1 : Clarendon	422
B.7.3	Subclass ID = 2 : Modern	422
B.7.4	Subclass ID = 3 : Traditional	422
B.7.5	Subclass ID = 4 : Newspaper	423
B.7.6	Subclass ID = 5 : Stub Serif	423
B.7.7	Subclass ID = 6 : Monotone	423
B.7.8	Subclass ID = 7 : Typewriter	423
B.7.9	Subclass ID = 8-14: (reserved for future use)	423
B.7.10	Subclass ID = 15 : Miscellaneous	423
B.8	Class ID=5 Slab Serifs	423
B.8.1	Subclass ID = 0 : No Classification	423

B.8.2	Subclass ID = 1 : Monotone	423	
B.8.3	Subclass ID = 2 : Humanist	424	
B.8.4	Subclass ID = 3 : Geometric	424	
B.8.5	Subclass ID = 4 : Swiss	424	
B.8.6	Subclass ID = 5 : Typewriter	424	
B.8.7	Subclass ID = 6-14 : (reserved for future use)	424	
B.8.8	Subclass ID = 15 : Miscellaneous	424	
B.9	Class ID=6 (reserved for future use)	424	
B.10	Class ID=7 Freeform Serifs	424	
B.10.1	Subclass ID = 0 : No Classification	424	
B.10.2	Subclass ID = 1 : Modern	425	
B.10.3	Subclass ID = 2-14 : (reserved for future use)	425	
B.10.4	Subclass ID = 15 : Miscellaneous	425	
B.11	Class ID=8 Sans Serifs	425	
B.11.1	Subclass ID = 0 : No Classification	425	
B.11.2	Subclass ID = 1 : IBM Neo-grotesque Gothic	425	
B.11.3	Subclass ID = 2 : Humanist	425	
B.11.4	Subclass ID = 3 : Low-x Round Geometric	425	
B.11.5	Subclass ID = 4 : High-x Round Geometric	425	
B.11.6	Subclass ID = 5 : Neo-grotesque Gothic	426	
B.11.7	Subclass ID = 6 : Modified Neo-grotesque Gothic	426	
B.11.8	Subclass ID = 7-8 : (reserved for future use)	426	
B.11.9	Subclass ID = 9 : Typewriter Gothic	426	
B.11.10	Subclass..... ID = 10 : Matrix	426	426
B.11.11	Subclass..... ID = 11-14 : (reserved for future use)	426	426
B.11.12	Subclass..... ID = 15 : Miscellaneous	426	426
B.12	Class ID=9 Ornaments	426	
B.12.1	Subclass ID = 0 : No Classification	426	
B.12.2	Subclass ID = 1 : Engraver	426	
B.12.3	Subclass ID = 2 : Black Letter	427	
B.12.4	Subclass ID = 3 : Decorative	427	
B.12.5	Subclass ID = 4 : Three Dimensional	427	
B.12.6	Subclass ID = 5-14 : (reserved for future use)	427	
B.12.7	Subclass ID = 15 : Miscellaneous	427	
B.13	Class ID=10 Scripts	427	
B.13.1	Subclass ID = 0 : No Classification	427	
B.13.2	Subclass ID = 1 : Uncial	427	
B.13.3	Subclass ID = 2 : Brush Joined	427	
B.13.4	Subclass ID = 3 : Formal Joined	428	
B.13.5	Subclass ID = 4 : Monotone Joined	428	
B.13.6	Subclass ID = 5 : Calligraphic	428	
B.13.7	Subclass ID = 6 : Brush Unjoined	428	
B.13.8	Subclass ID = 7 : Formal Unjoined	428	
B.13.9	Subclass ID = 8 : Monotone Unjoined	428	
B.13.10	Subclass..... ID = 9-14 : (reserved for future use)	428	428
B.13.11	Subclass..... ID = 15 : Miscellaneous	428	428
B.14	Class ID=11 (reserved for future use)	429	
B.15	Class ID=12 Symbolic	429	
B.15.1	Subclass ID = 0 : No Classification	429	
B.15.2	Subclass ID = 1-2 : (reserved for future use)	429	
B.15.3	Subclass ID = 3 : Mixed Serif	429	
B.15.4	Subclass ID = 4-5 : (reserved for future use)	429	
B.15.5	Subclass ID = 6 : Oldstyle Serif	429	
B.15.6	Subclass ID = 7 : Neo-grotesque Sans Serif	429	
B.15.7	Subclass ID = 8-14 : (reserved for future use)	429	
B.15.8	Subclass ID = 15 : Miscellaneous	430	
B.16	Class ID=13 Reserved	430	
B.17	Class ID=14 Reserved	430	
Annex C (informative) Earlier versions of OS/2 - OS/2 and Windows metrics			431
C.1	OS/2 - OS/2 and Windows metrics (version 0)	431	431

C.2	OS/2 - OS/2 and Windows metrics (version 1)	450
C.3	OS/2 - OS/2 and Windows metrics (version 2)	471
C.4	OS/2 - OS/2 and Windows metrics (version 3)	490
C.5	OS/2 - OS/2 and Windows metrics (version 4)	509
Annex D (informative) OFF Mirroring Pairs List		531
Annex E (normative) Registration of Media Type: application/font-sfnt		538
Bibliography		541