ISO/IEC TR 23008-13:2015-12 (E)

Information technology - High efficiency coding and media delivery in heterogeneous environments - Part 13: MMT implementation guidelines

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms 1

4 Overview 1
4.1 System overview 1
4.2 Normative parts 2

5 MMT function deployments 3
5.1 Overview 3
5.2 Object reconstruction 3
5.2.1 Overview 3
5.2.2 Recovery in MPU mode 3
5.2.3 Recovery in GFD mode 5
5.3 Default assets 5
5.4 Low-delay live streaming 6
5.5 Parallel processing in MMT sending and receiving entities 8
5.5.1 Processing in MMT sending entity 8
5.5.2 Processing in MMT receiving entity 9
5.6 MPU streaming for live services 11
5.6.1 MPU packetization 11
5.6.2 Sending of MPU and signalling message 13
5.7 Fast MMT session acquisition 15
5.8 Referencing and processing non-timed data 16
5.8.1 Overview 16
5.8.2 Resource grouping and referencing 17
5.8.3 Receiver handling 17
5.9 Media adaptation for quality control in MMTP 17
5.9.1 Overview 17
5.9.2 Parameters for media adaptation 17
5.9.3 Adaptation operation of MMT entity 18
5.10 Hybrid delivery in MMT 18
5.10.1 Overview 18
5.10.2 Classification of hybrid delivery 18
5.10.3 Technical elements for hybrid delivery 19
5.11 Example of detailed implementation of MMT 20
5.11.1 Use case: Combination of MMT and MPEG-2 TS for synchronized presentation .20 5.12 HRBM signalling for hybrid delivery 20
5.12.1 Hybrid delivery from the Single MMT sending Entity 20
5.12.2 Hybrid delivery from the multiple MMT sending entities 22
5.13 Error resilience in MMT protocol 23
5.14 Delay constrained ARQ 25
5.14.1 Overview 25
5.14.2 Delivery-time constrained ARQ 25
5.14.3 Arrival-deadline constrained ARQ 25

5.15 Application layer forward error correction (AL-FEC) 27
5.15.1 FEC decoding method for ssbg_mode2 27
5.15.2 Usage of two stage FEC coding structure 32
5.15.3 MPU mapping to source packet block 33
5.15.4 FEC for hybrid service 35

6 Use cases for MMT deployment 36
6.1 Overview 36

6.2 Delivery of DASH Presentations using MMT 36
6.2.1 Delivery of the MPD 37
6.2.2 Delivery of the data segments 37
6.3 Client operation for DASH service delivered through MMT Protocol 38
6.3.1 Delivery of MPD with MMTP 38
6.3.2 Delivery and consumption of DASH Segments with MMTP 38
6.4 Hybrid of MMT and DASH over heterogeneous network 39
6.5 MMT Caching for Effective Bandwidth Utilization 41
6.5.1 Overview of MMT caching middlebox architecture 41
6.5.2 Content-based caching of MMT media 42
6.5.3 MPU sync protocol between server and caching middlebox 43
6.5.4 MMT Cache Manifest 47
6.6 Usage of ADC signalling message 49
6.6.1 Overview 49
6.6.2 Operation in MMT sending entity 49
6.6.3 Operation in MANE router 49
6.6.4 Example operation in MMT receiving entities 50
6.7 MMT Deployment in Japanese broadcasting systems 50
6.7.1 Overview 50
6.7.2 Broadcasting systems using MMT 50
6.7.3 Media transport protocol 53
6.7.4 Signalling information 55
6.7.5 Start-up procedure of broadcasting service 64

Bibliography 67