

ISO/IEC 29177:2016-05 (E)

Information technology - Automatic identification and data capture technique - Identifier resolution protocol for multimedia information access triggered by tag-based identification

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	1
3 Definitions	1
3.1 Imported definitions	1
3.2 Additional definitions.....	2
4 Abbreviations and acronyms	2
5 Overview of the ID resolution protocol.....	2
6 Application-specific OID resolution process.....	3
6.1 Overview	3
6.2 OID transformation rules	4
6.3 ID structure information.....	4
6.4 Operation of a client.....	4
6.5 Format of NAPTR resource record	5
6.6 Operation of application-specific OID resolution servers	5
7 ID resolution process.....	5
7.1 Overview.....	5
7.2 Query to ID resolution server	6
7.3 Response from ID resolution server	6
7.4 Configuration of NAPTR resource record	6
7.5 Operation of a client.....	6
7.6 Operation of ID resolution servers	7
Annex A – Configuration and operation of application-specific OID resolution process	8
A.1 Assumptions	8
A.2 Configuration of NAPTR resource records.....	8
A.3 Operation example	9
Annex B – Configuration and operation of ID resolution servers	10
Annex C – Bibliography	11

List of Tables

	<i>Page</i>
Table 1 – Example of NAPTR resource record format.....	5
Table 2 – Example of NAPTR resource record configuration.....	6

List of Figures

	<i>Page</i>
Figure 1 – Overall procedure of ID resolution.....	3
Figure 2 – Operation of application-specific OID resolution process.....	4
Figure B.1 – An example of delegation hierarchy of ID resolution servers	10