

ISO/IEC/IEEE 8802-1BR:2016-10 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1BR: Virtual bridged local area networks - Bridge port extension

Contents

	Page
1. Overview.....	1
1.1 Scope.....	1
1.2 Purpose.....	2
2. Normative references.....	3
3. Definitions	4
4. Acronyms and abbreviations	6
5. Conformance.....	7
5.1 Terminology.....	7
5.2 Protocol Implementation Conformance Statement (PICS).....	7
5.3 Bridge Port Extender Conformance.....	7
5.4 Controlling Bridge Conformance	8
6. Principles of Bridge Port Extension.....	10
6.1 Bridge Port Extension Overview	10
6.2 Extended Bridge	11
6.3 Base and aggregating Bridge Port Extenders	13
6.4 Bridge Port Extender operation	14
6.5 Bridge Port Extender architecture.....	16
6.6 Bridge Port Extender Model of operation.....	17
6.7 Bridge Port Extender Frame Reception	19
6.8 Bridge Port Extender Transmit and Receive	19
6.9 Bridge Port Extender tag handler.....	20
6.10 Bridge Port Extender Internal Sublayer Service.....	21
6.11 Bridge Port Extender Forwarding Process.....	25
6.12 Bridge Port Extender Filtering Database	29
6.13 Determination of the Upstream Port.....	29
6.14 Upstream Port Addressing	30
6.15 Bridge Port Extender Initialization	30
6.16 Support of Congestion Points	31
7. Tagged frame format	32
7.1 Representation and encoding of tag fields.....	32
7.2 Tag format.....	32
7.3 Tag Protocol Identifier (TPID) formats	32
7.4 Tag Protocol Identification	32
7.5 E-TAG Control Information	32
8. Support of Bridge Port Extension by C-VLAN components	35
8.1 Use of Tags	36
8.2 Bridge Port Extension Port Types	36
8.3 Internal Bridge Port Extender Cascade Ports	37
8.4 Bridge Port Extender Upstream Ports.....	39

8.5	External Extended Ports.....	39
8.6	External Bridge Port Extender Cascade Ports	40
8.7	Traffic isolation.....	41
8.8	Support of Port Extension by a C-VLAN component MAC Relay.....	41
8.9	Remote replication.....	42
8.10	Support of Remote Replication by a Controlling Bridge	43
8.11	Assignment of E-CIDs.....	44
8.12	Support of Congestion Notification.....	45
9.	Port Extender Control and Status Protocol	46
9.1	Port Selection and Addressing.....	46
9.2	PE CSP State Machines	46
9.3	Protocol Errors	52
9.4	PE CSP PDUs	52
9.5	Basic TLV format	52
9.6	Command TLV	54
9.7	Flow Control	56
9.8	Messages	56
9.9	Additional TLVs	61
10.	Bridge management	72
10.1	Data types	72
10.2	Bridge Port Extension Entries.....	72
11.	Management Information Base (MIB)	75
11.1	Structure of the IEEE8021-PE MIB	75
11.2	Relationship to other MIBs.....	76
11.3	Security considerations	76
11.4	Definition of the IEEE8021-PE MIB Module'	78
	Annex A (normative) PICS proforma	89
	Annex B (normative) IEEE 802.1 Organizationally Specific TLVs	105
	Annex C (informative) Utilizing VDP with Port Extension	114
	Annex D (informative) Extended Bridge Initialization	116
	Annex E (informative) Bibliography	121

Figures

Figure 6-1—Extended Bridge.....	10
Figure 6-2—Aggregating and base Bridge Port Extenders	14
Figure 6-3—External Bridge Port Extender architecture	16
Figure 6-4—Internal Bridge Port Extender architecture	17
Figure 6-5—Relaying MAC frames in an External Bridge Port Extender.....	18
Figure 6-6—Operation of Bridge Port Extender Control and Status Protocol Agent	18
Figure 6-7—Port connectivity	20
Figure 6-8—Bridge Port Extender Forwarding Process functions	26
Figure 7-1—E-TAG TCI format.....	32
Figure 8-1—Internal organization of the MAC sublayer in an Extended Bridge.....	35
Figure 8-2—Extended Bridge Interconnection.....	37
Figure 8-3—Cascaded Bridge Port Extenders.....	40
Figure 8-4—Extended Bridge traffic isolation	41
Figure 9-1—PE CSP Receive PDU state machine	47
Figure 9-2—PE CSP Transmit PDU state machine.....	47
Figure 9-3—PE CSP Local Request state machine	48
Figure 9-4—PE CSP Remote Request state machine.....	48
Figure 9-5—Basic TLV format	52
Figure 9-6—Command TLV	54
Figure 9-7—Resource Limit Capability TLV	61
Figure 9-1—Port Parameters TLV	63
Figure 9-8—Port Array TLV	64
Figure 9-9—Port Entry	64
Figure 9-10—VID Array TLV	65
Figure 9-11—VID Entry.....	65
Figure 9-12—Port Status TLV	66
Figure 9-13—Statistics TLV	66
Figure 9-14—Object Name TLV.....	67
Figure 9-15—Object Value TLV.....	67
Figure 9-16—CN Parameters TLV.....	70
Figure 9-17—Basic format for Organizationally Specific TLVs	71
Figure B.1—Port Extension TLV format	105
Figure C.1—Relationship of Port Extension and EVB	114
Figure C.2—Port Extension and EVB combined architecture	115
Figure D.1—Attachment of a physical Bridge Port Extender	117
Figure D.2—Attachment of a downstream Bridge Port Extender.....	118
Figure D.3—Example Initialization Message Flow	120

Tables

Table 6-1—Bridge Port Extender Initialization.....	31
Table 6-2—Bridge Port Extender Port Initialization	31
Table 7-1—E-TAG EtherType allocation	32
Table 8-1—Bridge Port Extender parameter settings.....	38
Table 9-1—Port Extender Control and Status Protocol—Time out Values	52
Table 9-2—TLV type values	53
Table 9-3—Completion Codes	54
Table 9-4—Message Types	55
Table 9-5—Priority Code Point Selection Encoding.....	64
Table 9-6—Action Values	65
Table 9-8—Statistics TLV contents	66
Table 9-7—Action Values	66
Table 9-9—Reference	67
Table 9-10—Get Objects Value Error Codes	68
Table 9-11—Set Object Value Error Codes	68
Table 9-12—CN Parameter Fields	70
Table 10-1—Port Extension Port Table row elements	73
Table 10-3—Port Extension Upstream Port ETS Table row elements	74
Table 10-2—Port Extension Remote Replication Table row elements	74
Table 11-1—PE MIB structure and object cross reference	75
Table B.1—IEEE 802.1 Organizationally Specific TLVs.....	105
Table B.2—IEEE 802.1/LLDP extension MIB object cross reference	106