

# ISO/IEC/IEEE 8802-1BR:2016-10 (E)

## Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1BR: Virtual bridged local area networks - Bridge port extension

---

| Contents   | Page |
|--|------|
| 1. Overview.....   | 1    |
| 1.1 Scope.....   | 1    |
| 1.2 Purpose.....   | 2    |
| 2. Normative references .....                                  | 3    |
| 3. Definitions .....   | 4    |
| 4. Acronyms and abbreviations .....                            | 6    |
| 5. Conformance.....  | 7    |
| 5.1 Terminology.....   | 7    |
| 5.2 Protocol Implementation Conformance Statement (PICS).....  | 7    |
| 5.3 Bridge Port Extender Conformance.....                      | 7    |
| 5.4 Controlling Bridge Conformance .....                       | 8    |
| 6. Principles of Bridge Port Extension.....                    | 10   |
| 6.1 Bridge Port Extension Overview .....                       | 10   |
| 6.2 Extended Bridge .....                                      | 11   |
| 6.3 Base and aggregating Bridge Port Extenders .....           | 13   |
| 6.4 Bridge Port Extender operation .....                       | 14   |
| 6.5 Bridge Port Extender architecture.....                     | 16   |
| 6.6 Bridge Port Extender Model of operation.....               | 17   |
| 6.7 Bridge Port Extender Frame Reception .....                 | 19   |
| 6.8 Bridge Port Extender Transmit and Receive .....            | 19   |
| 6.9 Bridge Port Extender tag handler.....                      | 20   |
| 6.10 Bridge Port Extender Internal Sublayer Service.....       | 21   |
| 6.11 Bridge Port Extender Forwarding Process.....              | 25   |
| 6.12 Bridge Port Extender Filtering Database .....             | 29   |
| 6.13 Determination of the Upstream Port.....                   | 29   |
| 6.14 Upstream Port Addressing .....                            | 30   |
| 6.15 Bridge Port Extender Initialization .....                 | 30   |
| 6.16 Support of Congestion Points .....                        | 31   |
| 7. Tagged frame format .....                                   | 32   |
| 7.1 Representation and encoding of tag fields .....            | 32   |
| 7.2 Tag format.....  | 32   |
| 7.3 Tag Protocol Identifier (TPID) formats .....               | 32   |
| 7.4 Tag Protocol Identification .....                          | 32   |
| 7.5 E-TAG Control Information .....                            | 32   |
| 8. Support of Bridge Port Extension by C-VLAN components ..... | 35   |
| 8.1 Use of Tags .....  | 36   |
| 8.2 Bridge Port Extension Port Types .....                     | 36   |
| 8.3 Internal Bridge Port Extender Cascade Ports .....          | 37   |
| 8.4 Bridge Port Extender Upstream Ports.....                   | 39   |

|      |   |     |
|------|---|-----|
| 8.5  | External Extended Ports.....  | 39  |
| 8.6  | External Bridge Port Extender Cascade Ports .....                   | 40  |
| 8.7  | Traffic isolation.....  | 41  |
| 8.8  | Support of Port Extension by a C-VLAN component MAC Relay.....      | 41  |
| 8.9  | Remote replication .....  | 42  |
| 8.10 | Support of Remote Replication by a Controlling Bridge .....         | 43  |
| 8.11 | Assignment of E-CIDs.....   | 44  |
| 8.12 | Support of Congestion Notification.....                             | 45  |
| 9.   | Port Extender Control and Status Protocol .....                     | 46  |
| 9.1  | Port Selection and Addressing .....                                 | 46  |
| 9.2  | PE CSP State Machines .....   | 46  |
| 9.3  | Protocol Errors .....   | 52  |
| 9.4  | PE CSP PDUs .....   | 52  |
| 9.5  | Basic TLV format .....  | 52  |
| 9.6  | Command TLV .....   | 54  |
| 9.7  | Flow Control .....  | 56  |
| 9.8  | Messages .....  | 56  |
| 9.9  | Additional TLVs .....   | 61  |
| 10.  | Bridge management .....   | 72  |
| 10.1 | Data types .....  | 72  |
| 10.2 | Bridge Port Extension Entries.....                                  | 72  |
| 11.  | Management Information Base (MIB) .....                             | 75  |
| 11.1 | Structure of the IEEE8021-PE MIB .....                              | 75  |
| 11.2 | Relationship to other MIBs.....                                     | 76  |
| 11.3 | Security considerations .....                                       | 76  |
| 11.4 | Definition of the IEEE8021-PE MIB Module' .....                     | 78  |
|      | Annex A (normative) PICS proforma .....                             | 89  |
|      | Annex B (normative) IEEE 802.1 Organizationally Specific TLVs ..... | 105 |
|      | Annex C (informative) Utilizing VDP with Port Extension .....       | 114 |
|      | Annex D (informative) Extended Bridge Initialization .....          | 116 |
|      | Annex E (informative) Bibliography .....                            | 121 |

## Figures

|  |     |
|--|-----|
| Figure 6-1—Extended Bridge.....  | 10  |
| Figure 6-2—Aggregating and base Bridge Port Extenders .....                          | 14  |
| Figure 6-3—External Bridge Port Extender architecture .....                          | 16  |
| Figure 6-4—Internal Bridge Port Extender architecture .....                          | 17  |
| Figure 6-5—Relaying MAC frames in an External Bridge Port Extender.....              | 18  |
| Figure 6-6—Operation of Bridge Port Extender Control and Status Protocol Agent ..... | 18  |
| Figure 6-7—Port connectivity .....   | 20  |
| Figure 6-8—Bridge Port Extender Forwarding Process functions .....                   | 26  |
| Figure 7-1—E-TAG TCI format.....   | 32  |
| Figure 8-1—Internal organization of the MAC sublayer in an Extended Bridge.....      | 35  |
| Figure 8-2—Extended Bridge Interconnection.....                                      | 37  |
| Figure 8-3—Cascaded Bridge Port Extenders.....                                       | 40  |
| Figure 8-4—Extended Bridge traffic isolation .....                                   | 41  |
| Figure 9-1—PE CSP Receive PDU state machine .....                                    | 47  |
| Figure 9-2—PE CSP Transmit PDU state machine.....                                    | 47  |
| Figure 9-3—PE CSP Local Request state machine .....                                  | 48  |
| Figure 9-4—PE CSP Remote Request state machine.....                                  | 48  |
| Figure 9-5—Basic TLV format .....  | 52  |
| Figure 9-6—Command TLV .....   | 54  |
| Figure 9-7—Resource Limit Capability TLV .....                                       | 61  |
| Figure 9-1—Port Parameters TLV .....   | 63  |
| Figure 9-8—Port Array TLV .....  | 64  |
| Figure 9-9—Port Entry .....  | 64  |
| Figure 9-10—VID Array TLV .....  | 65  |
| Figure 9-11—VID Entry.....   | 65  |
| Figure 9-12—Port Status TLV .....  | 66  |
| Figure 9-13—Statistics TLV .....   | 66  |
| Figure 9-14—Object Name TLV.....   | 67  |
| Figure 9-15—Object Value TLV.....  | 67  |
| Figure 9-16—CN Parameters TLV.....   | 70  |
| Figure 9-17—Basic format for Organizationally Specific TLVs .....                    | 71  |
| Figure B.1—Port Extension TLV format .....   | 105 |
| Figure C.1—Relationship of Port Extension and EVB .....                              | 114 |
| Figure C.2—Port Extension and EVB combined architecture .....                        | 115 |
| Figure D.1—Attachment of a physical Bridge Port Extender .....                       | 117 |
| Figure D.2—Attachment of a downstream Bridge Port Extender.....                      | 118 |
| Figure D.3—Example Initialization Message Flow .....                                 | 120 |

## Tables

|   |     |
|---|-----|
| Table 6-1—Bridge Port Extender Initialization.....                        | 31  |
| Table 6-2—Bridge Port Extender Port Initialization .....                  | 31  |
| Table 7-1—E-TAG EtherType allocation .....                                | 32  |
| Table 8-1—Bridge Port Extender parameter settings.....                    | 38  |
| Table 9-1—Port Extender Control and Status Protocol—Time out Values ..... | 52  |
| Table 9-2—TLV type values .....   | 53  |
| Table 9-3—Completion Codes .....  | 54  |
| Table 9-4—Message Types .....   | 55  |
| Table 9-5—Priority Code Point Selection Encoding.....                     | 64  |
| Table 9-6—Action Values .....   | 65  |
| Table 9-8—Statistics TLV contents .....                                   | 66  |
| Table 9-7—Action Values .....   | 66  |
| Table 9-9—Reference.....  | 67  |
| Table 9-10—Get Objects Value Error Codes .....                            | 68  |
| Table 9-11—Set Object Value Error Codes .....                             | 68  |
| Table 9-12—CN Parameter Fields .....                                      | 70  |
| Table 10-1—Port Extension Port Table row elements .....                   | 73  |
| Table 10-3—Port Extension Upstream Port ETS Table row elements .....      | 74  |
| Table 10-2—Port Extension Remote Replication Table row elements .....     | 74  |
| Table 11-1—PE MIB structure and object cross reference .....              | 75  |
| Table B.1—IEEE 802.1 Organizationally Specific TLVs.....                  | 105 |
| Table B.2—IEEE 802.1/LLDP extension MIB object cross reference .....      | 106 |