ISO/IEC 18305:2016-11 (E)

Information technology - Real time locating systems - Test and evaluation of localization and tracking systems

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Abbreviated terms 2

5 LTS taxonomy 3
5.1 Types of location sensors 3
5.1.1 Unimodal systems 4
5.1.2 Multimodal systems 5
5.2 Reliance on pre-existing networking / localization infrastructure 5
5.2.1 LTSs requiring infrastructure 5
5.2.2 LTSs capable of infrastructure-less operation 5
5.2.3 Real-time deployment of nodes facilitating localization 6
5.2.4 Opportunistic use of infrastructure/environment 6
5.3 Off-line, building-specific training 6
5.3.1 LTSs requiring off-line training 6
5.3.2 LTSs not requiring off-line training 7
5.4 Ultimate consumer(s) of location information 7
5.4.1 Introduction 7
5.4.2 The ELT 8
5.4.3 The tracking authority 8
5.4.4 Both the ELT and the tracking authority 8

6 LTS privacy and security considerations 8
6.1 Privacy 8
6.2 Security 9

7 T&E methodology taxonomy 9
7.1 System vs. component testing 9
7.1.1 System testing 9
7.1.2 Component testing 9
7.2 Knowledge about LTS inner-workings 10
7.2.1 T&E designed with full knowledge of LTS inner-workings 10
7.2.2 Black-box testing 10
7.3 Repeatability 10
7.3.1 Repeatable testing 10
7.3.2 Non-repeatable testing 10
7.4 Test site 10
7.4.1 Building-wide testing 10
7.4.2 Laboratory testing 11
7.5 Ground truth 11
7.5.1 Off-line surveyed test points 11
7.5.2 Reference LTS 11

8 LTS performance metrics 12
8.1 Introduction 12
8.2 Floor detection probability 13
8.3 Zone detection probability 13
8.4 Means of various errors 13
8.5 Covariance matrix of the error vector 14
8.6 Variances of magnitudes of various errors 14
8.7 RMS values of various errors 15
8.8 Absolute mean of the error vector 15

8.9 Circular Error 95% (CE95) and Circular Error Probable (CEP) 15
8.10 Vertical Error 95% (VE95) and Vertical Error Probable (VEP) 16
8.11 Spherical Error 95% (SE95) and Spherical Error Probable (SEP) 16
8.12 Coverage 16
8.13 Relative accuracy 17
8.14 Latency 17
8.15 Set-up time 18
8.16 Optional performance metrics 18
8.16.1 Location-specific accuracy 18
8.16.2 Availability 19

9 Optional performance metrics for LTS use in mission critical applications 19
9.1 Introduction 19
9.2 Susceptibility 20
9.3 Resilience 20

10 T&E considerations and scenarios 20
10.1 Building types 20
10.1.1 Introduction 20
10.1.2 Wooden structure single-family house 20
10.1.3 Medium-size brick & concrete office building 21
10.1.4 Warehouse/factory 21
10.1.5 High-rise steel structure 21
10.1.6 Subterranean structure 21
10.2 Effects of mobility 21
10.2.1 Introduction 21
10.2.2 Stationary object/person 22
10.2.3 Walking 22
10.2.4 Running 22
10.2.5 Backward walking 22
10.2.6 Sidestepping 22
10.2.7 Crawling 22
10.3 Failure modes and vulnerabilities of location sensors 23
10.4 T&E scenarios 23

11 T&E reporting requirements 30
11.1 Introduction 30
11.2 Test place and date 33
11.3 Environmental conditions 33
11.4 LTS product tested 33
11.5 Equipment used by the LTS 33
11.6 ELTD features 33
11.7 Location data format 34
11.8 Location update rate and system capacity 34
11.9 RF emission and interference issues 34
11.10 Set-up procedure 35
11.11 Building information needed by the LTS 35
11.12 LTS GUIs 36
11.12.1 ELTD GUI 36
11.12.2 Tracking authority GUI 36
11.13 Maintenance 36
11.14 Floor plans of test buildings 37

11.15 Characterization of T&E scenarios involving entities in motion 37
11.16 Presentation of numerical T&E results 38
11.17 Visualization of T&E results 43

Annex A (normative) Conversions between local Cartesian and WGS 84 coordinates 47

Annex B (informative) Location sensors and their failure modes 64

Bibliography 76