

ISO/IEC/IEEE 8802-1AB:2017-07 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1AB: Station and media access control connectivity discovery

Contents	Page
1. Overview.....	1
1.1 Scope.....	2
1.2 Purpose.....	2
2. Normative references.....	3
3. Definitions and numerical representation.....	5
3.1 Definitions.....	5
3.2 Numerical representation.....	6
4. Acronyms and abbreviations.....	7
5. Conformance.....	9
5.1 Terminology.....	9
5.2 Protocol Implementation Conformance Statement (PICS).....	9
5.3 Required capabilities.....	9
5.4 Optional capabilities.....	10
6. Principles of operation.....	11
6.1 Transmission and reception.....	12
6.2 LLDP operational modes.....	12
6.3 LLDP information categories.....	13
6.4 TLV selection.....	13
6.5 Transmission principles.....	13
6.6 Reception principles.....	14
6.7 Systems with multiple LLDP Agents.....	14
6.8 LLDP and Link Aggregation.....	18
7. LLDPDU transmission, reception, and addressing.....	19
7.1 Destination address.....	19
7.2 Source address.....	21
7.3 EtherType use and encoding.....	21
7.4 LLDPDU reception.....	22
8. LLDPDU and TLV formats.....	23
8.1 LLDPDU bit and octet ordering conventions.....	23
8.2 LLDPDU format.....	23
8.3 TLV categories.....	24
8.4 Basic TLV format.....	24
8.5 Basic management TLV set formats and definitions.....	26
8.6 Organizationally Specific TLVs.....	34
9. LLDP agent operation.....	37
9.1 Overview.....	37
9.2 State machines.....	40
10. LLDP management.....	57
10.1 Data storage and retrieval.....	57

10.2	The LLDP management entity's responsibilities.....	57
10.3	Managed objects	59
10.4	Data types.....	59
10.5	LLDP variables	59
11.	LLDP MIB definitions.....	62
11.1	Internet Standard Management Framework.....	62
11.2	Structure of the LLDP MIB	62
11.3	Relationship to other MIBs.....	67
11.4	Security considerations for LLDP base MIB module.....	68
11.5	LLDP MIB modules	70
Annex A	(normative) PICS proforma.....	121
Annex B	(normative) PTOPO MIB update	127
Annex C	(informative) Example LLDP transmission frame formats.....	128
Annex D	(informative) Bibliography.....	129

List of figures

Figure 6-1,	LLDP agent and its relationship to its LLC entity	11
Figure 6-2,	Relationship between LLDP agents, LLC Entities, MSAPs, and the LLDP management entity	15
Figure 6-3,	LLDP in a MAC Bridge.....	16
Figure 6-4,	LLDP in an end system with port-based network access control	16
Figure 6-5,	LLDP in a MAC Bridge that uses port-based network access control on both ports	17
Figure 6-6,	Scope of group MAC addresses.....	17
Figure 6-7,	Multiplexing and demultiplexing using shims	18
Figure 7-1,	MSDU format.....	19
Figure 8-1,	LLDPDU format	23
Figure 8-2,	Basic TLV format	24
Figure 8-3,	End Of LLDPDU TLV format.....	26
Figure 8-4,	Chassis ID TLV format.....	26
Figure 8-5,	Port ID TLV format	28
Figure 8-6,	Time To Live TLV format	29
Figure 8-7,	Port Description TLV format.....	29
Figure 8-8,	System Name TLV format.....	30
Figure 8-9,	System Description TLV format.....	31
Figure 8-10,	System Capabilities TLV format	31
Figure 8-11,	Management Address TLV format	33
Figure 8-12,	Basic format for Organizationally Specific TLVs	35
Figure 9-1,	Transmit state machine	54
Figure 9-2,	Receive state machine.....	55
Figure 9-3,	Transmit timer state machine.....	56
Figure 11-1,	LLDP MIB block diagram	62
Figure C.1,	IEEE 802.3 LLDP frame format.....	128
Figure C.2,	IEEE 802.11 LLDP frame format.....	128

List of tables

Table 7-1, Group MAC addresses used by LLDP	20
Table 7-2, Support for MAC addresses in different systems.....	21
Table 7-3, LLDP EtherType	22
Table 8-1, TLV type values	25
Table 8-2, chassis ID subtype enumeration	27
Table 8-3, port ID subtype enumeration	28
Table 8-4, System capabilities	32
Table 9-1, Subclause/operating mode applicability.....	37
Table 9-2, State machine symbols	41
Table 11-1, MIB object groups and operating mode applicability	63
Table 11-2, LLDP MIB structure and object cross reference.....	63