

ISO/IEC/IEEE 8802-1AC:2018-04 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Part 1AC: Media access control (MAC) service definition

Contents

- 1.Scope..... 13
- 2.Normative references 14
- 3.Definitions 15
 - 3.1 Basic reference model definitions..... 15
 - 3.2 Service conventions definitions 15
- 4.Acronyms and abbreviations 16
- 5.Conformance..... 17
 - 5.1 Translation between media using different protocol discrimination methods..... 17
 - 5.2 Support of the ISS by different MAC procedures 17
- 6.Conventions 18
 - 6.1 General considerations..... 18
 - 6.2 Parameters..... 18
- 7.Basic architectural concepts and terms..... 19
 - 7.1 Protocol entities, peers, layers, services, and clients 19
 - 7.2 Service interface primitives, parameters, and frames 19
 - 7.3 Layer management interfaces 20
 - 7.4 Service access points, interface stacks, and ports..... 20
 - 7.5 MAC method independent protocols and shims 21
 - 7.6 MAC Service clients..... 21
 - 7.7 Stations and systems 21
 - 7.8 Connectionless connectivity 22
- 8.Overview of the MAC Service 23
- 9.Model of the MAC Service..... 24
 - 9.1 Model of a MAC connectionless-mode transmission..... 24
 - 9.2 Service provided by the connectionless-mode MAC Service 24
- 10.Quality of connectionless-mode service..... 25
 - 10.1 Determination of QoS for connectionless-mode service 25
 - 10.2 Definition of connectionless-mode QoS parameters 25
- 11.Internal Sublayer Service..... 26
 - 11.1 Service primitives and parameters..... 26
 - 11.2 Status parameters 28
 - 11.3 Point-to-point parameters 28
 - 11.4 Control primitives and parameters..... 29
- 12.Protocol discrimination and media 30
 - 12.1 M_UNITDATA.request data transformation for LPD media 30
 - 12.2 M_UNITDATA.indication data transformation for LPD media 30

12.3 Tags in end stations.....	31
13.Support of the Internal Sublayer Service by specific MAC procedures.....	32
13.1 Ethernet convergence function.....	32
13.2 Wireless LAN convergence function.....	33
13.3 WirelessMAN convergence function.....	36
13.4 Resilient Packet Ring convergence function.....	37
13.5 Mobile Broadband Wireless Access Method convergence function.....	39
13.6 Point-to-Multipoint Network convergence function.....	40
14.MAC Service.....	42
14.1 Function.....	42
14.2 Service primitives and parameters.....	42
14.3 Status parameters.....	43
14.4 Sequence of primitives.....	43
Annex A (informative) Bibliography.....	44
Annex B (informative) Support of the Internal Sublayer Service by specific MAC procedure.....	45

Figures

Figure 7-1—MAC entities, the MAC Service, and MAC Service users (clients).....	20
Figure 7-2—An interface stack.....	21
Figure 9-1—Model for a MAC Service connectionless-mode transmission.....	24
Figure 13-1—IEEE 802.11 portal convergence function method.....	34
Figure 13-2—Simplified IEEE 802.1AE SecY.....	35
Figure 13-3—IEEE 802.11 Security architecture.....	35
Figure 14-1—Sequence of primitives.....	43
Figure B.1—IEEE 802.11 portal convergence function method.....	46
Figure B.2—Simplified IEEE 802.1AE SecY.....	47
Figure B.3—IEEE 802.11 Security architecture.....	47
Figure B.4—MAC security and IEEE 802.11 media.....	48

Tables

Table 5-1—MAC procedure and convergence conformance.....	17
Table 12-2—LLC encapsulation EtherType.....	31
Table 13-1—Priority to MAC Service class mapping.....	38
Table 13-2—MAC Service class to priority mapping.....	38