

ISO/IEC 23000-18:2018 (E)

Information technology — Multimedia application formats (MPEG-A) — Part 18: Media linking application format

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	MLAF model
5.1	General
5.2	Functional requirements
6	MLAF specification
6.1	Imported schemas and MLAF namespace URI
6.1.1	Schema header elements
6.1.2	MLAF namespace URI
7	Bridget Representation
7.1	General
7.2	MLAF Root element
7.2.1	General
7.2.2	Syntax
7.2.3	Semantics
7.2.4	Example
7.3	MLAF Container
7.3.1	General
7.3.2	Syntax
7.3.3	Semantics
7.3.4	Example
7.4	Bridgets
7.4.1	General
7.4.2	Syntax
7.4.3	Semantics
7.4.4	Example
7.5	Source Item
7.5.1	General
7.5.2	Syntax
7.5.3	Semantics
7.5.4	Example
7.6	Bridget
7.6.1	General
7.6.2	Syntax
7.6.3	Semantics
7.6.4	Example
7.7	Destination Item
7.7.1	General
7.7.2	Syntax
7.7.3	Semantics
7.7.4	Example

7.8	Media Segments
7.8.1	General
7.8.2	Syntax
7.8.3	Semantics
7.8.4	Example
7.9	Structural Annotation
7.9.1	General
7.9.2	Syntax
7.9.3	Semantics
7.9.4	Example
7.10	Structural Anchor
7.10.1	General
7.10.2	Syntax
7.10.3	Semantics
7.10.4	Example
7.11	Spatiotemporal Information
7.11.1	General
7.11.2	Syntax
7.11.3	Semantics
7.11.4	Example
7.12	Source Item Structural Annotation
7.12.1	General
7.12.2	Syntax
7.12.3	Semantics
7.12.4	Example
7.13	Destination Item Structural Annotation
7.13.1	Syntax
7.13.2	Semantics
7.13.3	Example
7.14	Media Descriptor
7.14.1	General
7.14.2	Syntax
7.14.3	Semantics
7.14.4	Example
7.15	Bridget Descriptor
7.15.1	General
7.15.2	Syntax
7.15.3	Semantics
7.15.4	Example
7.16	EBU Core Media Descriptor
7.16.1	General
7.16.2	Syntax
7.16.3	Semantics
7.16.4	Example
7.17	EBU Core bridget Descriptor
7.17.1	General
7.17.2	Syntax
7.17.3	Semantics
7.17.4	Example
7.18	EBU Core Statement
7.18.1	General
7.18.2	Syntax
7.18.3	Semantics
7.18.4	Example
7.19	MPEG-7 media descriptor
7.19.1	General
7.19.2	Syntax
7.19.3	Semantics
7.19.4	Example
7.20	MPEG-7 Statement
7.20.1	General
7.20.2	Syntax
7.20.3	Semantics
7.20.4	Example

- 7.21 Bridget Multimedia Representation Descriptor
 - 7.21.1 General
 - 7.21.2 Syntax
 - 7.21.3 Semantics
 - 7.21.4 Example
- 7.22 Bridget Multimedia Representation Statement
 - 7.22.1 General
 - 7.22.2 Syntax
 - 7.22.3 Semantics
 - 7.22.4 Example
- 7.23 Target Condition
 - 7.23.1 General
 - 7.23.2 Syntax
 - 7.23.3 Semantics
 - 7.23.4 Example

8 Bridget Presentation

- 8.1 General
- 8.2 Layout Ref
 - 8.2.1 General
 - 8.2.2 Syntax
 - 8.2.3 `</xs:complexType>Semantics`
 - 8.2.4 Example
- 8.3 Main Layout Ref
 - 8.3.1 General
 - 8.3.2 Syntax
 - 8.3.3 Semantics
 - 8.3.4 Example
- 8.4 Bridget Layout Scene
 - 8.4.1 General
 - 8.4.2 Syntax
 - 8.4.3 Semantics
 - 8.4.4 Example
- 8.5 Bridget Layout Descriptor
 - 8.5.1 General
 - 8.5.2 Syntax
 - 8.5.3 Semantics
 - 8.5.4 Example
- 8.6 Bridget Layout Statement
 - 8.6.1 General
 - 8.6.2 Syntax
 - 8.6.3 Semantics
 - 8.6.4 Example
- 8.7 Main Layout Descriptor
 - 8.7.1 General
 - 8.7.2 Syntax
 - 8.7.3 Semantics
 - 8.7.4 Example
- 8.8 Main Layout Statement
 - 8.8.1 General
 - 8.8.2 Syntax
 - 8.8.3 Semantics
 - 8.8.4 Example

Annex A (normative) MLAF XML schema

Annex B (normative) XMTA restricted scene for MLAF presentation

Annex C (informative) Bridget presentation in BIFS

Annex D (informative) Examples

- D.1 Example 1
- D.2 Example 2