

# ISO/IEC 24707:2018 (E)

## Information technology — Common Logic (CL) — A framework for a family of logic-based languages

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
4.1	Symbols
4.2	Abbreviated terms
5	Requirements and design overview
5.1	Requirements
5.1.1	Common Logic should include full first-order logic with equality
5.1.2	Common Logic should provide a general-purpose syntax for communicating logical expressions
5.1.3	Common Logic should be easy and natural for use on the Web
5.1.4	Common Logic should support open networks
5.1.5	Common Logic should not make arbitrary assumptions about semantics
5.2	A family of languages
6	Common Logic abstract syntax and semantics
6.1	Common Logic abstract syntax
6.1.1	Abstract syntax categories
6.1.2	Metamodel of the Common Logic abstract syntax
6.1.2.1	Names and sequence markers
6.1.2.2	Terms and term sequences
6.1.2.3	Sentences
6.1.2.4	Statements
6.1.2.5	Texts
6.1.2.6	Well-Formed Expressions
6.1.2.7	Metamodel
6.1.3	Importation closure
6.1.4	Abstract syntactic structure of dialects
6.2	Common logic semantics
6.3	Datatypes
6.4	Satisfaction, validity and entailment
6.5	Sequence markers, recursion and argument lists: discussion
6.6	Special cases and translations between dialects
7	Conformance
7.1	Dialect conformance
7.1.1	Syntax
7.1.2	Semantics
7.1.3	Presupposing dialects
7.2	Application conformance
7.3	Network conformance
Annex A	(normative) Common Logic Interchange Format (CLIF)
A.1	General

<b>A.2</b>	<b>CLIF syntax</b>
<b>A.2.1</b>	<b>Characters</b>
<b>A.2.2</b>	<b>Lexical syntax</b>
<b>A.2.2.1</b>	<b>General</b>
<b>A.2.2.2</b>	<b>White space</b>
<b>A.2.2.3</b>	<b>Delimiters</b>
<b>A.2.2.4</b>	<b>Characters</b>
<b>A.2.2.5</b>	<b>Quoting within strings</b>
<b>A.2.2.6</b>	<b>Quoted strings</b>
<b>A.2.2.7</b>	<b>Reserved tokens</b>
<b>A.2.2.8</b>	<b>Name character sequence</b>
<b>A.2.2.9</b>	<b>Lexical categories</b>
<b>A.2.3</b>	<b>Expression syntax</b>
<b>A.2.3.1</b>	<b>Term sequence</b>
<b>A.2.3.2</b>	<b>Name</b>
<b>A.2.3.3</b>	<b>Term</b>
<b>A.2.3.4</b>	<b>Equation</b>
<b>A.2.3.5</b>	<b>Sentence</b>
<b>A.2.3.6</b>	<b>Atomic sentence</b>
<b>A.2.3.7</b>	<b>Boolean sentence</b>
<b>A.2.3.8</b>	<b>Quantified sentence</b>
<b>A.2.3.9</b>	<b>Commented sentence</b>
<b>A.2.3.10</b>	<b>Titling</b>
<b>A.2.3.11</b>	<b>Discourse statement</b>
<b>A.2.3.12</b>	<b>Statement</b>
<b>A.2.3.13</b>	<b>Importation</b>
<b>A.2.3.14</b>	<b>Domain restriction</b>
<b>A.2.3.15</b>	<b>Text</b>
<b>A.3</b>	<b>CLIF semantics</b>
<b>A.4</b>	<b>CLIF conformance</b>
<b>A.4.1</b>	<b>Syntactic conformity</b>
<b>A.4.2</b>	<b>Semantic conformity</b>

**Annex B (normative) Conceptual Graph Interchange Format (CGIF)**

<b>B.1</b>	<b>General</b>
<b>B.1.1</b>	<b>General</b>
<b>B.1.2</b>	<b>Conceptual graphs</b>
<b>B.1.3</b>	<b>EBNF Syntax Rules for CGIF</b>
<b>B.1.4</b>	<b>Notation for rewrite rules</b>
<b>B.1.4.1</b>	<b>General</b>
<b>B.1.4.2</b>	<b>Transformation rules</b>
<b>B.1.4.3</b>	<b>Functions used in rewrite rules</b>
<b>B.2</b>	<b>CG core syntax and semantics</b>
<b>B.2.1</b>	<b>actor</b>
<b>B.2.2</b>	<b>arc</b>
<b>B.2.3</b>	<b>arcSequence</b>
<b>B.2.4</b>	<b>comment</b>
<b>B.2.5</b>	<b>concept</b>
<b>B.2.6</b>	<b>conceptual graph (CG)</b>
<b>B.2.7</b>	<b>conceptual relation</b>
<b>B.2.8</b>	<b>negation</b>
<b>B.2.9</b>	<b>reference</b>
<b>B.2.10</b>	<b>scope</b>
<b>B.2.11</b>	<b>text</b>
<b>B.3</b>	<b>Extended CGIF syntax</b>
<b>B.3.1</b>	<b>General</b>
<b>B.3.2</b>	<b>actor</b>
<b>B.3.3</b>	<b>arc</b>
<b>B.3.4</b>	<b>arcSequence</b>
<b>B.3.5</b>	<b>boolean</b>
<b>B.3.6</b>	<b>concept</b>
<b>B.3.7</b>	<b>conceptual graph (CG)</b>
<b>B.3.8</b>	<b>conceptual relation</b>
<b>B.3.9</b>	<b>text</b>

- B.3.10** type expression
- B.4** CGIF conformance

**Annex C (normative) eXtended Common Logic Markup Language (XCL)**

- C.1** General
- C.2** XCL syntax
- C.3** XCL semantics
- C.4** XCL conformance

**Annex D (informative) Translating between dialects**

**Page count: 70**