

ISO/IEC 23005-2:2018-09 (E)

Information technology - Media context and control - Part 2: Control information

Contents		Page
1	Scope	1
2	Normative references	1
3	Terms, definitions, abbreviated terms, schema documents and prefixes	2
3.1	Terms and definitions	2
3.2	Abbreviated terms	2
3.3	Schema documents	2
3.4	Use of prefixes	3
4	Control information description language	3
4.1	General	3
4.2	Schema wrapper conventions	4
4.3	Mnemonics for binary representations	4
4.4	Common header for binary representations	4
4.5	Root element and top-level tools	5
4.5.1	General	5
4.5.2	XML representation syntax	5
4.5.3	Binary representation syntax	6
4.5.4	Semantics	8
4.5.5	Examples	23
4.6	Sensory device capability description	24
4.6.1	General	24
4.6.2	Reference coordinate system	24
4.6.3	Sensory device capability base type	25
4.6.4	Sensory device capability base attributes	26
4.7	Sensor capability description	27
4.7.1	General	27
4.7.2	Global coordinate for sensors	28
4.7.3	Sensor capability base type	28
4.7.4	Sensor capability base attributes	30
4.8	User's sensory preference description	33
4.8.1	General	33
4.8.2	User sensory preference base type	34
4.8.3	User sensory preference base attributes	34
4.9	Sensor adaptation preference description	36
4.9.1	General	36
4.9.2	Sensor adaptation preference base type	36
4.9.3	Sensor adaptation preference base attributes	37
5	Device capability description vocabulary	40
5.1	General	40
5.2	Schema wrapper conventions	41
5.3	Light capability type	42
5.3.1	General	42
5.3.2	XML representation syntax	42
5.3.3	Binary representation syntax	42
5.3.4	Semantics	43
5.3.5	Examples	44
5.4	Flash capability type	44
5.4.1	General	44
5.4.2	XML representation syntax	45

5.4.3	Binary representation syntax	45
5.4.4	Semantics	45
5.4.5	Examples	46
5.5	Heating capability type	46
5.5.1	General	46
5.5.2	XML representation syntax	46
5.5.3	Binary representation syntax	47
5.5.4	Semantics	47
5.5.5	Examples	48
5.6	Cooling capability type	48
5.6.1	General	48
5.6.2	XML representation syntax	49
5.6.3	Binary representation syntax	49
5.6.4	Semantics	49
5.6.5	Examples	50
5.7	Wind capability type	50
5.7.1	General	50
5.7.2	XML representation syntax	51
5.7.3	Binary representation syntax	51
5.7.4	Semantics	51
5.7.5	Examples	52
5.8	Vibration capability type	52
5.8.1	General	52
5.8.2	XML representation syntax	52
5.8.3	Binary representation syntax	53
5.8.4	Semantics	53
5.8.5	Examples	54
5.9	Scent capability type	54
5.9.1	General	54
5.9.2	XML representation syntax	54
5.9.3	Binary representation syntax	55
5.9.4	Semantics	56
5.9.5	Examples	56
5.10	Fog capability type	57
5.10.1	General	57
5.10.2	XML representation syntax	57
5.10.3	Binary representation syntax	57
5.10.4	Semantics	58
5.10.5	Examples	58
5.11	Sprayer capability type	59
5.11.1	General	59
5.11.2	XML representation syntax	59
5.11.3	Binary representation syntax	59
5.11.4	Semantics	60
5.11.5	Examples	61
5.12	Colour correction capability type	61
5.12.1	General	61
5.12.2	XML representation syntax	61
5.12.3	Binary representation syntax	61
5.12.4	Semantics	62
5.12.5	Examples	62
5.13	Tactile capability type	62
5.13.1	General	62
5.13.2	XML representation syntax	62
5.13.3	Binary representation syntax	63
5.13.4	Semantics	65
5.13.5	Examples	67
5.14	Kinesthetic capability type	68
5.14.1	General	68
5.14.2	XML representation syntax	68
5.14.3	Binary representation syntax	69
5.14.4	Semantics	71

5.14.5	Examples	74
5.15	RigidBodyMotion capability type	75
5.15.1	General	75
5.15.2	XML representation syntax	75
5.15.3	Binary representation syntax	76
5.15.4	Semantics	83
5.15.5	Examples	91
5.16	Mobile device position capability type	91
5.16.1	General	91
5.16.2	XML representation syntax	92
5.16.3	Binary representation syntax	93
5.16.4	Semantics	95
5.16.5	Examples	97
5.17	Bubble capability type	97
5.17.1	General	97
5.17.2	XML representation syntax	97
5.17.3	Binary representation syntax	98
5.17.4	Semantics	98
5.17.5	Examples	98
5.18	3D Printing capability type	98
5.18.1	General	98
5.18.2	XML representation syntax	98
5.18.3	Binary representation syntax	102
5.18.4	Semantics	110
5.18.5	Examples	117
5.19	Arrayed Light capability type	120
5.19.1	General	120
5.19.2	Syntax	120
5.19.3	Binary Representation Syntax	120
5.19.4	Semantics	121
5.19.5	Examples	122
5.20	Sound display capability type	122
5.20.1	General	122
5.20.2	Syntax	122
5.20.3	Binary representation syntax	124
5.20.4	Semantics	126
5.20.5	Examples	128
6	Sensor capability description vocabulary	129
6.1	General	129
6.2	Schema wrapper conventions	130
6.3	Light sensor capability type	130
6.3.1	General	130
6.3.2	XML representation syntax	130
6.3.3	Binary representation syntax	131
6.3.4	Semantics	131
6.3.5	Examples	132
6.4	Ambient noise sensor capability type	133
6.4.1	General	133
6.4.2	XML representation syntax	133
6.4.3	Binary representation syntax	133
6.4.4	Semantics	133
6.4.5	Examples	134
6.5	Temperature sensor capability type	134
6.5.1	General	134
6.5.2	XML representation syntax	134
6.5.3	Binary representation syntax	134
6.5.4	Semantics	135
6.5.5	Examples	135
6.6	Humidity sensor capability type	135
6.6.1	General	135
6.6.2	XML representation syntax	135

6.6.3	Binary representation syntax	136
6.6.4	Semantics	136
6.6.5	Examples	136
6.7	Distance sensor capability type	137
6.7.1	General	137
6.7.2	XML representation syntax	137
6.7.3	Binary representation syntax	137
6.7.4	Semantics	137
6.7.5	Examples	138
6.8	Atmospheric pressure sensor capability type	138
6.8.1	General	138
6.8.2	XML representation syntax	138
6.8.3	Binary representation syntax	139
6.8.4	Semantics	139
6.8.5	Examples	139
6.9	Position sensor capability type	140
6.9.1	General	140
6.9.2	XML representation syntax	140
6.9.3	Binary representation syntax	140
6.9.4	Semantics	141
6.9.5	Examples	141
6.10	Velocity sensor capability type	142
6.10.1	General	142
6.10.2	XML representation syntax	142
6.10.3	Binary representation syntax	142
6.10.4	Semantics	142
6.10.5	Examples	142
6.11	Acceleration sensor capability type	143
6.11.1	General	143
6.11.2	XML representation syntax	143
6.11.3	Binary representation syntax	143
6.11.4	Semantics	143
6.11.5	Examples	143
6.12	Orientation sensor capability type	144
6.12.1	General	144
6.12.2	XML representation syntax	144
6.12.3	Binary representation syntax	144
6.12.4	Semantics	145
6.12.5	Examples	145
6.13	Angular velocity sensor capability type	146
6.13.1	General	146
6.13.2	XML representation syntax	146
6.13.3	Binary representation syntax	146
6.13.4	Semantics	146
6.13.5	Examples	147
6.14	Angular acceleration sensor capability type	147
6.14.1	General	147
6.14.2	XML representation syntax	147
6.14.3	Binary representation syntax	147
6.14.4	Semantics	147
6.14.5	Examples	148
6.15	Force sensor capability type	148
6.15.1	General	148
6.15.2	XML representation syntax	148
6.15.3	Binary representation syntax	148
6.15.4	Semantics	148
6.15.5	Examples	149
6.16	Torque sensor capability type	149
6.16.1	General	149
6.16.2	XML representation syntax	149
6.16.3	Binary representation syntax	149
6.16.4	Semantics	149

6.16.5	Examples	149
6.17	Pressure sensor capability type	150
6.17.1	General	150
6.17.2	XML representation syntax	150
6.17.3	Binary representation syntax	150
6.17.4	Semantics	150
6.17.5	Examples	150
6.18	Motion sensor capability type	151
6.18.1	General	151
6.18.2	XML representation syntax	151
6.18.3	Binary representation syntax	151
6.18.4	Semantics	152
6.18.5	Examples	153
6.19	Intelligent camera capability type	154
6.19.1	General	154
6.19.2	XML representation syntax	154
6.19.3	Binary representation syntax	155
6.19.4	Semantics	157
6.19.5	Examples	159
6.20	Bend sensor capability type	159
6.20.1	General	159
6.20.2	XML representation syntax	160
6.20.3	Binary representation syntax	160
6.20.4	Semantics	161
6.20.5	Examples	162
6.21	Gas sensor capability type	163
6.21.1	General	163
6.21.2	XML representation syntax	163
6.21.3	Binary representation syntax	163
6.21.4	Semantics	163
6.21.5	Examples	164
6.22	Dust sensor capability type	164
6.22.1	General	164
6.22.2	XML representation syntax	164
6.22.3	Binary representation syntax	164
6.22.4	Semantics	165
6.22.5	Examples	165
6.23	Multi interaction point sensor capability type	165
6.23.1	General	165
6.23.2	XML representation syntax	165
6.23.3	Binary representation syntax	165
6.23.4	Semantics	166
6.23.5	Examples	166
6.24	Gaze tracking sensor capability type	166
6.24.1	General	166
6.24.2	XML representation syntax	166
6.24.3	Binary representation syntax	167
6.24.4	Semantics	167
6.24.5	Examples	168
6.25	Global position sensor capability type	169
6.25.1	General	169
6.25.2	XML representation syntax	169
6.25.3	Binary representation syntax	169
6.25.4	Semantics	170
6.25.5	Examples	172
6.26	Altitude sensor capability type	172
6.26.1	General	172
6.26.2	XML representation syntax	172
6.26.3	Binary representation syntax	172
6.26.4	Semantics	173
6.26.5	Examples	173
6.27	Weather sensor capability type	174

6.27.1	General	174
6.27.2	XML representation syntax	174
6.27.3	Binary representation syntax	175
6.27.4	Semantics	175
6.27.5	Examples	177
6.28	Camera sensor capability type	177
6.28.1	General	177
6.28.2	XML representation syntax	177
6.28.3	Binary representation	179
6.28.4	Semantics	181
6.28.5	Examples	185
6.29	Proximity sensor capability type	186
6.29.1	General	186
6.29.2	XML representation syntax	186
6.29.3	Binary representation syntax	186
6.29.4	Semantics	186
6.29.5	Examples	187
6.30	Body weight sensor capability type	187
6.30.1	General	187
6.30.2	XML representation syntax	187
6.30.3	Binary representation syntax	187
6.30.4	Semantics	187
6.30.5	Examples	188
6.31	Engine oil temperature sensor capability type	188
6.31.1	General	188
6.31.2	XML representation syntax	188
6.31.3	Binary representation syntax	188
6.31.4	Semantics	188
6.31.5	Examples	188
6.32	Intake air temperature sensor capability type	189
6.32.1	General	189
6.32.2	XML representation syntax	189
6.32.3	Binary representation syntax	189
6.32.4	Semantics	189
6.32.5	Examples	189
6.33	Tire pressure monitor system sensor capability type	190
6.33.1	General	190
6.33.2	XML representation syntax	190
6.33.3	Binary representation syntax	190
6.33.4	Semantics	190
6.33.5	Examples	190
6.34	Distance travelled sensor capability type	191
6.34.1	General	191
6.34.2	XML representation syntax	191
6.34.3	Binary representation syntax	191
6.34.4	Semantics	191
6.34.5	Examples	191
6.35	Speed sensor capability type	192
6.35.1	General	192
6.35.2	XML representation syntax	192
6.35.3	Binary representation syntax	192
6.35.4	Semantics	192
6.35.5	Examples	192
6.36	Vehicle speed sensor capability type	192
6.36.1	General	192
6.36.2	XML representation syntax	193
6.36.3	Binary representation syntax	193
6.36.4	Semantics	193
6.36.5	Examples	193
6.37	Mass air flow sensor capability type	193
6.37.1	General	193
6.37.2	XML representation syntax	193

6.37.3	Binary representation syntax	194
6.37.4	Semantics	194
6.37.5	Examples	194
6.38	Fuel level sensor capability type	194
6.38.1	General	194
6.38.2	XML representation syntax	194
6.38.3	Binary representation syntax	194
6.38.4	Semantics	194
6.38.5	Examples	195
6.39	Manifold absolute pressure sensor capability type	195
6.39.1	General	195
6.39.2	XML representation syntax	195
6.39.3	Binary representation syntax	195
6.39.4	Semantics	195
6.39.5	Examples	195
6.40	EngineRPM sensor capability type	196
6.40.1	General	196
6.40.2	XML representation syntax	196
6.40.3	Binary representation syntax	196
6.40.4	Semantics	196
6.40.5	Examples	196
6.41	Radar sensor capability type	197
6.41.1	General	197
6.41.2	XML representation syntax	197
6.41.3	Binary representation syntax	197
6.41.4	Semantics	198
6.41.5	Examples	198
6.42	Array camera sensor capability type	199
6.42.1	General	199
6.42.2	XML representation syntax	199
6.42.3	Binary representation syntax	199
6.42.4	Semantics	200
6.42.5	Examples	200
6.43	E-Nose sensor capability type	201
6.43.1	General	201
6.43.2	XML representation syntax	201
6.43.3	Binary representation syntax	202
6.43.4	Semantics	204
6.43.5	Examples	207
6.44	Microphone sensor capability type	208
6.44.1	General	208
6.44.2	Syntax	208
6.44.3	Binary representation syntax	210
6.44.4	Semantics	212
6.44.5	Examples	213
7	User's sensory preference vocabulary	214
7.1	General	214
7.2	Schema wrapper conventions	215
7.3	Light preference type	215
7.3.1	General	215
7.3.2	XML representation syntax	215
7.3.3	Binary representation syntax	216
7.3.4	Semantics	216
7.3.5	Examples	217
7.4	Flash preference type	217
7.4.1	General	217
7.4.2	XML representation syntax	217
7.4.3	Binary representation syntax	218
7.4.4	Semantics	218
7.4.5	Examples	219
7.5	Heating preference type	219

7.5.1	General	219
7.5.2	XML representation syntax	219
7.5.3	Binary representation syntax	219
7.5.4	Semantics	220
7.5.5	Examples	220
7.6	Cooling preference type	220
7.6.1	General	220
7.6.2	XML representation syntax	221
7.6.3	Binary representation syntax	221
7.6.4	Semantics	221
7.6.5	Examples	222
7.7	Wind preference type	222
7.7.1	General	222
7.7.2	XML representation syntax	222
7.7.3	Binary representation syntax	223
7.7.4	Semantics	223
7.7.5	Examples	223
7.8	Vibration preference type	224
7.8.1	General	224
7.8.2	XML representation syntax	224
7.8.3	Binary representation syntax	224
7.8.4	Semantics	224
7.8.5	Examples	225
7.9	Scent preference type	225
7.9.1	General	225
7.9.2	XML representation syntax	225
7.9.3	Binary representation syntax	226
7.9.4	Semantics	226
7.9.5	Examples	227
7.10	Fog preference type	227
7.10.1	General	227
7.10.2	XML representation syntax	227
7.10.3	Binary representation syntax	228
7.10.4	Semantics	228
7.10.5	Examples	229
7.11	Spraying preference type	229
7.11.1	General	229
7.11.2	XML representation syntax	229
7.11.3	Binary representation syntax	229
7.11.4	Semantics	230
7.11.5	Examples	230
7.12	Colour correction preference type	231
7.12.1	General	231
7.12.2	XML representation syntax	231
7.12.3	Binary representation syntax	231
7.12.4	Semantics	231
7.12.5	Examples	231
7.13	Tactile preference type	231
7.13.1	General	231
7.13.2	XML representation syntax	232
7.13.3	Binary representation syntax	232
7.13.4	Semantics	233
7.13.5	Examples	234
7.14	Kinesthetic preference type	235
7.14.1	General	235
7.14.2	XML representation syntax	235
7.14.3	Binary representation syntax	235
7.14.4	Semantics	236
7.14.5	Examples	237
7.15	RigidBodyMotion preference type	237
7.15.1	General	237
7.15.2	XML representation syntax	237

7.15.3	Binary representation syntax	239
7.15.4	Semantics	245
7.15.5	Examples	252
7.16	Bubble preference type	253
7.16.1	General	253
7.16.2	XML representation syntax	253
7.16.3	Binary representation syntax	253
7.16.4	Semantics	253
7.16.5	Examples	253
7.17	3D printing preference type	253
7.17.1	General	253
7.17.2	XML representation syntax	253
7.17.3	Binary representation syntax	256
7.17.4	Semantics	261
7.17.5	Examples	265
7.18	3D printing colour reproduction preference type	266
7.18.1	General	266
7.18.2	XML representation syntax	266
7.18.3	Binary representation syntax	266
7.18.4	Semantics	267
7.18.5	Examples	267
7.19	Arrayed Light preference type	267
7.19.1	General	267
7.19.2	Syntax	267
7.19.3	Binary representation syntax	267
7.19.4	Semantics	268
7.19.5	Examples	268
7.20	Sound display preference type	268
7.20.1	General	268
7.20.2	Syntax	268
7.20.3	Binary representation syntax	270
7.20.4	Semantics	271
7.20.5	Examples	273
8	Sensor adaptation preference vocabulary	274
8.1	General	274
8.2	Schema wrapper conventions	274
8.3	Light sensor adaptation preference type	275
8.3.1	General	275
8.3.2	XML representation syntax	275
8.3.3	Binary representation syntax	275
8.3.4	Semantics	275
8.3.5	Examples	276
8.4	Ambient noise sensor adaptation preference type	276
8.4.1	General	276
8.4.2	XML representation syntax	276
8.4.3	Binary representation syntax	277
8.4.4	Semantics	277
8.4.5	Examples	277
8.5	Temperature sensor adaptation preference type	277
8.5.1	General	277
8.5.2	XML representation syntax	277
8.5.3	Binary representation syntax	278
8.5.4	Semantics	278
8.5.5	Examples	278
8.6	Humidity sensor adaptation preference type	278
8.6.1	General	278
8.6.2	XML representation syntax	278
8.6.3	Binary representation syntax	279
8.6.4	Semantics	279
8.6.5	Examples	279
8.7	Distance sensor adaptation preference type	279

8.7.1	General	279
8.7.2	XML representation syntax	279
8.7.3	Binary representation syntax	280
8.7.4	Semantics	280
8.7.5	Examples	280
8.8	Atmospheric pressure sensor adaptation preference type	280
8.8.1	General	280
8.8.2	XML representation syntax	280
8.8.3	Binary representation syntax	281
8.8.4	Semantics	281
8.8.5	Examples	281
8.9	Position sensor adaptation preference type	281
8.9.1	General	281
8.9.2	XML representation syntax	281
8.9.3	Binary representation syntax	282
8.9.4	Semantics	282
8.9.5	Examples	283
8.10	Velocity sensor adaptation preference type	283
8.10.1	General	283
8.10.2	XML representation syntax	283
8.10.3	Binary representation syntax	284
8.10.4	Semantics	284
8.10.5	Examples	284
8.11	Acceleration sensor adaptation preference type	284
8.11.1	General	284
8.11.2	XML representation syntax	284
8.11.3	Binary representation syntax	285
8.11.4	Semantics	285
8.11.5	Examples	285
8.12	Orientation sensor adaptation preference type	285
8.12.1	General	285
8.12.2	XML representation syntax	285
8.12.3	Binary representation syntax	286
8.12.4	Semantics	286
8.12.5	Examples	287
8.13	Angular velocity sensor adaptation preference type	287
8.13.1	General	287
8.13.2	XML representation syntax	287
8.13.3	Binary representation syntax	288
8.13.4	Semantics	288
8.13.5	Examples	288
8.14	Angular acceleration sensor adaptation preference type	288
8.14.1	General	288
8.14.2	XML representation syntax	288
8.14.3	Binary representation syntax	289
8.14.4	Semantics	289
8.14.5	Examples	289
8.15	Force sensor adaptation preference type	289
8.15.1	General	289
8.15.2	XML representation syntax	289
8.15.3	Binary representation syntax	290
8.15.4	Semantics	290
8.15.5	Examples	290
8.16	Torque sensor adaptation preference type	290
8.16.1	General	290
8.16.2	XML representation syntax	290
8.16.3	Binary representation syntax	291
8.16.4	Semantics	291
8.16.5	Examples	291
8.17	Pressure sensor adaptation preference type	291
8.17.1	General	291
8.17.2	XML representation syntax	291

8.17.3	Binary representation syntax	292
8.17.4	Semantics	292
8.17.5	Examples	292
8.18	Motion sensor adaptation preference type	292
8.18.1	General	292
8.18.2	XML representation syntax	292
8.18.3	Binary representation syntax	293
8.18.4	Semantics	294
8.18.5	Examples	295
8.19	Intelligent camera sensor adaptation preference type	296
8.19.1	General	296
8.19.2	XML representation syntax	296
8.19.3	Binary representation syntax	297
8.19.4	Semantics	298
8.19.5	Examples	299
8.20	Radar sensor adaptation preference type	300
8.20.1	General	300
8.20.2	XML representation syntax	300
8.20.3	Binary representation syntax	300
8.20.4	Semantics	301
8.20.5	Examples	302
8.21	Array camera sensor adaptation preference type	302
8.21.1	General	302
8.21.2	XML representation syntax	302
8.21.3	Binary representation syntax	303
8.21.4	Semantics	304
8.21.5	Examples	304
Annex A (normative) Classification schemes		306
Annex B (informative) Schema documents		308
Bibliography		309