

# ISO/IEC 29112:2018 (E)

## Information technology — Office equipment — Test pages and methods for measuring monochrome printer resolution

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions and abbreviations
3.1	Terms and definitions
3.2	Abbreviations
4	Print resolution characteristics — Methods for measurement and analysis
4.1	Conformance requirements
4.1.1	General
4.1.2	Test page conformance
4.1.3	Printing process conformance
4.1.4	Scanner characteristics conformance
4.1.5	Measurement method conformance
4.2	Native addressability
4.2.1	General
4.2.2	Method for measuring native addressability
4.3	Effective addressability
4.3.1	General
4.3.2	Method for measuring effective addressability
4.4	Edge blurriness and edge raggedness
4.4.1	General
4.4.2	Edge blurriness
4.4.3	Edge raggedness
4.4.4	Method for measuring edge blurriness and edge raggedness
4.5	Spatial frequency response
4.5.1	General
4.5.2	Printer SFR estimation from edge characteristics
4.5.3	Method for measuring printer SFR from edge characteristics
4.5.4	Printer SFR estimation from 1-D repeating patterns
4.5.5	Method for measuring printer SFR from 1-D repeating pattern characteristics
4.6	ROI size and shape variation
5	Test set-up, configurations and procedure
5.1	Printer set-up and configuration
5.2	Printer testing environment
5.3	Substrate
5.4	Test platform connection to the printer
5.5	Printing process
5.6	Test pages
5.7	Sample size
5.8	Set-up procedure
5.9	Testing procedure for visual evaluation
5.10	Testing procedure for scanner-based measurement
6	Presentation of results
6.1	General
6.2	Required assessment configuration documentation

**6.3 Required assessment measurement documentation**

**Annex A (normative) Printing process**

- A.1 Application effects**
- A.2 Print driver effects**
- A.3 Test page files for PostScript printers**
- A.4 Printing protocol**
  - A.4.1 General**
  - A.4.2 Low-level operating system printing protocol**
  - A.4.3 Dedicated printing application printing protocol**

**Annex B (normative) Scanner conformance**

- B.1 General**
- B.2 Required scanner characteristics**
- B.3 Scanner OECF characteristic**
  - B.3.1 General**
  - B.3.2 Method for evaluating the scanner OECF characteristic**
  - B.3.3 Required scanner OECF stability**
- B.4 Scanner SFR characteristic**
  - B.4.1 General**
  - B.4.2 Required element placement for SFR evaluation**
  - B.4.3 Required scanner SFR characteristics**
  - B.4.4 Method for normalizing scanner SFR**
- B.5 Required scanner control application characteristics**

**Annex C (normative) Reference measurement methods and conformance**

- C.1 Installation**
  - C.1.1 General**
  - C.1.2 Test page ZIP file availability**
  - C.1.3 Reference distribution ZIP file availability**
  - C.1.4 Using the reference distribution Matlab routines**
- C.2 Utilities, evaluation and conformance**
  - C.2.1 General**
  - C.2.2 Scanner OECF calibration and conformance**
    - C.2.2.1 General**
    - C.2.2.2 Target definition files**
    - C.2.2.3 Scanner OECF calibration**
    - C.2.2.4 Scanner OECF conformance**
  - C.2.3 Scanner SFR evaluation and conformance**
    - C.2.3.1 General**
    - C.2.3.2 Scanner SFR evaluation**
      - C.2.3.3 Scanner SFR conformance**
- C.3 Measurement methods, evaluation and conformance**
  - C.3.1 General**
  - C.3.2 Effective addressability measurement method evaluation**
  - C.3.3 Effective addressability evaluation conformance**
  - C.3.4 Edge blurriness and edge raggedness measurement method evaluation**
  - C.3.5 Conformance of the edge blurriness measurement method**
  - C.3.6 Conformance of the edge raggedness measurement method**
  - C.3.7 Slanted-edge printer SFR measurement method evaluation**
  - C.3.8 Conformance of the slanted-edge SFR measurement method**
  - C.3.9 Square-wave SFR measurement method evaluation**
  - C.3.10 Conformance of the square-wave SFR measurement method**

**Annex D (informative) Reporting**

- D.1 Single configuration report**
- D.2 Multiple configuration report**

**Annex E (informative) Usage**

- E.1 General**
- E.2 Printing system workflow concerns**
- E.3 Assessment of electro-photographic printing systems**

**Annex F (informative) Electro-photographic system measurement method verification example**

<b>F.1</b>	<b>Verification of repeatability and reproducibility</b>
<b>F.1.1</b>	<b>General</b>
<b>F.1.2</b>	<b>Verification of measurement repeatability</b>
<b>F.1.3</b>	<b>Verification of measurement reproducibility</b>
<b>F.1.4</b>	<b>Verification of requirements</b>
<b>F.2</b>	<b>Verification of measurement correlation with perception</b>
<b>F.2.1</b>	<b>General</b>
<b>F.2.2</b>	<b>Test suite and psychometric scaling</b>
<b>F.2.3</b>	<b>Correlation method</b>
<b>F.2.4</b>	<b>Verification experiment results</b>
<b>F.2.4.1</b>	<b>General</b>
<b>F.2.4.2</b>	<b>Printer SFR estimation from 1-D repeating patterns</b>
<b>F.2.4.3</b>	<b>Native addressability</b>
<b>F.2.4.4</b>	<b>Effective addressability</b>
<b>F.2.4.5</b>	<b>Edge blurriness</b>
<b>F.2.4.6</b>	<b>Edge raggedness</b>
<b>F.2.4.7</b>	<b>SFR measures</b>
<b>F.2.4.8</b>	<b>Slanted-edge SFR</b>
<b>F.2.4.9</b>	<b>Square-wave SFR</b>
<b>F.2.5</b>	<b>Observations</b>
<b>F.3</b>	<b>Known limitations</b>

**Page count: 87**