

# ISO/IEC 30118-1:2018-11 (E)

## Information technology - Open Connectivity Foundation (OCF) Specification - Part 1: Core specification

---

<b>Contents</b>	<b>Page</b>
1 Scope .....	15
2 Normative references .....	15
3 Terms, definitions, symbols and abbreviations .....	18
3.1 Terms and definitions .....	18
3.2 Symbols and abbreviations .....	21
3.3 Conventions .....	22
3.4 Data types .....	22
4 Document conventions and organization .....	23
5 Architecture .....	24
5.1 Overview .....	24
5.2 Principle .....	25
5.3 Functional block diagram .....	26
5.4 Framework .....	27
5.5 Example Scenario with roles .....	27
5.6 Example Scenario: Bridging to Non- OCF ecosystem .....	28
6 Identification and addressing .....	29
6.1 Introduction .....	29
6.2 Identification .....	30
6.2.1 Resource identification and addressing .....	30
6.3 Namespace: .....	31
6.4 Network addressing .....	31
7 Resource model .....	31
7.1 Introduction .....	31
7.2 Resource .....	32
7.3 Property .....	33
7.3.1 Introduction .....	33
7.3.2 Common Properties .....	34
7.4 Resource Type .....	35
7.4.1 Introduction .....	35
7.4.2 Resource Type Property .....	36
7.4.3 Resource Type definition .....	36
7.4.4 Multi-value "rt" Resource .....	38
7.5 Device Type .....	38
7.6 Interface .....	39
7.6.1 Introduction .....	39
7.6.2 Interface Property .....	39
7.6.3 Interface methods .....	40
7.7 Resource representation .....	52
7.8 Structure .....	52
7.8.1 Introduction .....	52
7.8.2 Resource Relationships .....	52

7.8.3	Collections .....	57
7.9	Third (3 <sup>rd</sup> ) party specified extensions .....	60
8	CRUDN .....	61
8.1	Overview .....	61
8.2	CREATE .....	62
8.2.1	CREATE request .....	63
8.2.2	Processing by the Server .....	63
8.2.3	CREATE response .....	63
8.3	RETRIEVE .....	63
8.3.1	RETRIEVE request .....	64
8.3.2	Processing by the Server .....	64
8.3.3	RETRIEVE response .....	64
8.4	UPDATE .....	64
8.4.1	UPDATE request .....	65
8.4.2	Processing by the Server .....	65
8.4.3	UPDATE response .....	65
8.5	DELETE .....	65
8.5.1	DELETE request .....	66
8.5.2	Processing by the Server .....	66
8.5.3	DELETE response .....	66
8.6	NOTIFY .....	66
9	Network and connectivity .....	67
9.1	Introduction .....	67
9.2	Architecture .....	67
9.3	IPv6 network layer requirements .....	68
9.3.1	Introduction .....	68
9.3.2	IPv6 node requirements .....	69
10	Endpoint .....	69
10.1	Endpoint definition .....	69
10.2	Endpoint information .....	70
10.2.1	Introduction .....	70
10.2.2	“ep” .....	70
10.2.3	“pri” .....	70
10.2.4	Endpoint information in “eps” Parameter .....	71
10.3	Endpoint discovery .....	71
10.3.1	Introduction .....	71
10.3.2	Implicit discovery .....	71
10.3.3	Explicit discovery with “/oic/res” response .....	71
10.4	CoAP based Endpoint discovery .....	75
11	Functional interactions .....	76
11.1	Introduction .....	76
11.2	Onboarding, Provisioning and Configuration .....	76
11.3	Resource discovery .....	78
11.3.1	Introduction .....	78

11.3.2	Resource based discovery: mechanisms .....	78
11.3.3	Resource based discovery: Information publication process.....	80
11.3.4	Resource based discovery: Finding information .....	81
11.3.5	Resource discovery using “/oic/res” .....	87
11.3.6	Resource directory (RD) based discovery.....	89
11.4	Notification .....	103
11.4.1	Overview .....	103
11.4.2	Observe .....	103
11.5	Device management .....	105
11.5.1	Overview .....	105
11.5.2	Diagnostics and maintenance .....	105
11.6	Scenes .....	106
11.6.1	Introduction .....	106
11.6.2	Scenes .....	106
11.6.3	Security considerations.....	110
11.7	Icons .....	110
11.7.1	Overview .....	110
11.7.2	Resource.....	111
11.8	Introspection.....	111
11.8.1	Overview .....	111
11.8.2	Usage of introspection .....	113
12	Messaging .....	114
12.1	Introduction .....	114
12.2	Mapping of CRUDN to CoAP .....	115
12.2.1	Overview .....	115
12.2.2	URIs.....	115
12.2.3	CoAP method with request and response .....	115
12.2.4	Content-Format negotiation.....	117
12.2.5	OCF-Content-Format-Version information.....	118
12.2.6	Content-Format policy.....	118
12.2.7	CRUDN to CoAP response codes.....	119
12.2.8	CoAP block transfer.....	119
12.3	CoAP serialization over TCP .....	120
12.4	Payload Encoding in CBOR.....	121
13	Security .....	121
Annex A	(informative) Operation Examples .....	123
A.1	Introduction .....	123
A.2	When at home: From smartphone turn on a single light.....	123
A.3	GroupAction execution.....	124
A.4	When garage door opens, turn on lights in hall; also notify smartphone.....	124
A.5	Device management .....	124
Annex B	(informative) OCF interaction scenarios and deployment models .....	126
B.1	OCF interaction scenarios.....	126
B.2	Deployment model .....	127

Annex C (informative) Other Resource Models and OCF Mapping .....	129
C.1 Multiple resource models .....	129
C.2 OCF approach for support of multiple resource models .....	129
C.3 Resource model indication .....	130
C.4 An Example Profile (IPSO profile) .....	130
C.4.1 Conceptual equivalence .....	130
Annex D (normative) Resource Type definitions .....	133
D.1 List of Resource Type definitions.....	133
D.2 OCF Collection .....	134
D.2.1 Introduction .....	134
D.2.2 Example URI .....	134
D.2.3 Resource Type .....	134
D.2.4 RAML Definition.....	134
D.2.5 Property Definition .....	139
D.2.6 CRUDN behavior .....	140
D.2.7 Referenced JSON schemas .....	140
D.2.8 oic.oic-link-schema.json.....	140
D.3 Device Configuration.....	142
D.3.1 Introduction .....	142
D.3.2 Example URI .....	142
D.3.3 Resource Type .....	142
D.3.4 RAML Definition.....	142
D.3.5 Property Definition .....	147
D.3.6 CRUDN behavior .....	147
D.4 Platform Configuration .....	147
D.4.1 Introduction .....	147
D.4.2 Example URI .....	147
D.4.3 Resource Type .....	147
D.4.4 RAML Definition.....	147
D.4.5 Property Definition .....	150
D.4.6 CRUDN behavior .....	150
D.5 Device .....	150
D.5.1 Introduction .....	150
D.5.2 Wellknown URI .....	150
D.5.3 Resource Type .....	150
D.5.4 RAML Definition.....	151
D.5.5 Property Definition .....	153
D.5.6 CRUDN behavior .....	153
D.6 Maintenance .....	154
D.6.1 Introduction .....	154
D.6.2 Wellknown URI .....	154
D.6.3 Resource Type .....	154
D.6.4 RAML Definition.....	154
D.6.5 Property Definition .....	156

D.6.6	CRUDN behavior .....	156
D.7	Platform.....	157
D.7.1	Introduction .....	157
D.7.2	Wellknown URI .....	157
D.7.3	Resource Type .....	157
D.7.4	RAML Definition.....	157
D.7.5	Property Definition .....	159
D.7.6	CRUDN behavior .....	160
D.8	Ping .....	160
D.8.1	Introduction .....	160
D.8.2	Wellknown URI .....	160
D.8.3	Resource Type .....	160
D.8.4	RAML Definition.....	160
D.8.5	Property Definition .....	162
D.8.6	CRUDN behavior .....	162
D.9	Discoverable Resources Baseline Interface .....	162
D.9.1	Introduction .....	162
D.9.2	Wellknown URI .....	162
D.9.3	Resource Type .....	162
D.9.4	RAML Definition.....	162
D.9.5	Property Definition .....	164
D.9.6	CRUDN behavior .....	165
D.10	Discoverable Resources Link List interface.....	165
D.10.1	Introduction .....	165
D.10.2	Wellknown URI .....	165
D.10.3	Resource Type .....	165
D.10.4	RAML Definition.....	165
D.10.5	Property Definition .....	166
D.10.6	CRUDN behavior .....	167
D.10.7	Referenced JSON schemas .....	168
D.10.8	oic.oic-link-schema.json.....	168
D.11	Scenes (Top level).....	170
D.11.1	Introduction .....	170
D.11.2	Example URI .....	170
D.11.3	Resource Type .....	170
D.11.4	RAML Definition.....	170
D.11.5	Property Definition .....	172
D.11.6	CRUDN behavior .....	172
D.12	Scene Collections .....	172
D.12.1	Introduction .....	172
D.12.2	Example URI .....	173
D.12.3	Resource Type .....	173
D.12.4	RAML Definition.....	173
D.12.5	Property Definition .....	176

D.12.6	CRUDN behavior .....	177
D.13	Scene Member .....	177
D.13.1	Introduction .....	177
D.13.2	Example URI .....	177
D.13.3	Resource Type .....	177
D.13.4	RAML Definition.....	177
D.13.5	Property Definition.....	179
D.13.6	CRUDN behavior .....	179
D.14	Resource directory resource .....	179
D.14.1	Introduction .....	179
D.14.2	Wellknown URI .....	180
D.14.3	Resource Type .....	180
D.14.4	RAML Definition.....	180
D.14.5	Property Definition.....	185
D.14.6	CRUDN behavior .....	186
D.15	Icon.....	186
D.15.1	Introduction .....	186
D.15.2	Example URI .....	186
D.15.3	Resource Type .....	186
D.15.4	RAML Definition.....	186
D.15.5	Property Definition.....	187
D.15.6	CRUDN behavior .....	187
D.16	Introspection Resource .....	188
D.16.1	Introduction .....	188
D.16.2	Example URI .....	188
D.16.3	Resource Type .....	188
D.16.4	RAML Definition.....	188
D.16.5	Property Definition.....	189
D.16.6	CRUDN behavior .....	190
Annex E (informative)	Swagger2.0 definitions .....	191
E.1	Icon.....	191
E.1.1	Introduction .....	191
E.1.2	Example URI .....	191
E.1.3	Resource Type .....	191
E.1.4	Swagger2.0 Definition.....	191
E.1.5	Property Definition.....	193
E.1.6	CRUDN behavior .....	193
E.2	Introspection Resource .....	194
E.2.1	Introduction .....	194
E.2.2	Example URI .....	194
E.2.3	Resource Type .....	194
E.2.4	Swagger2.0 Definition.....	194
E.2.5	Property Definition.....	196
E.2.6	CRUDN behavior .....	197

E.3	OCF Collection .....	197
E.3.1	Introduction .....	197
E.3.2	Example URI .....	197
E.3.3	Resource Type .....	197
E.3.4	Swagger2.0 Definition.....	197
E.3.5	Property Definition .....	210
E.3.6	CRUDN behavior .....	213
E.4	Platform Configuration .....	213
E.4.1	Introduction .....	213
E.4.2	Example URI .....	213
E.4.3	Resource Type .....	213
E.4.4	Swagger2.0 Definition.....	213
E.4.5	Property Definition .....	217
E.4.6	CRUDN behavior .....	217
E.5	Device Configuration.....	217
E.5.1	Introduction .....	217
E.5.2	Example URI .....	217
E.5.3	Resource Type .....	217
E.5.4	Swagger2.0 Definition.....	217
E.5.5	Property Definition .....	223
E.5.6	CRUDN behavior .....	224
E.6	Device .....	224
E.6.1	Introduction .....	224
E.6.2	Wellknown URI .....	224
E.6.3	Resource Type .....	224
E.6.4	Swagger2.0 Definition.....	224
E.6.5	Property Definition .....	227
E.6.6	CRUDN behavior .....	228
E.7	Maintenance .....	228
E.7.1	Introduction .....	228
E.7.2	Wellknown URI .....	228
E.7.3	Resource Type .....	229
E.7.4	Swagger2.0 Definition.....	229
E.7.5	Property Definition .....	231
E.7.6	CRUDN behavior .....	231
E.8	Platform.....	231
E.8.1	Introduction .....	231
E.8.2	Wellknown URI .....	231
E.8.3	Resource Type .....	231
E.8.4	Swagger2.0 Definition.....	232
E.8.5	Property Definition .....	235
E.8.6	CRUDN behavior .....	236
E.9	Ping .....	236
E.9.1	Introduction .....	236

E.9.2	Wellknown URI .....	236
E.9.3	Resource Type .....	236
E.9.4	Swagger2.0 Definition .....	236
E.9.5	Property Definition .....	238
E.9.6	CRUDN behavior .....	239
E.10	Resource directory resource .....	239
E.10.1	Introduction .....	239
E.10.2	Wellknown URI .....	239
E.10.3	Resource Type .....	239
E.10.4	Swagger2.0 Definition .....	239
E.10.5	Property Definition .....	248
E.10.6	CRUDN behavior .....	249
E.11	Discoverable Resources .....	249
E.11.1	Introduction .....	249
E.11.2	Wellknown URI .....	249
E.11.3	Resource Type .....	249
E.11.4	Swagger2.0 Definition .....	249
E.11.5	Property Definition .....	256
E.11.6	CRUDN behavior .....	258
E.12	Scenes .....	258
E.12.1	Introduction .....	258
E.12.2	Example URI .....	258
E.12.3	Resource Type .....	258
E.12.4	Swagger2.0 Definition .....	258
E.12.5	Property Definition .....	272
E.12.6	CRUDN behavior .....	275

## Figures

Figure 1: Architecture - concepts .....	25
Figure 2: Functional block diagram .....	26
Figure 3: Communication layering model.....	27
Figure 4: Example illustrating the Roles .....	28
Figure 5: Framework - Architecture Detail .....	28
Figure 6: Server bridging to Non- OCF device .....	29
Figure 7: Example of a Resource .....	33
Figure 8: Example - "Heater" Resource (for illustration only).....	50
Figure 9: Example - Actuator Interface .....	50
Figure 10: Example of a Link .....	52
Figure 11: Example of distinct Links.....	52
Figure 12: Example of use of anchor in Link.....	53
Figure 13: Example of "eps Parameter .....	56
Figure 14: List of Links in a Resource .....	57
Figure 15: Example showing Collection and Links .....	59
Figure 16. CREATE operation.....	63
Figure 17. RETRIEVE operation .....	64
Figure 18. UPDATE operation.....	65
Figure 19. DELETE operation .....	66
Figure 20. High Level Network & Connectivity Architecture.....	68
Figure 21: Example of "ep" .....	70
Figure 22: Example of Link with "eps" Parameter .....	71
Figure 23: Example of "/oic/res" with Endpoint information.....	75
Figure 24. Resource based discovery: Information publication process.....	81
Figure 25. Resource based discovery: Finding information .....	81
Figure 26. Indirect discovery of resource by resource directory.....	90
Figure 27. RD discovery and RD supported query of resources support .....	92
Figure 28. Resource Direction Deployment Scenarios .....	93
Figure 29. Example of POST request payload .....	97
Figure 30. Example of POST response payload.....	98
Figure 31. Example of DELETE request with "di" or "ins" query .....	99
Figure 32. Observe Mechanism .....	104
Figure 33 Generic scene resource structure .....	107
Figure 34 Interactions to check Scene support and setup of specific scenes .....	108
Figure 35 Client interactions on a specific scene .....	109
Figure 36 Interaction overview due to a Scene change .....	110

Figure 37 Interactions to check Introspection support and download the Introspection Device Data. ....	114
Figure 38 Content-Format Policy.....	119
Figure 39. When at home: from smartphone turn on a single light .....	124
Figure 40. Device management (maintenance).....	125
Figure 41. Direct interaction between Server and Client .....	126
Figure 42. Interaction between Client and Server using another Server .....	126
Figure 43. Interaction between Client and Server using Intermediary .....	126
Figure 44. Interaction between Client and Server using support from multiple Servers and Intermediary .....	127
Figure 45. Example of Devices .....	127

## Tables

Table 1. Additional OCF Types .....	22
Table 2. Name Property Definition .....	35
Table 3. Resource Identity Property Definition.....	35
Table 4. Resource Type Common Property definition .....	36
Table 5. Example foobar Resource Type.....	37
Table 6. Example foobar properties .....	37
Table 7. Resource Interface Property definition .....	39
Table 8. OCF standard Interfaces .....	40
Table 9. Common Properties for Collections (in addition to Common Properties defined in section 7.3.2) .....	60
Table 10. 3rd party defined Resource elements.....	61
Table 11. Parameters of CRUDN messages .....	62
Table 12. “ep” value for Transport Protocol Suite .....	70
Table 13. List of Core Resources .....	76
Table 14. Configuration Resource.....	76
Table 15. “oic.wk.con” Resource Type definition.....	77
Table 16. “oic.wk.con.p” Resource Type definition.....	78
Table 17. Mandatory discovery Core Resources.....	82
Table 18. “oic.wk.res” Resource Type definition .....	83
Table 19. Protocol scheme registry .....	83
Table 20. “oic.wk.d” Resource Type definition .....	84
Table 21. “oic.wk.p” Resource Type definition .....	86
Table 22. “oic.wk.rd” Resource Type definition .....	90
Table 23. “oic.wk.rd” Properties .....	91
Table 24: Selection parameters .....	94
Table 25. Optional diagnostics and maintenance device management Core Resources .....	105
Table 26. “oic.wk.mnt” Resource Type definition .....	106
Table 27 list of Resource Types for Scenes .....	110
Table 28. Optional Icon Core Resource.....	111
Table 29. “oic.r.icon” Resource Type definition.....	111
Table 30. Introspection Resource.....	113
Table 31. “oic.wk.introspection” Resource Type definition.....	113
Table 32. CoAP request and response .....	115
Table 33. OCF Content-Formats .....	117
Table 34. OCF-Content-Format-Version and OCF-Accept-Content-Format-Version Option Numbers .....	118
Table 35. OCF-Accept-Content-Format-Version and the OCF-Content-Format-Version Representation.....	118

Table 36. Examples of OCF-Content-Format-Version and OCF-Accept-Content-Format-Version Representation .....	118
Table 37. Ping resource.....	120
Table 38. "oic.wk.ping" Resource Type definition.....	121
Table 39. oic.example.light Resource Type definition .....	123
Table 40. oic.example.garagedoor Resource Type definition .....	123
Table 41. Light control Resource Type definition .....	131
Table 42. Light control Resource Type definition .....	131
Table 43. Alphabetized list of core resources .....	133