

ISO/IEC 23090-2:2019-01 (E)

Information technology - Coded representation of immersive media - Part 2: Omnidirectional media format

Contents	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms, definitions, abbreviated terms, and conventions.....	2
3.1 Terms and definitions.....	2
3.2 Abbreviated terms	6
3.3 Arithmetic operators and mathematical functions	7
3.4 Order of operation precedence	8
3.5 Range notation.....	9
3.6 Variables.....	9
3.7 Processes	9
4 Overview	9
4.1 Organization of this document	9
4.2 Overall architecture for omnidirectional media with projected video	10
4.2.1 Overview	10
4.2.2 Stitching, rotation, projection, and region-wise packing	11
4.3 Overall architecture for omnidirectional media with fisheye video.....	12
4.4 Conformance and interoperability.....	13
4.4.1 General	13
4.4.2 Media profiles.....	14
4.4.3 Presentation profiles	15
4.4.4 Summary of referenceable code points.....	16
5 Omnidirectional video projection and region-wise packing	19
5.1 Coordinate system	19
5.2 Omnidirectional projection formats	20
5.2.1 General	20
5.2.2 Equirectangular projection for one sample location	20
5.2.3 Cubemap projection for one sample location	21
5.3 Conversion from the local coordinate axes to the global coordinate axes	23
5.4 Region-wise packing formats.....	24
5.4.1 General	24
5.4.2 Conversion of one sample location for rectangular region-wise packing	24

6	Fisheye omnidirectional video	25
6.1	General	25
6.2	FisheyeVideoEssentialInfoStruct syntax structure.....	26
6.2.1	Syntax	26
6.2.2	Semantics.....	26
6.3	FisheyeVideoSupplementalInfoStruct syntax structure	29
6.3.1	Syntax	29
6.3.2	Semantics	30
7	Omnidirectional media storage and metadata signalling in the ISOBMFF	33
7.1	Generic extensions to the ISOBMFF.....	33
7.1.1	Stereoscopic video track grouping	33
7.1.2	Indication of <code>track_group_id</code> uniqueness	34
7.1.3	Updated semantics of <code>track_IDs</code> of the track reference box	34
7.1.4	Indication of a track not intended to be presented alone	34
7.1.5	Timed metadata tracks	34
7.1.6	Compatible scheme type box	35
7.1.7	Multiple transformations for a single transformed media track	35
7.1.8	The ' <code>codecs</code> ' parameter for a transformed media track	35
7.1.9	Track type box	36
7.1.10	Clarifications on the stereo video box.....	36
7.2	Generic extensions to ISO/IEC 14496-15	37
7.2.1	Alternative extraction source track grouping	37
7.2.2	Tile base track association with coverage information box and timed metadata data track.....	37
7.3	OMAF-specific extensions to the ISOBMFF	37
7.3.1	Sync samples in timed metadata tracks.....	37
7.4	OMAF-specific extensions to ISO/IEC 14496-15.....	37
7.4.1	Coverage information box in a tile base track.....	37
7.5	Structures and semantics that are common for video tracks and image items	38
7.5.1	Semantics of sample locations within a decoded picture	38
7.5.2	Projection format structure.....	41
7.5.3	Region-wise packing structure	41
7.5.4	Rotation structure	48
7.5.5	Content coverage structure.....	48
7.5.6	Sphere region structure	49
7.6	Restricted video schemes for omnidirectional video.....	51
7.6.1	Scheme types.....	51
7.6.2	Projected omnidirectional video box.....	54
7.6.3	Fisheye omnidirectional video box	55
7.6.4	Region-wise packing box	55
7.6.5	Rotation box	56
7.6.6	Coverage information box.....	56
7.7	Timed metadata for sphere regions	56
7.7.1	General	56
7.7.2	Sample entry	57
7.7.3	Sample format	58
7.7.4	Initial viewing orientation	58
7.7.5	Recommended viewport.....	59
7.7.6	Timed text sphere location metadata.....	60
7.8	Signalling of region-wise quality ranking	61
7.8.1	General.....	61
7.8.2	Spherical region-wise quality ranking.....	61
7.8.3	2D region-wise quality ranking.....	63

7.9	Storage of omnidirectional images	65
7.9.1	General	65
7.9.2	Frame packing item property	65
7.9.3	Projection format item property	65
7.9.4	Essential fisheye image item property.....	66
7.9.5	Supplemental fisheye image item property	67
7.9.6	Region-wise packing item property	67
7.9.7	Rotation item property	68
7.9.8	Coverage information item property.....	68
7.9.9	Initial viewing orientation item property	69
7.10	Storage of timed text for omnidirectional video	69
7.10.1	General	69
7.10.2	OMAF timed text configuration box	70
7.10.3	IMSC1 tracks.....	72
7.10.4	WebVTT tracks	73
8	Omnidirectional media encapsulation and signalling in DASH	73
8.1	Architecture of DASH delivery in OMAF	73
8.2	Usage of DASH in OMAF	74
8.2.1	General	74
8.2.2	Signalling of stereoscopic frame packing	74
8.2.3	Carriage of timed metadata.....	74
8.3	DASH MPD descriptors for omnidirectional media	75
8.3.1	XML namespace and schema	75
8.3.2	Signalling of projection type information.....	75
8.3.3	Signalling of region-wise packing type	76
8.3.4	Signalling of content coverage	76
8.3.5	Signalling of spherical region-wise quality ranking	79
8.3.6	Signalling of 2D region-wise quality ranking.....	84
8.3.7	Signalling of fisheye omnidirectional video	88
9	Omnidirectional media encapsulation and signalling in MMT	89
9.1	Architecture of MMT delivery in OMAF	89
9.2	OMAF signalling in MPEG composition information.....	90
9.3	VR application-specific MMT signalling	90
9.3.1	General	90
9.3.2	MMT signalling.....	91
10	Media profiles	103
10.1	Video profiles	103
10.1.1	Overview	103
10.1.2	HEVC-based viewport-independent OMAF video profile	103
10.1.3	HEVC-based viewport-dependent OMAF video profile	106
10.1.4	AVC-based viewport-dependent OMAF video profile.....	109
10.2	Audio profiles.....	111
10.2.1	Overview	111
10.2.2	OMAF 3D audio baseline profile	111
10.2.3	OMAF 2D audio legacy profile.....	114
10.3	Image profiles.....	118
10.3.1	Overview	118
10.3.2	Common specifications for image profiles	119
10.3.3	OMAF HEVC image profile	120
10.3.4	OMAF legacy image profile.....	121

10.4	Timed text profiles	122
10.4.1	Overview	122
10.4.2	OMAF IMSC1 timed text profile	123
10.4.3	OMAF WebVTT timed text profile.....	123
11	Presentation profiles.....	124
11.1	OMAF viewport-independent baseline presentation profile	124
11.1.1	General (informative)	124
11.1.2	ISO base media file format constraints	124
11.2	OMAF viewport-dependent baseline presentation profile	124
11.2.1	General.....	124
11.2.2	ISO base media file format constraints	124
Annex A	(normative) OMAF DASH schema	125
Annex B	(normative) DASH integration of media profiles	128
Annex C	(normative) CMAF integration of media profiles	134
Annex D	(informative) Viewport-dependent omnidirectional video processing	136
Annex E	(informative) DASH MPD examples	154
Annex F	(informative) MMT signalling examples.....	158