ISO/IEC 14496-22:2019-01 (E)

Information technology - Coding of audio-visual objects - Part 22: Open Font Format

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 1

3 Terms, definitions and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Abbreviated terms 2

4 The Open Font file format 3
4.1 Description 3
4.2 Filenames 3
4.3 Data types 3
4.4 Table version numbers 4
4.5 Top-level OFF organization 5
4.5.1 Offset table 5
4.5.2 Table directory 5
4.5.3 Calculating checksums 6
4.6 Font collections 6
4.6.1 The Font Collection overview 6
4.6.2 The Font Collection file structure 7
4.6.3 TTC header 7

5 Open font tables 8
5.1 General 8
5.2 Required common tables 8
5.2.1 List of required tables 8
5.2.2 cmap – Character to glyph index mapping table 9
5.2.3 head – Font header 21
5.2.4 hhea – Horizontal header 23
5.2.5 hmtx – Horizontal metrics 24
5.2.6 maxp – Maximum profile 25
5.2.7 name – Naming table 26
5.2.8 OS/2 – Global font information table 45
5.2.9 Font class parameters 67
5.2.10 post – PostScript 67
5.3 Tables related to TrueType outlines 69
5.3.1 List of TrueType outlines tables 69
5.3.2 cvt – Control value table 69
5.3.3 fpgm – Font program 69
5.3.4 glyf – Glyf data 70
5.3.5 loca – Index to location 75
5.3.6 prep – Control value program 75
5.3.7 gasp – Grid-fitting and scan-conversion procedure table 76
5.4 Tables related to CFF outlines 78
5.4.1 List of CFF outline tables 78
5.4.2 CFF – Compact Font Format (version 1) table 78
5.4.3 CFF2 – Compact Font Format (version 2) table 78
5.4.4 VORG – Vertical origin table 88
5.5 Table for SVG glyph outlines 89
5.5.1 SVG – The SVG (Scalable Vector Graphics) table 89
5.5.2 Color Palettes 90

5.5.3 Glyph Identifiers 91
5.5.4 Glyph Semantics and Metrics 91
5.5.5 Glyph Rendering 91
5.5.6 SVG glyph examples 93
5.6 Tables related to bitmap glyphs 98
5.6.1 List of bitmap glyph tables 98
5.6.2 EBDT – Embedded bitmap data table 98
5.6.3 EBLC – Embedded bitmap location table 101
5.6.4 EBSC – Embedded bitmap scaling table 108
5.6.5 CBDT – Color bitmap data table 109
5.6.6 CBLC – Color bitmap location table 111
5.6.7 sbix – Standard bitmap graphics table 112
5.7 Optional tables 114
5.7.1 DSIG – Digital signature table 115
5.7.2 hdmx – Horizontal device metrics 117
5.7.3 kern – Kerning 118
5.7.4 LTSH – Linear threshold 120
5.7.5 MERG – Merge table 121
5.7.6 meta – Metadata table 125
5.7.7 PCLT – PCL 5 table 128
5.7.8 VDMX – Vertical device metrics 135
5.7.9 vhea – Vertical header table 137
5.7.10 vmtx – Vertical metric table 141
5.7.11 COLR – Color Table 143
5.7.12 CPAL – Palette Table 144

6 Advanced Open Font layout tables 147
6.1 Advanced Open Font layout extensions 147
6.1.1 Overview of advanced typographic layout extensions 147
6.1.2 TrueType versus OFF layout 149
6.1.3 OFF layout terminology 149
6.1.4 Text processing with OFF layout 151
6.1.5 OFF layout and Font variations 153
6.2 OFF layout common table formats 153
6.2.1 Overview 153
6.2.2 OFF layout and Font variations 154
6.2.3 Table organization 155
6.2.4 Scripts and languages 156
6.2.5 Features and lookups 159
6.2.6 Coverage table 162
6.2.7 Class definition table 164
6.2.8 Device and VariationIndex tables 165
6.2.9 Feature variations 167
6.2.10 Common table examples 170
6.3 Advanced typographic tables 178
6.3.1 BASE Baseline table 178
6.3.2 GDEF – The glyph definition table 199
6.3.3 GPOS – The glyph positioning table 211
6.3.4 GSUB – The glyph substitution table 263
6.3.5 JSTF – The justification table 296
6.3.6 MATH – The mathematical typesetting table 306
6.4 Layout tag registry 322
6.4.1 Scripts tags 323
6.4.2 Language tags 327
6.4.3 Feature tags 344
6.4.4 Baseline tags 406

7 OFF font variations 410
7.1 Font variations overview 410
7.1.1 General 410
7.1.2 Terminology 412
7.1.3 Variation space, default instances and adjustment deltas 414
7.1.4 Coordinate scales and normalization 417

7.1.5 Variation data 419
7.1.6 Variation data tables and miscellaneous requirements 428
7.1.7 Algorithm for interpolation of instance values 429
7.1.8 Interpolation example 432
7.1.9 Dynamic generation of static instance fonts 437
7.2 Font variations common table formats 438
7.2.1 Overview 438
7.2.2 Tuple variation store 439
7.2.3 Item variation stores 446
7.2.4 Design-variation axis tag registry 450
7.3 Font variations tables 455
7.3.1 avar – Axis variations table 455
7.3.2 cvar – CVT variations table 459
7.3.3 fvar – Font variations table 461
7.3.4 gvar – Glyph variations table 468
7.3.5 HVAR – Horizontal metrics variations table 478
7.3.6 MVAR – Metrics variations table 481
7.3.7 STAT – Style attributes table 485
7.3.8 VVAR – Vertical metrics variations table 497

8 Recommendations for OFF fonts 499
8.1 Byte ordering 499
8.2 'sfnt' version 499
8.3 Mixing outline formats 499
8.4 Filenames 499
8.5 Table alignment and length 500
8.6 Glyph 0: the .notdef glyph 500
8.7 'BASE' table 500
8.8 'cmap' table 500
8.9 'cvt' table 501
8.10 'fpgm' table 501
8.11 'glyf' table 501
8.12 'hdmx' table 501
8.13 'head' table 501
8.14 'hhea' table 501
8.15 'hmtx' table 502
8.16 'kern' table 502
8.17 'loca' table 502
8.18 'LTSH' table 502
8.19 'maxp' table 502
8.20 'name' table 502
8.21 'OS/2' table 504
8.22 'post' table 505
8.23 'prep' table 505
8.24 'VDMX' table 505
8.25 TrueType Collections 505

9 General recommendations 506
9.1 Optimized table ordering 506
9.2 Non-standard (Symbol) fonts 506
9.3 Baseline to baseline distances 506
9.4 Style bits 507
9.5 Drop-out control 507
9.6 Embedded bitmaps 507
9.7 OFF CJK font guidelines 508
9.8 Stroke reduction in variable fonts 508
9.9 Families with optical size variants 508

Annex A (informative) Font Class and Font Subclass parameters **510**
Annex B (informative) Earlier versions of OS/2 – OS/2 and Windows metrics **521**
Annex C (informative) OFF Mirroring Pairs List **596**
Annex D (informative) The CFF2 CharString Format **603**
Annex E (informative) CFF2 DICT Encoding **622**
Annex F (informative) Registration of Media Type: `application/font-sfnt` **624**
Bibliography **627**