

# ISO/IEC/IEEE 8802-1CB:2019-02 (E)

## Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1CB: Frame replicaton and elimination for reliability

---

### Contents

Page

- 1. Overview ..... 16
  - 1.1 Scope ..... 16
  - 1.2 Rationale ..... 16
  - 1.3 State diagram conventions ..... 16
  - 1.4 Specification model ..... 16
  - 1.5 Specification precedence ..... 17
  - 1.6 Introduction ..... 17
- 2. Normative references ..... 18
- 3. Definitions ..... 19
- 4. Acronyms and abbreviations ..... 21
- 5. Conformance ..... 22
  - 5.1 Requirements terminology ..... 22
  - 5.2 Conformant components and equipment ..... 22
  - 5.3 Stream identification component required behaviors ..... 22
  - 5.4 Stream identification component recommended behavior ..... 23
  - 5.5 Stream identification component optional behaviors ..... 23
  - 5.6 Talker end system required behaviors ..... 23
  - 5.7 Talker end system recommended behaviors ..... 23
  - 5.8 Talker end system optional behaviors ..... 23
  - 5.9 Listener end system required behaviors ..... 24
  - 5.10 Listener end system recommended behavior ..... 24
  - 5.11 Listener end system optional behaviors ..... 24
  - 5.12 Relay system required behaviors ..... 24
  - 5.13 Relay system recommended behaviors ..... 25
  - 5.14 Relay system optional behaviors ..... 25
  - 5.15 FRER C-component required and optional behaviors ..... 25
- 6. Stream identification ..... 26
  - 6.1 Stream service subparameters ..... 27
  - 6.2 Stream identification function ..... 28
  - 6.3 Stream identification in systems ..... 29
  - 6.4 Null Stream identification ..... 30
  - 6.5 Source MAC and VLAN Stream identification ..... 31
  - 6.6 Active Destination MAC and VLAN Stream identification ..... 31
  - 6.7 IP Stream identification ..... 32
- 7. Frame Replication and Elimination for Reliability ..... 33
  - 7.1 Overview of Frame Replication and Elimination for Reliability ..... 33
    - 7.1.1 Goals and objectives ..... 33
  - 7.2 Use of the term Stream ..... 35
  - 7.3 Frame Replication and Elimination for Reliability functions ..... 35
  - 7.4 Sequencing function ..... 36
    - 7.4.1 Sequence generation function ..... 36
      - 7.4.1.1 Events for sequence generation ..... 37
      - 7.4.1.2 Variables for sequence generation ..... 37

7.4.1.2.1	GenSeqSpace .....	37
7.4.1.2.2	GenSeqNum .....	37
7.4.1.3	SequenceGenerationReset .....	37
7.4.1.4	SequenceGenerationAlgorithm .....	37
7.4.2	Sequence recovery function .....	38
7.4.3	Base recovery function .....	38
7.4.3.1	Events for sequence recovery .....	39
7.4.3.2	Variables for sequence recovery .....	39
7.4.3.2.1	RecovSeqSpace .....	39
7.4.3.2.2	SequenceHistory .....	40
7.4.3.2.3	RecovSeqNum .....	40
7.4.3.2.4	RemainingTicks .....	40
7.4.3.2.5	TicksPerSecond .....	40
7.4.3.2.6	TakeAny .....	40
7.4.3.3	SequenceRecoveryReset .....	40
7.4.3.4	VectorRecoveryAlgorithm .....	41
7.4.3.5	MatchRecoveryAlgorithm .....	43
7.4.3.6	ShiftSequenceHistory .....	44
7.4.4	Latent error detection function .....	45
7.4.4.1	Events for latent error detection .....	45
7.4.4.2	Variables for latent error detection .....	46
7.4.4.2.1	CurBaseDifference .....	46
7.4.4.3	LatentErrorReset .....	46
7.4.4.4	LatentErrorTest .....	46
7.5	Individual recovery function .....	47
7.6	Sequence encode/decode function .....	47
7.7	Stream splitting function .....	47
7.8	Redundancy tag .....	48
7.8.1	Redundancy tag EtherType .....	49
7.8.2	Redundancy tag information .....	49
7.9	HSR sequence tag .....	49
7.10	PRP sequence trailer .....	50
7.11	Autoconfiguration .....	51
7.11.1	Introduction to autoconfiguration .....	51
7.11.2	Creating autoconfigured Stream identity table entries .....	52
8.	Frame Replication and Elimination for Reliability in Bridges .....	56
8.1	Limiting options .....	56
8.2	FRER C-component input transformations .....	58
8.3	Frame Replication and Elimination for Reliability and VLAN tags .....	58
8.4	Configuring Frame Replication and Elimination for Reliability in Bridges .....	59
9.	Stream Identification Management .....	61
9.1	Stream identity table .....	61
9.1.1	tsnStreamIdEntry .....	61
9.1.1.1	tsnStreamIdHandle .....	61
9.1.1.2	tsnStreamIdInFacOutputPortList .....	61
9.1.1.3	tsnStreamIdOutFacOutputPortList .....	61
9.1.1.4	tsnStreamIdInFacInputPortList .....	62
9.1.1.5	tsnStreamIdOutFacInputPortList .....	62
9.1.1.6	tsnStreamIdIdentificationType .....	62
9.1.1.7	tsnStreamIdParameters .....	62
9.1.2	Managed objects for Null Stream identification .....	62

9.1.2.1	tsnCpeNullDownDestMac .....	62
9.1.2.2	tsnCpeNullDownTagged .....	63
9.1.2.3	tsnCpeNullDownVlan .....	63
9.1.3	Managed objects for Source MAC and VLAN Stream identification .....	63
9.1.3.1	tsnCpeSmacVlanDownSrcMac .....	63
9.1.3.2	tsnCpeSmacVlanDownTagged .....	63
9.1.3.3	tsnCpeSmacVlanDownVlan .....	63
9.1.4	Managed objects for Active Destination MAC and VLAN Stream identifications .....	63
9.1.4.1	tsnCpeDmacVlanDownDestMac .....	63
9.1.4.2	tsnCpeDmacVlanDownTagged .....	64
9.1.4.3	tsnCpeDmacVlanDownVlan .....	64
9.1.4.4	tsnCpeDmacVlanDownPriority .....	64
9.1.4.5	tsnCpeDmacVlanUpDestMac .....	64
9.1.4.6	tsnCpeDmacVlanUpTagged .....	64
9.1.4.7	tsnCpeDmacVlanUpVlan .....	65
9.1.4.8	tsnCpeDmacVlanUpPriority .....	65
9.1.5	Managed objects for IP Stream identification .....	65
9.1.5.1	tsnCpeIpIdDestMac .....	65
9.1.5.2	tsnCpeIpIdTagged .....	65
9.1.5.3	tsnCpeIpIdVlan .....	65
9.1.5.4	tsnCpeIpIdIpSource .....	65
9.1.5.5	tsnCpeIpIdIpDestination .....	65
9.1.5.6	tsnCpeIpIdDscp .....	65
9.1.5.7	tsnCpeIpIdNextProtocol .....	66
9.1.5.8	tsnCpeIpIdSourcePort .....	66
9.1.5.9	tsnCpeIpIdDestinationPort .....	66
9.2	Operational per-port per-Stream Stream identification counters .....	66
9.2.1	tsnCpsSidInputPackets .....	66
9.2.2	tsnCpsSidOutputPackets .....	66
9.3	Operational per-port Stream identification counters .....	66
9.3.1	tsnCpSidInputPackets .....	66
9.3.2	tsnCpSidOutputPackets .....	66
10.	Frame Replication and Elimination for Reliability management .....	67
10.1	Counter behavior .....	67
10.2	Additional tsnStreamIdEntry managed objects .....	67
10.2.1	tsnStreamIdAutoconfigured .....	68
10.2.2	tsnStreamIdLanPathId .....	68
10.3	Sequence generation table .....	68
10.3.1	frerSeqGenEntry .....	68
10.3.1.1	frerSeqGenStreamList .....	68
10.3.1.2	frerSeqGenDirection .....	68
10.4	Sequence recovery table .....	68
10.4.1	frerSeqRcvyEntry .....	68
10.4.1.1	frerSeqRcvyStreamList .....	68
10.4.1.2	frerSeqRcvyPortList .....	69
10.4.1.3	frerSeqRcvyDirection .....	69
10.4.1.4	frerSeqRcvyReset .....	69
10.4.1.5	frerSeqRcvyAlgorithm .....	69
10.4.1.6	frerSeqRcvyHistoryLength .....	69
10.4.1.7	frerSeqRcvyResetMSec .....	69
10.4.1.8	frerSeqRcvyInvalidSequenceValue .....	69
10.4.1.9	frerSeqRcvyTakeNoSequence .....	70

	10.4.1.10	frerSeqRcvyIndividualRecovery .....	70
	10.4.1.11	frerSeqRcvyLatentErrorDetection .....	70
	10.4.1.12	Latent error detection managed objects .....	70
	10.4.1.12.1	frerSeqRcvyLatentErrorDifference .....	70
	10.4.1.12.2	frerSeqRcvyLatentErrorPeriod .....	70
	10.4.1.12.3	frerSeqRcvyLatentErrorPaths .....	70
	10.4.1.12.4	frerSeqRcvyLatentResetPeriod .....	71
10.5		Sequence identification table .....	71
	10.5.1	frerSeqEncEntry .....	71
	10.5.1.1	frerSeqEncStreamList .....	71
	10.5.1.2	frerSeqEncPort .....	71
	10.5.1.3	frerSeqEncDirection .....	71
	10.5.1.4	frerSeqEncActive .....	71
	10.5.1.5	frerSeqEncEncapsType .....	71
	10.5.1.6	frerSeqEncPathIdLanId .....	71
10.6		Stream split table .....	72
	10.6.1	frerSplitEntry .....	72
	10.6.1.1	frerSplitPort .....	72
	10.6.1.2	frerSplitDirection .....	72
	10.6.1.3	frerSplitInputIdList .....	72
	10.6.1.4	frerSplitOutputIdList .....	72
10.7		Managed objects for autoconfiguration .....	72
	10.7.1	Sequence autoconfiguration table .....	72
	10.7.1.1	frerAutSeqEntry .....	73
	10.7.1.1.1	frerAutSeqSeqEncaps .....	73
	10.7.1.1.2	frerAutSeqReceivePortList .....	73
	10.7.1.1.3	frerAutSeqTagged .....	73
	10.7.1.1.4	frerAutSeqVlan .....	73
	10.7.1.1.5	frerAutSeqRecoveryPortList .....	73
	10.7.1.1.6	frerAutSeqDestructMSec .....	73
	10.7.1.1.7	frerAutSeqResetMSec .....	73
	10.7.1.1.8	frerAutSeqAlgorithm .....	73
	10.7.1.1.9	frerAutSeqHistoryLength .....	74
	10.7.1.1.10	frerAutSeqCreateIndividual .....	74
	10.7.1.1.11	frerAutSeqCreateRecovery .....	74
	10.7.1.1.12	frerAutSeqLatErrDetection .....	74
	10.7.1.1.13	frerAutSeqLatErrDifference .....	74
	10.7.1.1.14	frerAutSeqLatErrPeriod .....	74
	10.7.1.1.15	frerAutSeqLatErrResetPeriod .....	74
	10.7.2	Output autoconfiguration table .....	74
	10.7.2.1	frerAutOutEntry .....	74
	10.7.2.1.1	frerAutOutPortList .....	74
	10.7.2.1.2	frerAutOutEncaps .....	75
	10.7.2.1.3	frerAutOutLanPathId .....	75
10.8		Operational per-port and per-Stream FRER counters .....	75
	10.8.1	Per-Stream vs. per-Stream-per-port counters .....	75
	10.8.2	frerCpsSeqGenResets .....	75
	10.8.3	frerCpsSeqRcvyOutOfOrderPackets .....	75
	10.8.4	frerCpsSeqRcvyRoguePackets .....	76
	10.8.5	frerCpsSeqRcvyPassedPackets .....	76
	10.8.6	frerCpsSeqRcvyDiscardedPackets .....	76
	10.8.7	frerCpsSeqRcvyLostPackets .....	76
	10.8.8	frerCpsSeqRcvyTaglessPackets .....	76
	10.8.9	frerCpsSeqRcvyResets .....	76

10.8.10	frerCpsSeqRcvyLatentErrorResets .....	76
10.8.11	frerCpsSeqEncErroredPackets .....	76
10.9	Operational per-port FRER counters .....	76
10.9.1	frerCpSeqRcvyPassedPackets .....	77
10.9.2	frerCpSeqRcvyDiscardPackets .....	77
10.9.3	frerCpSeqEncErroredPackets .....	77
Annex A (normative) Protocol Implementation Conformance Statement (PICS) proforma .....		78
A.1	Introduction .....	78
A.1.1	Abbreviations and special symbols .....	78
A.1.2	Instructions for completing the PICS proforma .....	79
A.1.3	Additional information .....	79
A.1.4	Exceptional information .....	79
A.1.5	Conditional items .....	80
A.1.6	Identification .....	80
A.2	PICS proforma for Frame Replication and Elimination for Reliability .....	81
A.2.1	Major capabilities/options .....	81
A.2.2	Stream identification component .....	81
A.2.3	Talker end system .....	82
A.2.4	Listener end system .....	83
A.2.5	Relay system .....	84
A.2.6	FRER 802.1Q C-component .....	86
A.2.7	Common requirements .....	86
Annex B (informative) Interoperability with other standards .....		87
B.1	Sequence number size .....	87
B.2	Per-Stream versus per-source sequencing .....	87
Annex C (informative) Frame Replication and Elimination for Reliability in systems .....		88
C.1	Example 1: End-to-end FRER .....	88
C.2	Example 2: Various stack positions .....	89
C.3	Example 3: Ladder redundancy .....	92
C.4	Example 4: Multicast trees .....	93
C.5	Example 5: Protocol interworking .....	93
C.6	Example 6: Chained two-port end systems .....	94
C.7	Cautions .....	95
C.8	Balancing tag insertion and removal .....	95
C.9	FRER and reserved bandwidth .....	95
C.10	Use of the Individual recovery function .....	97
C.11	Use of autoconfiguration .....	97
C.11.1	Routing and labeling Member Streams .....	97
C.11.2	Recognizing packets that trigger autoconfiguration .....	98
C.11.3	Per-port packet decoding and encoding .....	99
C.11.4	Individual and Sequence recovery functions .....	99
Annex D (informative) Bibliography .....		100

## List of figures

Figure 6-1—Stream identification service.....	26
Figure 6-2—A Stream with three Listeners.....	26
Figure 6-3—Stream identification function: single upper SAP.....	28
Figure 6-4—Stream identification function: array of upper SAPs.....	28
Figure 6-5—Stream functions in a relay system (three views of same system).....	29
Figure 6-6—In- and out-facing functions.....	30
Figure 7-1—Compound Stream built from four Member Streams.....	33
Figure 7-2—Frame Replication and Elimination for Reliability functions.....	35
Figure 7-3—Sequence recovery functions and Individual recovery functions.....	47
Figure 7-4—R-TAG format.....	48
Figure 8-1—FRER functions in an FRER C-component.....	56
Figure 8-2—Augmented Forwarding Process does sequence recovery.....	57
Figure 8-3—Example Ethernet frame format.....	59
Figure C-1—Dual-homed end systems using Link Aggregation.....	88
Figure C-2—Protocol stack for End System B in Figure C-1.....	89
Figure C-3—Protocol stack for End System G in Figure C-1 and Figure C-4.....	89
Figure C-4—Frame Replication and Elimination for Reliability flexible positioning.....	90
Figure C-5—Protocol stack for relay system B, proxying for End System A, in Figure C-4.....	91
Figure C-6—Protocol stack for relay system C in Figure C-4.....	91
Figure C-7—Protocol stack for relay system F in Figure C-4.....	92
Figure C-8—Ladder redundancy.....	92
Figure C-9—Multicast trees.....	93
Figure C-10—Protocol interworking.....	93
Figure C-11—Dual-homed end systems using 3-port bridge.....	94
Figure C-12—Protocol stacks for Systems B and G in Figure C-11.....	94
Figure C-13—Explicit path causing a loop.....	95
Figure C-14—Example of Long and short paths.....	96
Figure C-15—Autoconfiguration example.....	98

## List of tables

Table 6-1—Stream identification functions.....	27
Table 7-1—R-TAG EtherType.....	49
Table 8-1—Managed objects for FRER in an FRER C-component.....	59
Table 9-1—Stream identification types.....	62
Table 10-1—Enumerated values for frerSeqRcvyAlgorithm.....	69
Table 10-2—Sequence Encode/Decode types.....	72