ISO/IEC/IEEE 8802-1CB:2019-02 (E)

Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 1CB: Frame replicaton and elimination for reliability

Contents

Page

1. Overview 16

1.1 Scope 16
1.2 Rationale 16
1.3 State diagram conventions 16
1.4 Specification model 16
1.5 Specification precedence 17
1.6 Introduction 17

2. Normative references 18

3. Definitions 19

4. Acronyms and abbreviations 21

5. Conformance 22

5.1 Requirements terminology 22
5.2 Conformant components and equipment 22
5.3 Stream identification component required behaviors 22
5.4 Stream identification component recommended behavior 23
5.5 Stream identification component optional behaviors 23
5.6 Talker end system required behaviors 23
5.7 Talker end system recommended behaviors 23
5.8 Talker end system optional behaviors 23
5.9 Listener end system required behaviors 24
5.10 Listener end system recommended behavior 24
5.11 Listener end system optional behaviors 24
5.12 Relay system required behaviors 24
5.13 Relay system recommended behaviors 25
5.14 Relay system optional behaviors 25
5.15 FRER C-component required and optional behaviors 25

6. Stream identification 26

6.1 Stream service subparameters 27
6.2 Stream identification function 28
6.3 Stream identification in systems 29
6.4 Null Stream identification 30
6.5 Source MAC and VLAN Stream identification 31
6.6 Active Destination MAC and VLAN Stream identification 31
6.7 IP Stream identification 32

7. Frame Replication and Elimination for Reliability 33

7.1 Overview of Frame Replication and Elimination for Reliability 33
7.1.1 Goals and objectives 33
7.2 Use of the term Stream 35
7.3 Frame Replication and Elimination for Reliability functions 35
7.4 Sequencing function 36
7.4.1 Sequence generation function 36
7.4.1.1 Events for sequence generation 37
7.4.1.2 Variables for sequence generation 37

7.4.1.2.1 GenSeqSpace 37
7.4.1.2.2 GenSeqNum 37
7.4.1.3 SequenceGenerationReset 37
7.4.1.4 SequenceGenerationAlgorithm 37
7.4.2 Sequence recovery function 38
7.4.3 Base recovery function 38
7.4.3.1 Events for sequence recovery 39
7.4.3.2 Variables for sequence recovery 39
7.4.3.2.1 RecovSeqSpace 39
7.4.3.2.2 SequenceHistory 40
7.4.3.2.3 RecovSeqNum 40
7.4.3.2.4 RemainingTicks 40
7.4.3.2.5 TicksPerSecond 40
7.4.3.2.6 TakeAny 40
7.4.3.3 SequenceRecoveryReset 40
7.4.3.4 VectorRecoveryAlgorithm 41
7.4.3.5 MatchRecoveryAlgorithm 43
7.4.3.6 ShiftSequenceHistory 44
7.4.4 Latent error detection function 45
7.4.4.1 Events for latent error detection 45
7.4.4.2 Variables for latent error detection 46
7.4.4.2.1 CurBaseDifference 46
7.4.4.3 LatentErrorReset 46
7.4.4.4 LatentErrorTest 46
7.5 Individual recovery function 47
7.6 Sequence encode/decode function 47
7.7 Stream splitting function 47
7.8 Redundancy tag 48
7.8.1 Redundancy tag EtherType 49
7.8.2 Redundancy tag information 49
7.9 HSR sequence tag 49
7.10 PRP sequence trailer 50
7.11 Autoconfiguration 51
7.11.1 Introduction to autoconfiguration 51
7.11.2 Creating autoconfigured Stream identity table entries 52

8. Frame Replication and Elimination for Reliability in Bridges 56

8.1 Limiting options 56
8.2 FRER C-component input transformations 58
8.3 Frame Replication and Elimination for Reliability and VLAN tags 58
8.4 Configuring Frame Replication and Elimination for Reliability in Bridges 59

9. Stream Identification Management 61

9.1 Stream identity table 61
9.1.1 tsnStreamIdEntry 61
9.1.1.1 tsnStreamIdHandle 61
9.1.1.2 tsnStreamIdInFacOutputPortList 61
9.1.1.3 tsnStreamIdOutFacOutputPortList 61
9.1.1.4 tsnStreamIdInFacInputPortList 62
9.1.1.5 tsnStreamIdOutFacInputPortList 62
9.1.1.6 tsnStreamIdIdentificationType 62
9.1.1.7 tsnStreamIdParameters 62
9.1.2 Managed objects for Null Stream identification 62

9.1.2.1 tsnCpeNullDownDestMac 62
9.1.2.2 tsnCpeNullDownTagged 63
9.1.2.3 tsnCpeNullDownVlan 63
9.1.3 Managed objects for Source MAC and VLAN Stream identification 63
9.1.3.1 tsnCpeSmacVlanDownSrcMac 63
9.1.3.2 tsnCpeSmacVlanDownTagged 63
9.1.3.3 tsnCpeSmacVlanDownVlan 63
9.1.4 Managed objects for Active Destination MAC and VLAN Stream identifications . 63
9.1.4.1 tsnCpeDmacVlanDownDestMac 63
9.1.4.2 tsnCpeDmacVlanDownTagged 64
9.1.4.3 tsnCpeDmacVlanDownVlan 64
9.1.4.4 tsnCpeDmacVlanDownPriority 64
9.1.4.5 tsnCpeDmacVlanUpDestMac 64
9.1.4.6 tsnCpeDmacVlanUpTagged 64
9.1.4.7 tsnCpeDmacVlanUpVlan 65
9.1.4.8 tsnCpeDmacVlanUpPriority 65
9.1.5 Managed objects for IP Stream identification 65
9.1.5.1 tsnCpeIpIdDestMac 65
9.1.5.2 tsnCpeIpIdTagged 65
9.1.5.3 tsnCpeIpIdVlan 65
9.1.5.4 tsnCpeIpIdIpSource 65
9.1.5.5 tsnCpeIpIdIpDestination 65
9.1.5.6 tsnCpeIpIdDscp 65
9.1.5.7 tsnCpeIpIdNextProtocol 66
9.1.5.8 tsnCpeIpIdSourcePort 66
9.1.5.9 tsnCpeIpIdDestinationPort 66
9.2 Operational per-port per-Stream Stream identification counters 66
9.2.1 tsnCpsSidInputPackets 66
9.2.2 tsnCpsSidOutputPackets 66
9.3 Operational per-port Stream identification counters 66
9.3.1 tsnCpSidInputPackets 66
9.3.2 tsnCpSidOutputPackets 66

10. Frame Replication and Elimination for Reliability management 67

10.1 Counter behavior 67
10.2 Additional tsnStreamIdEntry manged objects 67
10.2.1 tsnStreamIdAutoconfigured 68
10.2.2 tsnStreamIdLanPathId 68
10.3 Sequence generation table 68
10.3.1 frerSeqGenEntry 68
10.3.1.1 frerSeqGenStreamList 68
10.3.1.2 frerSeqGenDirection 68
10.4 Sequence recovery table 68
10.4.1 frerSeqRcvyEntry 68
10.4.1.1 frerSeqRcvyStreamList 68
10.4.1.2 frerSeqRcvyPortList 69
10.4.1.3 frerSeqRcvyDirection 69
10.4.1.4 frerSeqRcvyReset 69
10.4.1.5 frerSeqRcvyAlgorithm 69
10.4.1.6 frerSeqRcvyHistoryLength 69
10.4.1.7 frerSeqRcvyResetMSec 69
10.4.1.8 frerSeqRcvyInvalidSequenceValue 69
10.4.1.9 frerSeqRcvyTakeNoSequence 70

10.4.1.10 frerSeqRcvyIndividualRecovery 70
10.4.1.11 frerSeqRcvyLatentErrorDetection 70
10.4.1.12 Latent error detection managed objects 70
10.4.1.12.1 frerSeqRcvyLatentErrorDifference 70
10.4.1.12.2 frerSeqRcvyLatentErrorPeriod 70
10.4.1.12.3 frerSeqRcvyLatentErrorPaths 70
10.4.1.12.4 frerSeqRcvyLatentResetPeriod 71
10.5 Sequence identification table 71
10.5.1 frerSeqEncEntry 71
10.5.1.1 frerSeqEncStreamList 71
10.5.1.2 frerSeqEncPort 71
10.5.1.3 frerSeqEncDirection 71
10.5.1.4 frerSeqEncActive 71
10.5.1.5 frerSeqEncEncapsType 71
10.5.1.6 frerSeqEncPathIdLanId 71
10.6 Stream split table 72
10.6.1 frerSplitEntry 72
10.6.1.1 frerSplitPort 72
10.6.1.2 frerSplitDirection 72
10.6.1.3 frerSplitInputIdList 72
10.6.1.4 frerSplitOutputIdList 72
10.7 Managed objects for autoconfiguration 72
10.7.1 Sequence autoconfiguration table 72
10.7.1.1 frerAutSeqEntry 73
10.7.1.1.1 frerAutSeqSeqEncaps 73
10.7.1.1.2 frerAutSeqReceivePortList 73
10.7.1.1.3 frerAutSeqTagged 73
10.7.1.1.4 frerAutSeqVlan 73
10.7.1.1.5 frerAutSeqRecoveryPortList 73
10.7.1.1.6 frerAutSeqDestructMSec 73
10.7.1.1.7 frerAutSeqResetMSec 73
10.7.1.1.8 frerAutSeqAlgorithm 73
10.7.1.1.9 frerAutSeqHistoryLength 74
10.7.1.1.10 frerAutSeqCreateIndividual 74
10.7.1.1.11 frerAutSeqCreateRecovery 74
10.7.1.1.12 frerAutSeqLatErrDetection 74
10.7.1.1.13 frerAutSeqLatErrDifference 74
10.7.1.1.14 frerAutSeqLatErrPeriod 74
10.7.1.1.15 frerAutSeqLatErrResetPeriod 74
10.7.2 Output autoconfiguration table 74
10.7.2.1 frerAutOutEntry 74
10.7.2.1.1 frerAutOutPortList 74
10.7.2.1.2 frerAutOutEncaps 75
10.7.2.1.3 frerAutOutLanPathId 75
10.8 Operational per-port and per-Stream FRER counters 75
10.8.1 Per-Stream vs. per-Stream-per-port counters 75
10.8.2 frerCpsSeqGenResets 75
10.8.3 frerCpsSeqRcvyOutOfOrderPackets 75
10.8.4 frerCpsSeqRcvyRoguePackets 76
10.8.5 frerCpsSeqRcvyPassedPackets 76
10.8.6 frerCpsSeqRcvyDiscardedPackets 76
10.8.7 frerCpsSeqRcvyLostPackets 76
10.8.8 frerCpsSeqRcvyTaglessPackets 76
10.8.9 frerCpsSeqRcvyResets 76

10.8.10 frerCpsSeqRcvyLatentErrorResets 76
10.8.11 frerCpsSeqEncErroredPackets 76
10.9 Operational per-port FRER counters 76
10.9.1 frerCpSeqRcvyPassedPackets 77
10.9.2 frerCpSeqRcvyDiscardPackets 77
10.9.3 frerCpSeqEncErroredPackets 77

Annex A (normative) Protocol Implementation Conformance Statement (PICS) proforma 78

A.1 Introduction 78
A.1.1 Abbreviations and special symbols 78
A.1.2 Instructions for completing the PICS proforma 79
A.1.3 Additional information 79
A.1.4 Exceptional information 79
A.1.5 Conditional items 80
A.1.6 Identification 80
A.2 PICS proforma for Frame Replication and Elimination for Reliability 81
A.2.1 Major capabilities/options 81
A.2.2 Stream identification component 81
A.2.3 Talker end system 82
A.2.4 Listener end system 83
A.2.5 Relay system 84
A.2.6 FRER 802.1Q C-component 86
A.2.7 Common requirements 86

Annex B (informative) Interoperability with other standards 87

B.1 Sequence number size 87
B.2 Per-Stream versus per-source sequencing 87

Annex C (informative) Frame Replication and Elimination for Reliability in systems 88

C.1 Example 1: End-to-end FRER 88
C.2 Example 2: Various stack positions 89
C.3 Example 3: Ladder redundancy 92
C.4 Example 4: Multicast trees 93
C.5 Example 5: Protocol interworking 93
C.6 Example 6: Chained two-port end systems 94
C.7 Cautions 95
C.8 Balancing tag insertion and removal 95
C.9 FRER and reserved bandwidth 95
C.10 Use of the Individual recovery function 97
C.11 Use of autoconfiguration 97
C.11.1 Routing and labeling Member Streams 97
C.11.2 Recognizing packets that trigger autoconfiguration 98
C.11.3 Per-port packet decoding and encoding 99
C.11.4 Individual and Sequence recovery functions 99

Annex D (informative) Bibliography 100

List of figures

Figure 6-1—Stream identification service 26
Figure 6-2—A Stream with three Listeners 26
Figure 6-3—Stream identification function: single upper SAP 28
Figure 6-4—Stream identification function: array of upper SAPs 28
Figure 6-5—Stream functions in a relay system (three views of same system) 29
Figure 6-6—In- and out-facing functions 30
Figure 7-1—Compound Stream built from four Member Streams 33
Figure 7-2—Frame Replication and Elimination for Reliability functions 35
Figure 7-3—Sequence recovery functions and Individual recovery functions 47
Figure 7-4—R-TAG format 48
Figure 8-1—FRER functions in an FRER C-component 56
Figure 8-2—Augmented Forwarding Process does sequence recovery 57
Figure 8-3—Example Ethernet frame format 59
Figure C-1—Dual-homed end systems using Link Aggregation 88
Figure C-2—Protocol stack for End System B in Figure C-1 89
Figure C-3—Protocol stack for End System G in Figure C-1 and Figure C-4 89
Figure C-4—Frame Replication and Elimination for Reliability flexible positioning 90
Figure C-5—Protocol stack for relay system B, proxying for End System A, in Figure C-4 91
Figure C-6—Protocol stack for relay system C in Figure C-4 91
Figure C-7—Protocol stack for relay system F in Figure C-4 92
Figure C-8—Ladder redundancy 92
Figure C-9—Multicast trees 93
Figure C-10—Protocol interworking 93
Figure C-11—Dual-homed end systems using 3-port bridge 94
Figure C-12—Protocol stacks for Systems B and G in Figure C-11 94
Figure C-13—Explicit path causing a loop 95
Figure C-14—Example of Long and short paths 96
Figure C-15—Autoconfiguration example 98

List of tables

Table 6-1—Stream identification functions 27
Table 7-1—R-TAG EtherType 49
Table 8-1—Managed objects for FRER in an FRER C-component 59
Table 9-1—Stream identification types 62
Table 10-1—Enumerated values for frerSeqRcvyAlgorithm 69
Table 10-2—Sequence Encode/Decode types 72