ISO/IEC 39794-5:2019-12 (E)

Information technology - Extensible biometric data interchange formats - Part 5: Face image data

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Abbreviated terms 7

5 Conformance 8

6 Modalityspecificinformation 9

7 Abstract data elements 9
7.1 Overview 9
7.1.1 Content and notation 9
7.1.2 Structure overview 10
7.1.3 Data conventions 11
7.2 Face image data block 11
7.3 Version block 11
7.4 Representation block 12
7.5 Representation identifier 12
7.6 Capture date/time block 12
7.7 Quality blocks 12
7.8 PAD data block 12
7.9 Session identifier 12
7.10 Derived from 13
7.11 Capture device block 13
7.12 Model identifier block 13
7.13 Certification identifier blocks 13
7.14 Identity metadata block 13
7.15 Gender 14
7.16 Eye colour 14
7.17 Hair colour 15
7.18 Subject height 15
7.19 Properties block 16
7.20 Expression block 16
7.21 Pose angle block 17
7.22 Angle data block 18
7.23 Angle value 18
7.24 Angle uncertainty 18
7.25 Landmark block 19
7.26 Landmark kind 19
7.27 MPEG4 feature point 19
7.28 Anthropometric landmark 22
7.29 Landmark coordinates block 25
7.30 Image representation block 26
7.31 2D image representation block 26

7.32 2D representation data 26
7.33 2D capture device block 26
7.34 2D capture device spectral block 26
7.35 2D capture device technology identifier 27
7.36 2D image information block 27
7.37 2D face image kind 27
7.38 Post acquisition processing block 28
7.39 Lossy transformation attempts 28
7.40 Image data format 29

7.41 Camera to subject distance 31
7.42 Sensor diagonal 31
7.43 Lens focal length 32
7.44 Image size block 32
7.45 Width 32
7.46 Height 32
7.47 Image face measurements block 32
7.48 Image head width 33
7.49 Image inter-eye distance 33
7.50 Image eye-to-mouth distance 34
7.51 Image head length 34
7.52 Image colour space 35
7.53 Reference colour mapping block 35
7.54 Reference colour schema 35
7.55 Reference colour definition and value block 35
7.56 3D shape representation block 35
7.57 3D representation data 36
7.58 3D capture device block 36
7.59 3D modus 36
7.60 3D capture device technology identifier 36
7.61 3D image information block 37
7.62 3D representation kind block 37
7.63 3D vertex block 37
7.64 3D vertex information block 37
7.65 3D vertex coordinate block 37
7.66 3D vertex identifier 38
7.67 3D vertex normals block 38
7.68 3D vertex textures block 38
7.69 3D error map 38
7.70 3D vertex triangle data block 39
7.71 3D coordinate system 39
7.72 3D Cartesian coordinate system 39
7.73 3D Cartesian scales and offsets block 40
7.74 3D face image kind 41
7.75 3D physical face measurements block 41
7.76 3D physical head width 41
7.77 3D physical inter-eye distance 42
7.78 3D physical eye-to-mouth distance 42
7.79 3D physical head length 42
7.80 3D textured image resolution block 42
7.81 3D MM shape [X/Y/Z] resolution 42
7.82 3D MM texture resolution 42
7.83 3D texture acquisition period 42
7.84 3D face area scanned block 43
7.85 3D texture map block 43
7.86 3D texture capture device spectral block 43
7.87 3D texture standard illuminant 44
7.88 3D texture map data 44

8 Encoding 44
8.1 Overview 44
8.2 Tagged binary encoding 45

8.3 XML encoding 46

9 RegisteredBDBformatidentifiers 47

Annex A (normative)Formalspecifications 48

Annex B (informative) Encoding examples 80

Annex C (normative) Conformance testing methodology 88

Annex D (normative)Applicationprofiles 101

Annex E (informative) Additional technical considerations 154

Bibliography 184