

ISO/IEC 10373-1:2020 (E)

Cards and security devices for personal identification — Test methods — Part 1: General characteristics

Contents

| | |
|---------|----------------------------------------------|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms, definitions and abbreviated terms |
| 3.1 | Terms and definitions |
| 3.2 | Abbreviated terms |
| 4 | Default items applicable to the test methods |
| 4.1 | Test environment |
| 4.2 | Pre-conditioning |
| 4.3 | Selection of test methods |
| 4.4 | Default tolerance |
| 4.5 | Total measurement uncertainty |
| 5 | Test methods |
| 5.1 | Card warpage |
| 5.1.1 | General |
| 5.1.2 | Apparatus |
| 5.1.3 | Procedure |
| 5.1.4 | Test report |
| 5.2 | Dimensions of cards |
| 5.2.1 | General |
| 5.2.2 | Thickness of card measurements |
| 5.2.2.1 | Apparatus |
| 5.2.2.2 | Procedure |
| 5.2.2.3 | Test report |
| 5.2.3 | Height and width of card measurement |
| 5.2.3.1 | Apparatus |
| 5.2.3.2 | Procedure |
| 5.2.3.3 | Test report |
| 5.3 | Peel strength |
| 5.3.1 | General |
| 5.3.2 | Apparatus |
| 5.3.3 | Procedure |
| 5.3.4 | Test report |
| 5.4 | Peel strength including the edge of the card |
| 5.4.1 | General |
| 5.4.2 | Apparatus |
| 5.4.3 | Procedure |
| 5.4.3.1 | General |
| 5.4.3.2 | Peel strength at the edge of the card |
| 5.4.3.3 | Peel strength in the centre of the card |
| 5.4.4 | Test report |
| 5.5 | Resistance to chemicals |
| 5.5.1 | General |
| 5.5.2 | Reagents |
| 5.5.2.1 | General |
| 5.5.2.2 | Solutions for short-term test |

- 5.5.2.3 Solutions for long-term test
- 5.5.3 Procedure
 - 5.5.3.1 General
 - 5.5.3.2 Short-term solutions
 - 5.5.3.3 Long-term solutions
 - 5.5.3.3.1 Salt mist
 - 5.5.3.3.2 Salt mist additional cleaning (if required)
 - 5.5.3.3.3 Artificial perspiration
- 5.5.4 Test report
- 5.6 Card dimensional stability and warpage with temperature and humidity
 - 5.6.1 General
 - 5.6.2 Procedure
 - 5.6.3 Test report
- 5.7 Adhesion or blocking
 - 5.7.1 General
 - 5.7.2 Procedure
 - 5.7.3 Test report
- 5.8 Bending stiffness
 - 5.8.1 General
 - 5.8.2 Procedure
 - 5.8.3 Test report
- 5.9 Dynamic bending stress
 - 5.9.1 General
 - 5.9.2 Apparatus
 - 5.9.3 Calibration method
 - 5.9.4 Procedure
 - 5.9.5 Test report
- 5.10 Dynamic torsional stress
 - 5.10.1 General
 - 5.10.2 Apparatus
 - 5.10.3 Procedure
 - 5.10.4 Test report
- 5.11 Opacity
 - 5.11.1 General
 - 5.11.2 Apparatus
 - 5.11.3 Procedure
 - 5.11.3.1 General
 - 5.11.3.2 Measurement
 - 5.11.3.3 Test report
- 5.12 X-rays
 - 5.12.1 General
 - 5.12.2 Procedure
 - 5.12.3 Test report
- 5.13 Embossing relief height of characters
 - 5.13.1 General
 - 5.13.2 Apparatus
 - 5.13.3 Procedure
 - 5.13.4 Test report
- 5.14 Resistance to heat
 - 5.14.1 General
 - 5.14.2 Apparatus
 - 5.14.3 Procedure
 - 5.14.4 Test report
- 5.15 Surface distortions, raised areas and depressed areas

6 Test methods for ICCs

- 6.1 Conventions for electrical measurements on ICCs with contacts
- 6.2 Apparatus for measurements on ICCs with contacts
 - 6.2.1 Default ICC holder, reference axes and default measurement position
 - 6.2.2 Default ICC holder and reference axes
 - 6.2.3 Flattening plate
 - 6.2.4 Default Measurement Position
- 6.3 Dimension and location of contacts for ICCs with contacts
 - 6.3.1 General

| | |
|--------|----------------------------------------------------------------|
| 6.3.2 | Apparatus |
| 6.3.3 | Procedure |
| 6.3.4 | Test report |
| 6.4 | Mechanical strength of contacts |
| 6.4.1 | General |
| 6.4.2 | Apparatus |
| 6.4.3 | Procedure |
| 6.4.4 | Test report |
| 6.5 | ESD — Electrostatic discharge for ICC contact cards |
| 6.5.1 | General |
| 6.5.2 | Test report |
| 6.6 | ESS — Electrostatic stress for PICC and VICC |
| 6.6.1 | General |
| 6.6.2 | Apparatus |
| 6.6.3 | Test procedure |
| 6.6.4 | Test report |
| 6.7 | Electrical resistance of contacts of ICCs with contacts |
| 6.7.1 | General |
| 6.7.2 | Apparatus |
| 6.7.3 | Procedure |
| 6.7.4 | Test report |
| 6.8 | Additional test methods regarding electrostatic effects |
| 6.9 | Surface profile of contacts of ICCs with contacts |
| 6.9.1 | General |
| 6.9.2 | Apparatus |
| 6.9.3 | Procedure |
| 6.9.4 | Test report |
| 6.10 | ICC — Mechanical strength: 3 wheel test for ICCs with contacts |
| 6.10.1 | General |
| 6.10.2 | Apparatus |
| 6.10.3 | Procedure |
| 6.10.4 | Test report |

Annex A (informative) Electrostatic discharge conductivity of cards

| | |
|---------|---------------------------------------------------|
| A.1 | Test method 1 |
| A.1.1 | Introduction and summary |
| A.1.2 | Apparatus |
| A.1.2.1 | General |
| A.1.2.2 | Contact grid |
| A.1.2.3 | ESD pulse generator |
| A.1.2.4 | Electrical interconnection |
| A.1.3 | Procedure |
| A.1.3.1 | Measurement |
| A.1.3.2 | Calibration check |
| A.1.4 | Test report |
| A.2 | Test method 2 — Static charge transfer assessment |
| A.2.1 | General |
| A.2.2 | Apparatus |
| A.2.3 | Qualification of the discharge detector |
| A.2.4 | Procedure |
| A.2.5 | Test report |

Annex B (informative) ESD sensitivity of cards to CDM

| | |
|-----|------------------------------------------------|
| B.1 | General |
| B.2 | Purpose |
| B.3 | Apparatus |
| B.4 | Further equipment |
| B.5 | Tester qualification and waveform verification |
| B.6 | Procedure |
| B.7 | Classification |
| B.8 | Failure criteria |
| B.9 | Alternative hand-held discharge probe |