

# ISO 17877:2000-04 (E)

## Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Private User Mobility (PUM) - Call handling additional network features

---

### Contents

Foreword	vi
Introduction	vii
<b>1</b> Scope	<b>1</b>
<b>2</b> Conformance	<b>1</b>
<b>3</b> Normative references	<b>1</b>
<b>4</b> Definitions	<b>2</b>
<b>4.1</b> External definitions	<b>2</b>
<b>4.2</b> Additional network feature (ANF)	<b>3</b>
<b>4.3</b> Alternative identifier	<b>3</b>
<b>4.4</b> Destination number	<b>3</b>
<b>4.5</b> Home Data Base (HDB)	<b>3</b>
<b>4.6</b> Home PINX	<b>3</b>
<b>4.7</b> Hosting address	<b>3</b>
<b>4.8</b> Incoming PUM call	<b>3</b>
<b>4.9</b> Originating number	<b>3</b>
<b>4.10</b> Outgoing PUM call	<b>3</b>
<b>4.11</b> Private User Mobility (PUM)	<b>3</b>
<b>4.12</b> PUM registration	<b>3</b>
<b>4.13</b> PUM user	<b>3</b>
<b>4.14</b> PUM user identity	<b>3</b>
<b>4.15</b> Visitor Data Base (VDB)	<b>3</b>
<b>4.16</b> Visitor PINX	<b>3</b>
<b>5</b> List of acronyms	<b>3</b>
<b>6</b> ANF-PUMI stage 1 specification	<b>4</b>
<b>6.1</b> Description	<b>4</b>
<b>6.1.1</b> General description	<b>4</b>
<b>6.1.2</b> Qualifications on applicability to telecommunication services	<b>5</b>
<b>6.2</b> Procedure	<b>5</b>
<b>6.2.1</b> Provision/withdrawal	<b>5</b>
<b>6.2.2</b> Normal procedures	<b>5</b>
<b>6.2.3</b> Exceptional procedures	<b>5</b>
<b>6.3</b> Interaction with other supplementary services and ANFs	<b>5</b>
<b>6.3.1</b> Number identification services (SS-CLIP, SS-COLP, SS-CLIR)	<b>5</b>
<b>6.3.2</b> Calling Name Identification Presentation (SS-CNIP)	<b>5</b>
<b>6.3.3</b> Connected Name Identification Presentation (SS-CONP)	<b>5</b>
<b>6.3.4</b> Calling/Connected Name Identification Restriction (SS-CNIR)	<b>5</b>
<b>6.3.5</b> Call Completion to Busy Subscriber (SS-CCBS)	<b>5</b>
<b>6.3.6</b> Call Completion on No Reply (SS-CCNR)	<b>5</b>
<b>6.3.7</b> Call Transfer (SS-CT)	<b>5</b>
<b>6.3.8</b> Call Forwarding Unconditional (SS-CFU)	<b>5</b>
<b>6.3.9</b> Call Forwarding Busy (SS-CFB)	<b>6</b>
<b>6.3.10</b> Call Forwarding No Reply (SS-CFNR)	<b>6</b>
<b>6.3.11</b> Call Deflection (SS-CD)	<b>6</b>
<b>6.3.12</b> Path Replacement (ANF-PR)	<b>6</b>
<b>6.3.13</b> Call Offer (SS-CO)	<b>6</b>
<b>6.3.14</b> Call Intrusion (SS-CI)	<b>6</b>
<b>6.3.15</b> Do not Disturb (SS-DND)	<b>6</b>

<b>6.3.16</b>	Do not Disturb Override (SS-DNDO)	<b>6</b>
<b>6.3.17</b>	Advice of Charge (SS-AOC)	<b>6</b>
<b>6.3.18</b>	Recall (SS-RE)	<b>6</b>
<b>6.3.19</b>	Call Interception (ANF-CINT)	<b>6</b>
<b>6.3.20</b>	Transit Counter (ANF-TC)	<b>6</b>
<b>6.3.21</b>	Route Restriction Class (ANF-RRC)	<b>6</b>
<b>6.3.22</b>	Message Waiting Indication (SS-MWI)	<b>6</b>
<b>6.3.23</b>	Wireless Terminal Location Registration (SS-WTLR)	<b>6</b>
<b>6.3.24</b>	Wireless Terminal Incoming Call (ANF-WTMI)	<b>6</b>
<b>6.3.25</b>	Wireless Terminal Outgoing Call (ANF-WTMO)	<b>6</b>
<b>6.3.26</b>	Wireless Terminal Authentication of a WTM User (SS-WTAT)	<b>6</b>
<b>6.3.27</b>	Wireless Terminal Authentication of the PISN (SS-WTAN)	<b>6</b>
<b>6.3.28</b>	Common Information (ANF-CMN)	<b>7</b>
<b>6.3.29</b>	Call Priority Interruption (Protection) (SS-CPI(P))	<b>7</b>
<b>6.3.30</b>	Private User Mobility Registration (SS-PUMR)	<b>7</b>
<b>6.3.31</b>	Private User Mobility Outgoing Call (ANF-PUMO)	<b>7</b>
<b>6.4</b>	Interworking considerations	<b>7</b>
<b>6.5</b>	Overall SDL	<b>7</b>
<b>7</b>	ANF-PUMO stage 1 specification	<b>7</b>
<b>7.1</b>	Description	<b>7</b>
<b>7.1.1</b>	General description	<b>7</b>
<b>7.1.2</b>	Qualifications on applicability to telecommunication services	<b>8</b>
<b>7.2</b>	Procedure	<b>8</b>
<b>7.2.1</b>	Provision/withdrawal	<b>8</b>
<b>7.2.2</b>	Normal procedures	<b>8</b>
<b>7.2.3</b>	Exceptional procedures	<b>8</b>
<b>7.3</b>	Interaction with other supplementary services and ANFs	<b>8</b>
<b>7.3.1</b>	Number identification services (SS-CLIP, SS-COLP, SS-CLIR)	<b>8</b>
<b>7.3.2</b>	Calling Name Identification Presentation (SS-CNIP)	<b>8</b>
<b>7.3.3</b>	Connected Name Identification Presentation (SS-CONP)	<b>8</b>
<b>7.3.4</b>	Calling/Connected Name Identification Restriction (SS-CNIR)	<b>8</b>
<b>7.3.5</b>	Call Completion to Busy Subscriber (SS-CCBS)	<b>8</b>
<b>7.3.6</b>	Call Completion on No Reply (SS-CCNR)	<b>8</b>
<b>7.3.7</b>	Call Transfer (SS-CT)	<b>8</b>
<b>7.3.8</b>	Call Forwarding Unconditional (SS-CFU)	<b>8</b>
<b>7.3.9</b>	Call Forwarding Busy (SS-CFB)	<b>8</b>
<b>7.3.10</b>	Call Forwarding No Reply (SS-CFNR)	<b>9</b>
<b>7.3.11</b>	Call Deflection (SS-CD)	<b>9</b>
<b>7.3.12</b>	Path Replacement (ANF-PR)	<b>9</b>
<b>7.3.13</b>	Call Offer (SS-CO)	<b>9</b>
<b>7.3.14</b>	Call Intrusion (SS-CI)	<b>9</b>
<b>7.3.15</b>	Do not Disturb (SS-DND)	<b>9</b>
<b>7.3.16</b>	Do not Disturb Override (SS-DNDO)	<b>9</b>
<b>7.3.17</b>	Advice of Charge (SS-AOC)	<b>9</b>
<b>7.3.18</b>	Recall (SS-RE)	<b>9</b>
<b>7.3.19</b>	Call Interception (ANF-CINT)	<b>9</b>
<b>7.3.20</b>	Transit Counter (ANF-TC)	<b>9</b>
<b>7.3.21</b>	Route Restriction Class (ANF-RRC)	<b>9</b>
<b>7.3.22</b>	Message Waiting Indication (SS-MWI)	<b>9</b>
<b>7.3.23</b>	Wireless Terminal Location Registration (SS-WTLR)	<b>9</b>
<b>7.3.24</b>	Wireless Terminal Incoming Call (ANF-WTMI)	<b>9</b>
<b>7.3.25</b>	Wireless Terminal Outgoing Call (ANF-WTMO)	<b>9</b>
<b>7.3.26</b>	Wireless Terminal Authentication of a WTM User (SS-WTAT)	<b>9</b>
<b>7.3.27</b>	Wireless Terminal Authentication of the PISN (SS-WTAN)	<b>9</b>
<b>7.3.28</b>	Common Information (ANF-CMN)	<b>9</b>
<b>7.3.29</b>	Call Priority Interruption (Protection) (SS-CPI(P))	<b>9</b>

<b>7.3.30</b>	Private User Mobility Registration (SS-PUMR)	<b>10</b>
<b>7.3.31</b>	Private User Mobility Incoming Call (ANF-PUMI)	<b>10</b>
<b>7.4</b>	Interworking considerations	<b>10</b>
<b>7.5</b>	Overall SDL	<b>10</b>
<b>8</b>	ANF-PUMI stage 2 specification	<b>10</b>
<b>8.1</b>	Functional model	<b>10</b>
<b>8.1.1</b>	Functional model description	<b>10</b>
<b>8.1.2</b>	Description of Functional Entities	<b>11</b>
<b>8.1.3</b>	Relationship of functional model to basic call functional model	<b>11</b>
<b>8.2</b>	Information flows	<b>12</b>
<b>8.2.1</b>	Definition of information flows	<b>12</b>
<b>8.2.2</b>	Relationship of information flows to basic call information flows	<b>14</b>
<b>8.2.3</b>	Information flow sequences	<b>14</b>
<b>8.3</b>	Functional Entity actions	<b>19</b>
<b>8.3.1</b>	Actions of FE1	<b>19</b>
<b>8.3.2</b>	Actions of FE2	<b>19</b>
<b>8.3.3</b>	Actions of FE3	<b>20</b>
<b>8.3.4</b>	Actions of FE4	<b>20</b>
<b>8.3.5</b>	Actions of FE5	<b>20</b>
<b>8.4</b>	Functional entity behaviour	<b>20</b>
<b>8.4.1</b>	Behaviour of FE1	<b>21</b>
<b>8.4.2</b>	Behaviour of FE2	<b>22</b>
<b>8.4.3</b>	Behaviour of FE3	<b>23</b>
<b>8.4.4</b>	Behaviour of FE4	<b>24</b>
<b>8.4.5</b>	Behaviour of FE5	<b>25</b>
<b>8.5</b>	Allocation of Functional Entities to physical equipment	<b>26</b>
<b>8.6</b>	Interworking considerations	<b>26</b>
<b>9</b>	ANF-PUMO stage 2 specification	<b>26</b>
<b>9.1</b>	Functional model	<b>26</b>
<b>9.1.1</b>	Functional model description	<b>26</b>
<b>9.1.2</b>	Description of Functional Entities	<b>27</b>
<b>9.1.3</b>	Relationship of functional model to basic call functional model	<b>27</b>
<b>9.2</b>	Information flows	<b>27</b>
<b>9.2.1</b>	Definition of information flows	<b>27</b>
<b>9.2.2</b>	Relationship of information flows to basic call information flows	<b>28</b>
<b>9.2.3</b>	Information flow sequences	<b>28</b>
<b>9.3</b>	Functional Entity actions	<b>29</b>
<b>9.3.1</b>	Actions of FE1	<b>29</b>
<b>9.3.2</b>	Actions of FE2	<b>29</b>
<b>9.4</b>	Functional entity behaviour	<b>29</b>
<b>9.4.1</b>	Behaviour of FE1	<b>29</b>
<b>9.4.2</b>	Behaviour of FE2	<b>30</b>
<b>9.5</b>	Allocation of Functional Entities to physical equipment	<b>30</b>
<b>9.6</b>	Interworking considerations	<b>30</b>