

ISO/IEC 14496-12:2020 (E)

Information technology — Coding of audio-visual objects — Part 12: ISO base media file format

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions and abbreviated terms
3.1	Terms and definitions
3.2	Abbreviated terms
4	Object-structured file organization
4.1	File structure
4.2	Object structure
4.2.1	Object syntax conventions
4.2.2	Object definitions
4.3	File-type box
4.3.1	Definition
4.3.2	Syntax
4.3.3	Semantics
4.4	Extended type box
4.4.1	Definition
4.4.2	Syntax
4.4.3	Semantics
5	Design considerations
5.1	Usage
5.1.1	Multi-purpose
5.1.2	Interchange
5.1.3	Content creation
5.1.4	Preparation for streaming
5.1.5	Local presentation
5.1.6	Streamed presentation
5.2	Design principles
6	ISO base media file organization
6.1	Presentation structure
6.1.1	Referencing external data
6.1.2	Object structure
6.1.3	Meta data and media data
6.1.4	Track identifiers
6.2	Metadata structure (objects)
6.2.1	Box
6.2.2	Data types and fields
6.2.3	Box order
6.2.4	URIs as type indicators
6.3	Brand identification
6.4	Time structure overview
7	Streaming support
7.1	Handling of streaming protocols
7.2	Protocol 'hint' tracks

7.3	Hint track format
8	Box structures
8.1	File structure and general boxes
8.1.1	Media data box
8.1.1.1	Definition
8.1.1.2	Syntax
8.1.1.3	Semantics
8.1.2	Free space box
8.1.2.1	Definition
8.1.2.2	Syntax
8.1.2.3	Semantics
8.1.3	Progressive download information box
8.1.3.1	Definition
8.1.3.2	Syntax
8.1.3.3	Semantics
8.1.4	Identified media data box
8.1.4.1	Definition
8.1.4.2	Syntax
8.1.4.3	Semantics
8.2	Movie structure
8.2.1	Movie box
8.2.1.1	Definition
8.2.1.2	Syntax
8.2.2	Movie header box
8.2.2.1	Definition
8.2.2.2	Syntax
8.2.2.3	Semantics
8.3	Track structure
8.3.1	Track box
8.3.1.1	Definition
8.3.1.2	Syntax
8.3.2	Track header box
8.3.2.1	Definition
8.3.2.2	Syntax
8.3.2.3	Semantics
8.3.3	Track reference box
8.3.3.1	Definition
8.3.3.2	Syntax
8.3.3.3	Semantics
8.3.4	Track group box
8.3.4.1	Definition
8.3.4.2	Syntax
8.3.4.3	Semantics
8.3.4.4	Track group definitions
8.3.4.4.1	Multi-source presentation
8.3.4.4.2	Stereoscopic pair
8.3.4.4.2.1	Definition
8.3.4.4.2.2	Syntax
8.3.4.4.2.3	Semantics
8.3.5	Track type box
8.3.5.1	Definition
8.3.5.2	Syntax
8.4	Track media structure
8.4.1	Media box
8.4.1.1	Definition
8.4.1.2	Syntax
8.4.2	Media header box
8.4.2.1	Definition
8.4.2.2	Syntax
8.4.2.3	Semantics
8.4.3	Handler reference box
8.4.3.1	Definition
8.4.3.2	Syntax

8.4.3.3	Semantics
8.4.4	Media information box
8.4.4.1	Definition
8.4.4.2	Syntax
8.4.5	Media information header boxes
8.4.5.1	Definition
8.4.5.2	Null media header box
8.4.5.2.1	Definition
8.4.5.2.2	Syntax
8.4.5.2.3	Semantics
8.4.6	Extended language tag
8.4.6.1	Definition
8.4.6.2	Syntax
8.4.6.3	Semantics
8.5	Sample tables
8.5.1	Sample table box
8.5.1.1	Definition
8.5.1.2	Syntax
8.5.2	Sample description box
8.5.2.1	Definition
8.5.2.2	Syntax
8.5.2.3	Semantics
8.5.3	Degradation priority box
8.5.3.1	Definition
8.5.3.2	Syntax
8.5.3.3	Semantics
8.5.4	Sample scale box
8.6	Track time structures
8.6.1	Time to sample boxes
8.6.1.1	Definition
8.6.1.2	Decoding time to sample box
8.6.1.2.1	Definition
8.6.1.2.2	Syntax
8.6.1.2.3	Semantics
8.6.1.3	Composition time to sample box
8.6.1.3.1	Definition
8.6.1.3.2	Syntax
8.6.1.3.3	Semantics
8.6.1.4	Composition to decode box
8.6.1.4.1	Definition
8.6.1.4.2	Syntax
8.6.1.4.3	Semantics
8.6.2	Sync sample box
8.6.2.1	Definition
8.6.2.2	Syntax
8.6.2.3	Semantics
8.6.3	Shadow sync sample box
8.6.3.1	Definition
8.6.3.2	Syntax
8.6.3.3	Semantics
8.6.4	Independent and disposable samples box
8.6.4.1	Definition
8.6.4.2	Syntax
8.6.4.3	Semantics
8.6.5	Edit box
8.6.5.1	Definition
8.6.5.2	Syntax
8.6.6	Edit list box
8.6.6.1	Definition
8.6.6.2	Syntax
8.6.6.3	Semantics
8.6.6.4	Edit list examples
8.7	Track data layout structures
8.7.1	Data information box

8.7.1.1	Definition
8.7.1.2	Syntax
8.7.2	Data reference box
8.7.2.1	Definition
8.7.2.2	Syntax
8.7.2.3	Semantics
8.7.3	Sample size boxes
8.7.3.1	Definition
8.7.3.2	Sample size box
8.7.3.2.1	Syntax
8.7.3.2.2	Semantics
8.7.3.3	Compact sample size box
8.7.3.3.1	Syntax
8.7.3.3.2	Semantics
8.7.4	Sample to chunk box
8.7.4.1	Definition
8.7.4.2	Syntax
8.7.4.3	Semantics
8.7.5	Chunk offset box
8.7.5.1	Definition
8.7.5.2	Syntax
8.7.5.3	Semantics
8.7.6	Padding bits box
8.7.6.1	Definition
8.7.6.2	Syntax
8.7.6.3	Semantics
8.7.7	Sub-sample information box
8.7.7.1	Definition
8.7.7.2	Syntax
8.7.7.3	Semantics
8.7.8	Sample auxiliary information sizes box
8.7.8.1	Definition
8.7.8.2	Syntax
8.7.8.3	Semantics
8.7.9	Sample auxiliary information offsets box
8.7.9.1	Definition
8.7.9.2	Syntax
8.7.9.3	Semantics
8.8	Movie fragments
8.8.1	Movie extends box
8.8.1.1	Definition
8.8.1.2	Syntax
8.8.2	Movie extends header box
8.8.2.1	Definition
8.8.2.2	Syntax
8.8.2.3	Semantics
8.8.3	Track extends box
8.8.3.1	Definition
8.8.3.2	Syntax
8.8.3.3	Semantics
8.8.4	Movie fragment box
8.8.4.1	Definition
8.8.4.2	Syntax
8.8.5	Movie fragment header box
8.8.5.1	Definition
8.8.5.2	Syntax
8.8.5.3	Semantics
8.8.6	Track fragment box
8.8.6.1	Definition
8.8.6.2	Syntax
8.8.7	Track fragment header box
8.8.7.1	Definition
8.8.7.2	Syntax
8.8.7.3	Semantics

8.8	Track fragment run box
8.8.1	Definition
8.8.2	Syntax
8.8.3	Semantics
8.8.9	Movie fragment random access box
8.8.9.1	Definition
8.8.9.2	Syntax
8.8.10	Track fragment random access box
8.8.10.1	Definition
8.8.10.2	Syntax
8.8.10.3	Semantics
8.8.11	Movie fragment random access offset box
8.8.11.1	Definition
8.8.11.2	Syntax
8.8.11.3	Semantics
8.8.12	Track fragment decode time box
8.8.12.1	Definition
8.8.12.2	Syntax
8.8.12.3	Semantics
8.8.13	Level assignment box
8.8.13.1	Definition
8.8.13.2	Syntax
8.8.13.3	Semantics
8.8.14	Sample auxiliary information in movie fragments
8.8.15	Track Extension Properties box
8.8.15.1	Definition
8.8.15.2	Syntax
8.8.15.3	Semantics
8.8.16	Alternative startup sequence properties box
8.8.16.1	Definition
8.8.16.2	Syntax
8.8.16.3	Semantics
8.8.17	Metadata and user data in movie fragments
8.9	Sample group structures
8.9.1	Overview
8.9.2	Sample to group box
8.9.2.1	Definition
8.9.2.2	Syntax
8.9.2.3	Semantics
8.9.3	Sample group description box
8.9.3.1	Definition
8.9.3.2	Syntax
8.9.3.3	Semantics
8.9.4	Representation of group structures in movie fragments
8.9.5	Compact sample to group box
8.9.5.1	Definition
8.9.5.2	Syntax
8.9.5.3	Semantics
8.10	User data
8.10.1	User data box
8.10.1.1	Definition
8.10.1.2	Syntax
8.10.2	Copyright box
8.10.2.1	Definition
8.10.2.2	Syntax
8.10.2.3	Semantics
8.10.3	Track selection box
8.10.3.1	Overview
8.10.3.2	Definition
8.10.3.3	Syntax
8.10.3.4	Semantics
8.10.3.5	Attributes
8.10.4	Track kind
8.10.4.1	Definition

- 8.10.4.2 Syntax
- 8.10.4.3 Semantics
- 8.11 Metadata support
 - 8.11.1 MetaBox
 - 8.11.1.1 Definition
 - 8.11.1.2 Syntax
 - 8.11.1.3 Semantics
 - 8.11.2 XML boxes
 - 8.11.2.1 Definition
 - 8.11.2.2 Syntax
 - 8.11.2.3 Semantics
 - 8.11.3 Item location box
 - 8.11.3.1 Definition
 - 8.11.3.2 Syntax
 - 8.11.3.3 Semantics
 - 8.11.4 Primary item box
 - 8.11.4.1 Definition
 - 8.11.4.2 Syntax
 - 8.11.4.3 Semantics
 - 8.11.5 Item protection box
 - 8.11.5.1 Definition
 - 8.11.5.2 Syntax
 - 8.11.6 Item information box
 - 8.11.6.1 Definition
 - 8.11.6.2 Syntax
 - 8.11.6.3 Semantics
 - 8.11.7 Additional metadata container box
 - 8.11.8 Metabox Relation box
 - 8.11.9 URL forms for MetaBoxes
 - 8.11.10 Static metadata
 - 8.11.10.1 General
 - 8.11.10.2 Simple textual
 - 8.11.10.3 Other forms
 - 8.11.10.4 MPEG-7 metadata
 - 8.11.11 Item data box
 - 8.11.11.1 Definition
 - 8.11.11.2 Syntax
 - 8.11.11.3 Semantics
 - 8.11.12 Item reference box
 - 8.11.12.1 Definition
 - 8.11.12.2 Syntax
 - 8.11.12.3 Semantics
 - 8.11.13 Auxiliary video metadata
 - 8.11.14 Item properties box
 - 8.11.14.1 Definition
 - 8.11.14.2 Syntax
 - 8.11.14.3 Semantics
 - 8.11.15 Brand item property
 - 8.11.15.1 Definition
 - 8.11.15.2 Syntax
- 8.12 Support for protected streams
 - 8.12.1 Overview
 - 8.12.2 Protection scheme information box
 - 8.12.2.1 Definition
 - 8.12.2.2 Syntax
 - 8.12.3 Original format box
 - 8.12.3.1 Definition
 - 8.12.3.2 Syntax
 - 8.12.3.3 Semantics
 - 8.12.4 IPMPInfoBox
 - 8.12.5 IPMP control box
 - 8.12.6 Scheme type box
 - 8.12.6.1 Definition
 - 8.12.6.2 Syntax

8.12.6.3	Semantics
8.12.7	Scheme information box
8.12.7.1	Definition
8.12.7.2	Syntax
8.12.8	Scramble Scheme Information Box
8.12.8.1	Definition
8.12.8.2	Syntax
8.13	File delivery format support
8.13.1	Overview
8.13.2	FD item information box
8.13.2.1	Definition
8.13.2.2	Syntax
8.13.2.3	Semantics
8.13.3	File partition box
8.13.3.1	Definition
8.13.3.2	Syntax
8.13.3.3	Semantics
8.13.4	FEC reservoir box
8.13.4.1	Definition
8.13.4.2	Syntax
8.13.4.3	Semantics
8.13.5	FD session group box
8.13.5.1	Definition
8.13.5.2	Syntax
8.13.5.3	Semantics
8.13.6	Group ID to name box
8.13.6.1	Definition
8.13.6.2	Syntax
8.13.6.3	Semantics
8.13.7	File reservoir box
8.13.7.1	Definition
8.13.7.2	Syntax
8.13.7.3	Semantics
8.14	Sub tracks
8.14.1	Overview
8.14.2	Backward compatibility
8.14.3	Sub track box
8.14.3.1	Definition
8.14.3.2	Syntax
8.14.4	Sub track information box
8.14.4.1	Definition
8.14.4.2	Syntax
8.14.4.3	Semantics
8.14.5	Sub track definition box
8.14.5.1	Definition
8.14.5.2	Syntax
8.14.6	Sub track sample group box
8.14.6.1	Definition
8.14.6.2	Syntax
8.14.6.3	Semantics
8.15	Post-decoder requirements on media
8.15.1	General
8.15.2	Restricted sample entry transformation
8.15.3	Restricted scheme information box
8.15.3.1	Definition
8.15.3.2	Syntax
8.15.4	Scheme for stereoscopic video arrangements
8.15.4.1	General
8.15.4.2	Stereo video box
8.15.4.2.1	Definition
8.15.4.2.2	Syntax
8.15.4.2.3	Semantics
8.15.5	Compatible scheme type box
8.15.5.1	Definition

- 8.15.5.2 Syntax
- 8.15.5.3 Semantics
- 8.16 Segments
 - 8.16.1 Overview
 - 8.16.2 Segment type box
 - 8.16.2.1 Definition
 - 8.16.2.2 Syntax
 - 8.16.3 Segment index box
 - 8.16.3.1 Definition
 - 8.16.3.2 Syntax
 - 8.16.3.3 Semantics
 - 8.16.4 Subsegment index box
 - 8.16.4.1 Definition
 - 8.16.4.2 Syntax
 - 8.16.4.3 Semantics
 - 8.16.5 Producer reference time box
 - 8.16.5.1 Definition
 - 8.16.5.2 Syntax
 - 8.16.5.3 Semantics
- 8.17 Support for incomplete tracks
 - 8.17.1 General
 - 8.17.2 Transformation
 - 8.17.3 Complete track information box
 - 8.17.3.1 Definition
 - 8.17.3.2 Syntax
- 8.18 Entity grouping
 - 8.18.1 General
 - 8.18.2 Groups list box
 - 8.18.2.1 Definition
 - 8.18.2.2 Syntax
 - 8.18.3 Entity to group box
 - 8.18.3.1 Definition
 - 8.18.3.2 Syntax
 - 8.18.3.3 Semantics
- 8.19 Compressed boxes
 - 8.19.1 Overview and processing
 - 8.19.2 Processing model
 - 8.19.2.1 File parsing processing model
 - 8.19.2.2 File decompression processing model
 - 8.19.3 General syntax
 - 8.19.4 General semantics
 - 8.19.5 Original file-type box
 - 8.19.5.1 Definition
 - 8.19.5.2 Syntax
 - 8.19.6 Compressed movie box
 - 8.19.6.1 Definition
 - 8.19.6.2 Syntax
 - 8.19.7 Compressed movie fragment box
 - 8.19.7.1 Definition
 - 8.19.7.2 Syntax
 - 8.19.8 Compressed segment index box
 - 8.19.8.1 Definition
 - 8.19.8.2 Syntax
 - 8.19.9 Compressed subsegment index box
 - 8.19.9.1 Definition
 - 8.19.9.2 Syntax

9 Hint track formats

- 9.1 RTP and SRTP hint track format
 - 9.1.1 Overview
 - 9.1.2 Sample description format
 - 9.1.2.1 Structure
 - 9.1.2.2 SRTP process box
 - 9.1.3 Sample format

9.1.3.1	Sample format definition
9.1.3.2	Packet entry format
9.1.3.3	Constructor format
9.1.4	SDP information
9.1.4.1	Overview
9.1.4.2	Movie SDP information
9.1.4.3	Track SDP information
9.1.5	Statistical information
9.2	ALC/LCT and FLUTE hint track format
9.2.1	Overview
9.2.2	Design principles
9.2.3	Sample description format
9.2.3.1	Definition
9.2.3.2	Syntax
9.2.3.3	Semantics
9.2.4	Sample format
9.2.4.1	Sample container
9.2.4.2	Packet entry format
9.2.4.3	LCT header template format
9.2.4.4	LCT header extension constructor format
9.2.4.5	Packet constructor format
9.2.4.6	Extra data box
9.2.4.7	FEC information box
9.2.4.7.1	Definition
9.2.4.7.2	Syntax
9.2.4.7.3	Semantics
9.3	MPEG-2 transport hint track format
9.3.1	Overview
9.3.2	Design principles
9.3.2.1	General principles
9.3.2.2	Reusing existing transport streams
9.3.2.3	Timing
9.3.2.4	Packet grouping
9.3.2.5	Random-access points
9.3.2.6	Application as a reception hint track
9.3.3	Sample description format
9.3.3.1	Definition
9.3.3.2	Syntax
9.3.3.3	Semantics
9.3.4	Sample format
9.3.4.1	Definition
9.3.4.2	Syntax
9.3.4.3	Semantics
9.3.5	Protected MPEG 2 transport stream hint track
9.3.5.1	Overview
9.3.5.2	Syntax
9.3.5.3	Semantics
9.4	RTP, RTCP, SRTP and SRTCP reception hint tracks
9.4.1	RTP reception hint track
9.4.1.1	Overview
9.4.1.2	Sample description format
9.4.1.3	Sample format
9.4.1.4	Packet entry format
9.4.1.5	SDP information
9.4.2	RTCP reception hint track
9.4.2.1	Overview
9.4.2.2	General
9.4.2.3	Sample description format
9.4.2.4	Sample format
9.4.2.4.1	Overview
9.4.2.4.2	Syntax
9.4.2.4.3	Semantics
9.4.3	SRTP reception hint track
9.4.3.1	Overview

9.4.3.2	Sample description format
9.4.3.2.1	Sample description entry
9.4.3.2.2	Received cryptographic context ID box
9.4.3.2.3	Rollover counter box
9.4.3.3	Sample and packet entry format
9.4.4	SRTCP reception hint tracks
9.4.4.1	Overview
9.4.4.2	General
9.4.4.3	Sample description format
9.4.4.4	Sample format
9.4.5	Protected RTP reception hint track
9.4.5.1	Overview
9.4.5.2	Syntax
9.4.5.3	Semantics
9.4.6	Recording procedure
9.4.7	Parsing procedure
10	Sample groups
10.1	Random access recovery points
10.1.1	Definition
10.1.2	Syntax
10.1.3	Semantics
10.2	Rate share groups
10.2.1	Overview
10.2.2	Rate share sample group entry
10.2.2.1	Definition
10.2.2.2	Syntax
10.2.2.3	Semantics
10.2.3	Relationship between tracks
10.2.4	Bitrate allocation
10.3	Alternative startup sequences
10.3.1	Definition
10.3.2	Syntax
10.3.3	Semantics
10.3.4	Examples
10.4	Random access point (RAP) sample group
10.4.1	Definition
10.4.2	Syntax
10.4.3	Semantics
10.5	Temporal level sample group
10.5.1	Definition
10.5.2	Syntax
10.5.3	Semantics
10.6	Stream access point sample group
10.6.1	Definition
10.6.2	Syntax
10.6.3	Semantics
10.7	Sample-to-item sample group
10.7.1	Definition
10.7.2	Syntax
10.7.3	Semantics
10.8	Dependent random access point (DRAP) sample group
10.8.1	Definition
10.8.2	Syntax
10.8.3	Semantics
11	Extensibility
11.1	Objects
11.2	Storage formats
11.3	Derived file formats
12	Media-specific definitions
12.1	Video media
12.1.1	Media handler

- 12.1.2 Video media header
 - 12.1.2.1 Definition
 - 12.1.2.2 Syntax
 - 12.1.2.3 Semantics
- 12.1.3 Sample entry
 - 12.1.3.1 Definition
 - 12.1.3.2 Syntax
 - 12.1.3.3 Semantics
- 12.1.4 Pixel aspect ratio and clean aperture
 - 12.1.4.1 Definition
 - 12.1.4.2 Syntax
 - 12.1.4.3 Semantics
- 12.1.5 Colour information
 - 12.1.5.1 Definition
 - 12.1.5.2 Syntax
 - 12.1.5.3 Semantics
- 12.1.6 Content light level
 - 12.1.6.1 Definition
 - 12.1.6.2 Syntax
- 12.1.7 Mastering display colour volume
 - 12.1.7.1 Definition
 - 12.1.7.2 Syntax
- 12.1.8 Content colour volume
 - 12.1.8.1 Definition
 - 12.1.8.2 Syntax
- 12.2 Audio media
 - 12.2.1 Media handler
 - 12.2.2 Sound media header
 - 12.2.2.1 Definition
 - 12.2.2.2 Syntax
 - 12.2.2.3 Semantics
 - 12.2.3 Sample entry
 - 12.2.3.1 Definition
 - 12.2.3.2 Syntax
 - 12.2.3.3 Semantics
 - 12.2.4 Channel layout
 - 12.2.4.1 Definition
 - 12.2.4.2 Syntax
 - 12.2.4.3 Semantics
 - 12.2.5 Downmix instructions
 - 12.2.5.1 Definition
 - 12.2.5.2 Syntax
 - 12.2.5.3 Semantics
 - 12.2.6 DRC information
 - 12.2.7 Audio stream loudness
 - 12.2.7.1 Definition
 - 12.2.7.2 Syntax
 - 12.2.7.3 Semantics
- 12.3 Metadata media
 - 12.3.1 Media handler
 - 12.3.2 Media header
 - 12.3.3 Sample entry
 - 12.3.3.1 Definition
 - 12.3.3.2 Syntax
 - 12.3.3.3 Semantics
- 12.4 Hint media
 - 12.4.1 Media handler
 - 12.4.2 Hint media header
 - 12.4.2.1 Hint media header box
 - 12.4.2.2 Syntax
 - 12.4.2.3 Semantics
 - 12.4.3 Sample entry
 - 12.4.3.1 Definition
 - 12.4.3.2 Syntax

12.5	Text media
12.5.1	Media handler
12.5.2	Media header
12.5.3	Sample entry
12.5.3.1	Definition
12.5.3.2	Syntax
12.5.3.3	Semantics
12.6	Subtitle media
12.6.1	Media handler
12.6.2	Subtitle media header
12.6.2.1	Definition
12.6.2.2	Syntax
12.6.2.3	Semantics
12.6.3	Sample entry
12.6.3.1	Definition
12.6.3.2	Syntax
12.6.3.3	Semantics
12.7	Font media
12.7.1	Media handler
12.7.2	Media header
12.7.3	Sample entry
12.7.3.1	Definition
12.7.3.2	Syntax
12.8	Transformed media
12.8.1	General
12.8.2	Multiple transformations for a single transformed media track
12.8.3	Determining the untransformed sample entry type
12.8.4	The 'codecs' MIME parameter for a transformed media track
12.9	Multiplexed timed metadata tracks
12.9.1	General
12.9.2	Overall design
12.9.3	Sample format
12.9.4	Sample entry format
12.9.4.1	General
12.9.4.2	Metadata key table box
12.9.4.3	Metadata key box
12.9.4.3.1	Definition
12.9.4.3.2	Syntax
12.9.4.4	Metadata key declaration box
12.9.4.4.1	Definition
12.9.4.4.2	Syntax
12.9.4.4.3	Semantics
12.9.4.5	Metadata locale box
12.9.4.5.1	Definition
12.9.4.5.2	Syntax
12.9.4.5.3	Semantics
12.9.4.6	Metadata setup box
12.9.4.6.1	Definition
12.9.4.6.2	Syntax
12.9.5	Defined formats
12.9.5.1	Null
12.9.5.2	User-data
12.9.5.3	Un-multiplexed timed metadata
12.9.5.4	Other forms

Annex A (informative) Overview of the file format

A.1	Annex overview
A.2	Core concepts
A.3	Physical structure of the media
A.4	Temporal structure of the media
A.5	Interleave
A.6	Composition
A.7	Random access
A.8	Fragmented movie files

Annex B (informative) Guidance on deriving from this document

- B.1 General**
- B.2 General principles**
- B.2.1 General**
- B.2.2 Base layer operations**
- B.3 Boxes**
- B.4 Brand identifiers**
- B.4.1 Overview**
- B.4.2 Usage of the brand**
- B.4.3 Introduction of a new brand**
- B.4.4 Player guideline**
- B.4.5 Authoring guideline**
- B.4.6 Example**
- B.5 Storage of new media types**
- B.6 Use of template fields**
- B.7 Tracks**
- B.7.1 Data location**
- B.7.2 Time**
- B.7.3 Media types**
- B.7.4 Coding types**
- B.7.5 Sub-sample information**
- B.7.6 Sample dependency**
- B.7.7 Sample groups**
- B.7.8 Track-level**
- B.7.9 Protection**
- B.8 Construction of fragmented movies**
- B.9 Metadata**
- B.10 Guidelines on the use of sample groups, timed metadata tracks, and sample auxiliary information**

Annex C (normative) Fragment identifiers for ISO base media resources

- C.1 Overview**
- C.2 Syntax and semantics**

Annex D (informative) Management of extension code points

- D.1 Code points**
- D.2 Procedure for the request of an extension code point**

Annex E (normative) File format brands

- E.1 General**
- E.2 The 'isom' brand**
- E.3 The 'avc1' brand**
- E.4 The 'iso2' brand**
- E.5 The 'mp71' brand**
- E.6 The 'iso3' brand**
- E.7 The 'iso4' brand**
- E.8 The 'iso5' brand**
- E.9 The 'iso6' brand**
- E.10 The 'iso7' brand**
- E.11 The 'iso8' brand**
- E.12 The 'iso9' brand**
- E.13 The 'isoa' brand**
- E.14 The 'isob' brand**
- E.15 The 'relo' brand**
- E.15.1 Requirements for files**
- E.15.2 Requirements for readers**
- E.15.3 Use cases**
- E.15.3.1 File editing**
- E.15.3.2 Partial image file reception**
- E.16 The 'isoc' brand**
- E.17 The 'comp' brand**
- E.18 The 'unif' brand**
- E.18.1 General**

E.19	Requirements for files
E.20	Requirements for readers
Annex F	(normative) MIME type registration of segments
F.1	Overview
F.2	Registration
Annex G	(informative) URI-labelled metadata forms
G.1	UUID-labelled metadata
G.2	ISO OID-labelled metadata
G.3	SMPTE-labelled metadata
Annex H	(informative) Processing of RTP streams and reception hint tracks
H.1	General
H.1.1	Overview
H.1.2	Structure
H.1.3	Specific definitions
H.2	Synchronization of RTP streams
H.3	Recording of RTP streams
H.3.1	Overview
H.3.2	Compensation for unequal starting for position of received RTP streams
H.3.3	Recording of SDP
H.3.4	Creation of a sample within an RTP reception hint track
H.3.5	Representation of RTP timestamps
H.3.6	Recording operations to facilitate inter-stream synchronization in playback
H.3.6.1	General
H.3.6.2	Facilitating lip synchronization based on RTCP sender reports
H.3.6.3	Compensating clock drift in timestamps
H.3.7	Representation of reception times
H.3.8	Creation of media samples
H.3.9	Creation of hint samples referring to media samples
H.4	Playing of recorded RTP streams
H.4.1	Overview
H.4.2	Preparation for the playback
H.4.3	Decoding of a sample within an RTP reception hint track
H.4.4	Lip synchronization
H.4.5	Random access
H.5	Re-sending recorded RTP streams
H.5.1	Overview
H.5.2	Re-sending RTP packets
H.5.3	RTCP processing
Annex I	(normative) Stream access points
I.1	General
I.2	SAP properties
I.2.1	General
I.2.2	SAP properties for layers
I.3	SAP types
I.4	SAP definitions for the ISO base media file format
Annex J	(informative) Segment index examples
J.1	General
J.2	Examples
J.2.1	Simple one-level indexing
J.2.2	Hierarchical
J.2.3	Daisy-chain
J.2.4	Combination hierarchical and daisy-chain
Annex K	(normative) Use of IETF RFC 6381 for ISOBMFF files
K.1	General
K.2	Use of the 'codecs' parameter
K.2.1	General rules
K.2.2	Syntax
K.3	The 'codecs' parameter for transformed media tracks

- K.4 Use of the 'profiles' parameter
- K.5 Use of the 'itemtypes' parameter

Page count: 245