ISO 15000-1:2021-02 (E)

Electronic business eXtensible Markup Language (ebXML) - Part 1: Messaging service core specification

Contents

Page

Foreword vii

Introduction ix

1. Scope 1

2. Normative references 1

3. Terms and definitions 3

4. Relevant messaging concepts 6
4.1. Web services and their role in an eBusiness messaging framework 6
4.2. Caveats and assumptions 7
4.3. XML notation 7
4.4. Namespace prefixes 7
4.5. Example domains 8

5. Messaging model 8
5.1. Model components 8
5.1.1. Components of the model 8
5.1.2. Messaging roles 9
5.1.3. Abstract messaging operations 10
5.2. Message exchange patterns 10
5.2.1. Rationale 10
5.2.2. General definition 11
5.2.3. MEP bindings 11
5.2.4. Relationship to SOAP MEPs 13
5.2.5. The One-Way/Push MEP 13
5.2.6. The One-Way/Pull MEP 14
5.2.7. The Two-Way/Sync MEP 15
5.2.8. Other transport-channel-bound MEPs 16

6. Message pulling and partitioning 17
6.1. Objectives 17
6.2. Supporting message pulling 17
6.3. Combining pulling with security and reliability 19
6.4. Message partition channels 20
6.4.1. Concept and purpose 20
6.4.2. Some use cases 22
6.4.3. Definition and usage requirements 23

7. Processing modes 24
7.1. General 24
7.2. Messaging service processing model 25
7.3. Processing mode features 26
7.4. Default features for processing mode 27

8. Message packaging 28
8.1. Message envelope and message parts 28
8.1.1. MIME structure and SOAP profile 28
8.1.2. MIME and XML considerations 31

8.1.3. ebXML SOAP envelope extension 32
8.1.4. ebMS header 33
8.1.5. Payload containers 34
8.2. The eb:Messaging container element 35
8.2.1. General 35
8.2.2. eb:Messaging element specification 36
8.2.3. eb:Messaging/eb:UserMessage 37
8.2.4. eb:Messaging/eb:SignalMessage 43
8.2.5. Message unit bundling 44
8.3. Examples of ebMS messages (informative) 45
8.3.2. UserMessage example 45
8.3.3. PullRequest message example 47
8.3.4. Error message example 47
8.3.5. Receipt message example 48
8.3.6. "Bundled" message example 48

9. Error handling 50
9.1. General 50
9.2. Packaging of ebMS errors 50
9.2.1. eb:Error element 50
9.2.2. eb:Error/@origin 50
9.2.3. eb:Error/@category 51
9.2.4. eb:Error/@errorCode 51
9.2.5. eb:Error/@severity 51
9.2.6. eb:Error/@refToMessageInError 51
9.2.7. eb:Error/@shortDescription 51
9.2.8. eb:Error/Description 51
9.2.9. eb:Error/ErrorDetail 51
9.3. ebMS Error message 51
9.4. Extensibility of the eb:Error element 52
9.4.1. Adding new ebMS errors 52
9.5. Generating ebMS errors 52
9.6. Error reporting 52
9.7. Standard ebMS errors 53
9.7.1. General 53
9.7.2. ebMS processing errors 53
9.7.3. Security processing errors 54
9.7.4. Reliable messaging errors 55

10. Security module 55
10.1. General 55
10.2. Security element 55
10.3. Signing messages 56
10.4. Signing SOAP with attachments messages 56
10.5. Encrypting messages 57
10.6. Encrypting SOAP with attachments messages 57
10.7. Signing and encrypting messages 57
10.8. Security token authentication 57
10.9. Security policy errors 57
10.10. Secured message examples 58
10.10.1. Digitally signed and encrypted ebXML message 58
10.10.2. Digitally signed and encrypted ebXML SOAP with attachments message 60
10.10.3. Digitally signed receipt signal message 62
10.11. Message authorization 63
10.12. Securing the PullRequest signal 65
10.12.1. Authentication 65
10.12.2. Authorization 65
10.12.3. Preventing replay attacks 65
10.13. Countermeasure technologies 65
10.13.1. Persistent digital signature 65
10.13.2. Persistent signed receipt 66
10.13.3. Non-persistent authentication 66

10.13.4. Non-persistent integrity 66
10.13.5. Persistent confidentiality 66
10.13.6. Non-persistent confidentiality 66
10.13.7. Persistent authorization 66
10.13.8. Non-persistent authorization 66
10.14. Security considerations 66

11. Reliable messaging module 68
11.1. The reliable messaging model 68
11.1.1. General 68
11.1.2. Message processing 68
11.1.3. The reliable messaging processor in the MSH 68
11.2. Reliable delivery of ebMS messages 71
11.2.1. General 71
11.2.2. Reliability contracts for the RMP 71
11.2.3. Reliability contracts for the MSH 72
11.2.4. Reliability for signal messages 73
11.2.5. Handling of delivery failures 73
11.3. Reliability of ebMS MEPs 74
11.3.1. General 74
11.3.2. Reliability of the One-Way/Push MEP 75
11.3.3. Reliability of the One-Way/Pull MEP 76
11.3.4. Reliability of the Two-Way/Sync MEP 77
11.3.5. Reliability of other transport-channel-bound MEPs 78

Annex A (informative) The ebXML SOAP extension element schema 79

Annex B (informative) Reliable messaging bindings 83

Annex C (informative) SOAP format and bindings 90

Annex D (informative) Processing modes 94

Annex E (informative) P-Mode values and ebMS MEP bindings 103

Annex F (informative) Compatibility mapping to ebMS 2.0 106

Annex G (informative) Conformance 114

Bibliography 115