

ISO 15000-2:2021-02 (E)

Electronic business eXtensible Markup Language (ebXML) - Part 2: Applicability Statement (AS) profile of ebXML messaging service

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 4 |
| 4.1 | General | 5 |
| 4.2 | The AS4 ebHandler conformance profile | 5 |
| 4.2.1 | General | 5 |
| 4.2.2 | Feature set | 5 |
| 4.2.3 | WS-I conformance profiles | 8 |
| 4.2.4 | Processing mode parameters | 8 |
| 4.3 | The AS4 light client conformance profile | 10 |
| 4.3.1 | General | 10 |
| 4.3.2 | Feature set | 11 |
| 4.3.3 | WS-I conformance requirements | 13 |
| 4.3.4 | Processing mode parameters | 13 |
| 4.4 | The AS4 minimal client conformance profile | 15 |
| 4.4.1 | General | 15 |
| 4.4.2 | Feature set | 15 |
| 4.4.3 | WS-I conformance requirements | 16 |
| 4.4.4 | Processing mode parameters | 18 |
| 4.5 | Conformance profiles compatibility | 19 |
| 5 | AS4 additional features | 21 |
| 5.1 | General | 21 |
| 5.2 | Compression | 21 |
| 5.3 | Reception awareness features and duplicate detection | 23 |
| 5.4 | Alternative pull authorization | 24 |
| 5.5 | Semantics of receipt in AS4 | 24 |
| 5.6 | Sub-channels for message pulling | 25 |
| 5.7 | Additional features errors | 26 |
| 6 | Complementary requirements for the AS4 multi-hop profile | 27 |
| 6.1 | General | 27 |
| 6.2 | Rationale and context | 27 |
| 6.3 | General constraints | 28 |
| 6.4 | Processing mode parameter | 29 |
| 6.5 | AS4 endpoint requirements | 29 |
| 7.1 | General | 31 |
| 7.2 | AS4 usage rules | 31 |
| 7.2.1 | Core components / modules to be used | 31 |
| 7.2.2 | Bundling rules | 32 |
| 7.2.3 | Security element | 33 |
| 7.2.4 | Signing messages | 33 |
| 7.2.5 | Signing SOAP with attachments messages | 34 |

| | | |
|-----------------------|---|----|
| 7.2.6 | Encrypting messages | 34 |
| 7.2.7 | Encrypting SOAP with attachments messages | 35 |
| 7.2.8 | Generating receipts | 35 |
| 7.2.9 | MIME header and filename information | 37 |
| 7.3 | AS4 usage agreements | 37 |
| 7.3.1 | General | 37 |
| 7.3.2 | AS4 usage agreement parameters | 37 |
| 7.3.3 | Controlling content and sending of receipts | 37 |
| 7.3.4 | Error handling options | 38 |
| 7.3.5 | Securing the pull request | 39 |
| 7.3.6 | Reception awareness parameters | 41 |
| 7.3.7 | Default values of some P-Mode parameters | 41 |
| 7.3.8 | HTTP confidentiality and security | 42 |
| 7.3.9 | Deployment and processing requirements for CPAs | 43 |
| 7.3.10 | Message payload and flow profile | 43 |
| 7.3.11 | Additional deployment or operational requirements | 44 |
| 8 | Conformance statements | 45 |
| 8.1 | General | 45 |
| 8.2 | AS4 ebHandler conformance | 45 |
| 8.3 | AS4 light client conformance | 45 |
| 8.4 | AS4 minimal client conformance | 46 |
| 8.5 | AS4 minimal sender conformance | 46 |
| 8.6 | AS2/AS4 ebHandler conformance | 46 |
| 8.7 | AS4 multi-hop endpoint conformance | 46 |
| Annex A (informative) | Sample messages | 47 |
| Annex B (informative) | Generating an AS4 receipt | 52 |
| Bibliography | | 55 |